Scorpion fx 20

HP VELOTECHNIK

	☒	Item				sugg. retail €
Scorpion fx 20 foldable recumbent trike 20"/20" (SCF2)						
	❑	**Scorpion fx 20 basic model** foldable, rear suspension, under seat steering, STURMEY ARCHER 24 speed derailleur/hub gears, SHIMANO hydraulic disc brakes				**4.690,00**
	❑	**Scorpion fx frameset** foldable, with suspension rear, seat, handlebar, front hubs, chain guide setup				**3.890,00**
Scorpion fx options extra charge – drivetrain and brake options for complete bikes only						
frame	❑	**standard colour** O pearlorange O cool grey metallic				**0,00**
	❑	**single custom colour** according to RAL-colour chart: _____ (please specify)				**199,00**
	❑	**double custom colour** according to RAL-colour chart main frame:_____, front boom / swing arm:_____				**289,00**
	❑	**front boom with derailleur tube** regardless of shifting option (not with STEPS or PINION)				**0,00**
	❑	**front boom carbon** saves 170 g / 0.37 lbs of weight, not with STEPS / PINION				**199,00**
	❑	**length fitting service:** distance center of crank axle to end of main frame, look at the marking on the skale ____ cm				**0,00**
	❑	**front boom quickadjust without chain compensation** QR-levers				**49,90**
	❑	**front boom quickadjust** compensates extra chain length when front boom is adjusted, QR-levers				**229,00**
seat	❑	**ErgoMesh** meshseat with OrthoFlex technology, prepared for optional add-on bags height: O standard O HS (11 cm / 4,3" higher than standard) size: O standard O XL (5 cm / 2" wider, backrest and seat 3 cm / 1.2" longer than standard)				**0,00**
	❑	**ErgoMesh Premium** meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback independently adjustable height: O standard O HS (11 cm / 4,3" higher than standard) size: O standard O XL (5 cm / 2" wider, backrest and seat 3 cm / 1.2" longer than standard) O XL Short (seat 5 cm / 2" wider and 3 cm / 1.2" longer, backrest 2 cm / 0.8" narrower and 4 cm / 1.6" shorter than				**329,00**
	❑	**BodyLink** seat				**179,00**
	❑	**BodyLink** seat with brackets for small riders (4 cm / 1,6" to the front)				**179,00**
	❑	**seat angle adapter for ErgoMesh Premium seat** to adjust the backrest in a more upright position				**99,90**
	❑	**long handlebars** recommended for small riders, required for all high netseats (HS and HS XL)				**19,90**
	❑	**Airflow seat cushion** breathable fabric, sewn, for BodyLink seat				**69,90**
	❑	**headrest for BodyLink seat** flexible, with cushion, adjustable in height and angle				**139,00**
	❑	**headrest for meshseat** adjustable in height and angle, with quick release lever				**179,00**
	❑	**SeatWings** hip support for BodyLink seat, carbon fiber, padded				**289,00**
	❑	**adjustable end stops** allow exact positioning of the seat				**19,90**
	❑	**two adjustable end stops** for ErgoMesh Premium seats only, added				**39,80**
	❑	**rain cover** for seats, ripstop nylon fabric, blue				**29,90**
	❑	**add-on bags for meshseat** pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag				**67,90**
	❑	**Microbag** topbag for BodyLink seat, detachable as hip bag, 1 litre				**39,90**
	❑	**rear shock DNM DV-22** (basic specification) O soft: 350 lbs/inch, up to 80 kg O standard: 450 lbs/inch, up to 100 kg O hard: 550 lbs/inch, up to 140 kg				**0,00**
	❑	**rear shock** lightweight air shock, adjustable damping, lock-out, incl. damper pump				**199,00**
drivetrain	❑	**drivetrain STURMEY ARCHER Tripleshift 24** 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur, STURMEY ARCHER 3 speed internal hub				**0,00**
	❑	**drivetrain SHIMANO Nexus 8 Premium** 8 speed internal gear hub with twist shifter, black				**39,90**
	❑	**drivetrain STURMEY ARCHER Tripleshift 30** 30 speed, rear derailleur and barend shifter MICROSHIFT XLE, STURMEY ARCHER 3-speed internal gear hub and bar end shifter				**189,00**
	❑	**drivetrain SRAM 30** 30 speed, SRAM GX rear derailleur, MICROSHIFT front derailleur, SRAM SL-500 barend shifters				**369,00**
	❑	**drivetrain ROHLOFF Speedhub/14** 14 speed, black, long twist shifter				**1.950,00**
	❑	**drivetrain PINION C1.12** 12 speed front gear box, long twist shifter, Streamer not compatible				**1.990,00**
	❑	**E-drive BAFANG M410HD with SRAM X4** (basic configuration) up to 25 km/h (16 mp/h), with derailleur SRAM X4 8-speed, Li-Ion battery 720 Wh, charger 2 A, throttle for push assist and smart pedaling				**2.290,00**
	❑	**E-drive BAFANG M410HD with ENVIOLO Automatiq** up to 25 km/h (16 mph), with ENVIOLO Automatiq hub gears, Li-Ion battery 720 Wh, charger 2 A, throttle for push assist and smart pedaling				**3.290,00**
	❑	**E-drive BAFANG M410HD with ROHLOFF** 14 gear interneal gear hub, up to 25 km/h (16 mp/h), incl. Li-Ion battery 720 Wh, charger 2 A, throttle for push assist and smart pedaling				**3.890,00**
	❑	**E-drive BAFANG M410HD with ROHLOFF E14** 14 gear interneal gear hub with electronic shifting, up to 25 km/h (16 mp/h), incl. Li-Ion battery 720 Wh, charger 2 A, throttle for push assist and smart pedaling				**4.390,00**

HP VELOTECHNIK GmbH & Co. KG • Kapellenstr. 49 • 65830 Kriftel • Germany • phone +49 61 92-97 99 2-0 • fax +49 61 92-97 99 2-299 • WEEE-Reg.- Nr. DE65590493
CR Frankfurt/M HRA 47004 • General Partner: HP VERWALTUNG GmbH, Kriftel, Germany, CR Frankfurt/M HRB 112233, Managing Director: Paul Hollants and Daniel Pulvermüller

HP VELOTECHNIK

Scorpion fx 20

	☒	Item				sugg. retail €
drivetrain	❑	**E-drive SHIMANO STEPS E5000 SRAM X4** up to 25 km/h (16 mph), SRAM X4 8-speed rear derailleur, Li-Ion battery 630 Wh, 2 A charger, push assist				**1.690,00**
	❑	**E-drive SHIMANO STEPS E5000 Nexus Di2** up to 25 km/h (16 mph), SHIMANO Nexus 8 speed Di2 gear hub, Li-Ion battery 630 Wh, 2 A charger, push assist				**1.990,00**
	❑	**E-drive SHIMANO STEPS EP5 SRAM X4** up to 25 km/h (16 mph), SRAM X4 8-speed rear derailleur, Li-Ion battery 418 Wh, 2 A charger, push assist				**2.390,00**
	❑	**E-drive SHIMANO STEPS EP5 Nexus 5 Di2** up to 25 km/h (16 mph), SHIMANO Nexus 5 speed Di2 gear hub, Li-Ion battery 418 Wh, 2 A charger, push assist				**2.750,00**
	❑	**E-drive SHIMANO STEPS EP5 Nexus 8 Di2** up to 25 km/h (16 mph), SHIMANO Nexus 8 speed Di2 gear hub, Li-Ion battery 418 Wh, 2 A charger, push assist				**2.690,00**
	❑	**E-drive SHIMANO STEPS EP801 Cargo Nexus 5 Di2** up to 25 km/h (16 mph), SHIMANO Nexus 8 speed Di2 gear hub, Li-Ion battery 418 Wh, charger 2 A, push assist				**3.290,00**
	❑	**E-drive SHIMANO STEPS EP801 Cargo Cues Di2** up to 25 km/h (16 mph), SHIMANO Cues Di2 10-speed derailleur, Li-Ion battery 418 Wh, charger 2 A, push assist, freeshift and autoshift function				**3.390,00**
	❑	**E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq** up to 25 km/h (16mph), ENVIOLO hub with Automatiq internal stepless shifting, Li-Ion battery 418 Wh, 2 A charger, push assist				**4.290,00**
	❑	**E-drive SHIMANO STEPS EP801 Cargo ROHLOFF** up to 25 km/h (16 mph), incl. ROHLOFF 14 gear interneal gear hub, Li-Ion battery 418 Wh, 2 A charger, push assist				**4.890,00**
	❑	**E-drive NEODRIVES Z20 with SRAM/30** up to 25 km/h (16 mph), 30 gears, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-Ion battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar				**3.590,00**
	❑	**E-drive NEODRIVES Z20 with PINION C1.12** up to 25 km/h (16 mph), hub motor, 12 speed PINION C1.12 bottom bracket gearbox, Li-Ion battery 576 Wh, push assist forward and backwards, not compatible with streamer, 4 A charger, display position: O above handlebar O side of handlebar				**5.290,00**
	❑	**big battery pack SHIMANO STEPS** Li-Ion 630 Wh, fast charger with 4 A				**299,00**
	❑	**2nd battery pack for SHIMANO STEPS** Li-Ion battery 630 Wh, battery holder, battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder				**990,00**
	❑	**2nd battery pack for NEODRIVES Z20** Li-ion battery 576 Wh, battery adapter set, cable extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)				**990,00**
	❑	**short cranks** 155 mm / 6", recommended for riders under 175 cm / 68"				**24,90**
	❑	**tire exchange** from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 or PINION)				**49,90**
brakes	❑	**disc brakes SHIMANO BR-MT200** hydraulic, separate brake per front wheel (basic specification)				**0,00**
	❑	**disc brakes AVID BB7** mechanical, separate brake per front wheel				**79,90**
	❑	**disc brakes SHIMANO XT** hydraulic, separate brake per front wheel, lever reach adjustable				**219,00**
	❑	**disc brakes AVID BB7 coupled** front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right				**199,00**
	❑	**hydraulic disc brakes RIDEREVER coupled** hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right				**299,00**
	❑	**parking brake SHIMANO** rear wheel V-Brake with thumblever				**54,90**
	❑	**one-hand operation for brakes and drivetrain** includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right				**519,00**
Scorpion fx accessories Surcharges, additional special accessories on the "comfort and ability options" order form						
accessories	❑	**light wire routing only** twin wires routed through the frame for hub dynamo				**109,00**
	❑	**lighting system B&M EYRO rechargeable** up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C permanent				**119,00**
	❑	**lighting system B&M IQ-XS friendly for E-drive** LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC				**219,00**
	❑	**lighting system B&M IQ-X for E-drive** B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC				**299,00**
	❑	**lighting system SON xs-m disc dynohub/IQ-X** with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light				**759,00**
	❑	**indicator lights system WingBling** only in conjunction with electric drive				**689,00**

Scorpion fx 20

HP VELOTECHNIK

	☒	Item				sugg. retail €
accessories	❑	**rear rack** 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs				**289,00**
	❑	**lowrider rack** 10 mm / 0,39" tube, black powder coating, max. load 25 kg / 55 lbs (requires installed rear rack)				**139,00**
	❑	**side bag mount** holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted				**159,00**
	❑	**mudguard set HP Trikefender** front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black				**339,00**
	❑	**clipless pedals SHIMANO PD-T8000** lightweight, multi-purpose pedal for normal and SPD shoes				**89,90**
	❑	**handrest with retaining strap** comfortable hand support mounted on handlebar mounting: O left O right				**119,00**
	❑	**handrests left and right with one retaining strap** with one retaining strap, mounting side of retaining strap: O left O right				**209,00**
	❑	**handrests left and right** comfortable hand support, mounted on handlebar, removable cushion				**159,00**
	❑	**standing-up aid** support with grip for easy entry and exit from the trike, knuckle mounted, price per side, O left O right O pair				**94,50**
	❑	**water bottle set HP VELOTECHNIK** 2 x 0.6 l PE-bottle with HP print, with bottle cages, mounted				**79,90**
	❑	**rear mirror MIRRYCLE** with barend mounting, also computer mount O left O right				**69,90**
	❑	**rear mirror MIRRYCLE both sides** barend mounting left and right				**139,80**
	❑	**rear mirror B&M E** wide view angle, easy to adjust, knuckle mounting O left O right				**84,90**
	❑	**rear mirror B&M E both sides** left and right knuckle mounting				**169,80**
	❑	**flag HP VELOTECHNIK** double-sided print, with reflective strip				**26,90**
	❑	**universal mount for accessories** Mounting in handlebar end (twist shifters) or on barend shifter, Ø 22,2 mm / 0.87" tube holder for accessories like phone holder / GPS devices / bell, max. load 400 grams / 0,88 lbs, unmounted				**49,90**
	❑	**speedometer mount** for computers or battery lights, incl. sensor bracket for front wheel				**29,90**
	❑	**air horn AIRZOUND XL** about 30-115 dB, not mounted				**39,90**
	❑	**Streamer 2.0** clear front fairing, with pivotel mount, incl. assembly (not w/PINION				**799,00**
	❑	**transport cover** suitable for all folded HP VELOTECHNIK trikes, nylon fabric				**99,90**
	❑	**frame lock ABUS Granit XPlus 6950** with removable key, without chain, black				**99,90**
	❑	**chain for frame lock** length 100 cm / 39.4"				**39,90**

All prices in EURO plus shipping. Shipping costs within the EU: 1 bike € 109 / 2 bikes € 209 Suggested retail prices € 140 incl. German VAT (19 %). Our general terms and conditions shall apply for any order. Please check 2026/27 HP VELOTECHNIK trade price list for details. Prices valid from August 1st 2026

I hereby order the above marked items.

In accordance to demo dealer conditions, based on a valid Scorpion fx 20 demo dealer contract.

In accordance to premium dealer conditions, based on a valid Scorpion fx 20 premium dealer contract.

company / customer no.:

name, date & signature:

customer name / your reference:

Scorpion fx 20

Scorpion fx 20

HP VELOTECHNIK GmbH & Co. KG • Kapellenstr. 49 • 65830 Kriftel • Germany • phone +49 61 92-97 99 2-0 • fax +49 61 92-97 99 2-299 • WEEE-Reg.- Nr. DE65590493
CR Frankfurt/M HRA 47004 • General Partner: HP VERWALTUNG GmbH, Kriftel, Germany, CR Frankfurt/M HRB 112233, Managing Director: Paul Hollants and Daniel Pulvermüller