



		Scorpion ⁵ 20		
	×	Item		sugg.
Sc	or	pion fs 20 foldable full suspension trike 20"/20" (SFS)		retail €
30		Scorpion fs 20 basic model foldable, rear and front suspension, under deat steering, STURMEY ARCHER 24 speed	<u>г г г г</u>	
		derailleur/hub gears, SHIMANO hydraulic disc brakes		5.890,00
		Scorpion fs 20 frameset foldable, with suspension front and rear, seat, handlebar, front hubs, chain guide setup		5.090,00
5	-			5.070,00
30	_	pion fs 20 options extra charge – drivetrain and brake options for complete bikes only standard colour O colza yellow RAL1021 O blue shade grey matt	<u> </u>	0,00
		single custom colour according to RAL-colour chart: (please specify)	\mathbf{H}	199,00
	-	double custom colour according to RAL-colour chart main frame:, front boom / swing arm:		289,00
e		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)		0,00
frame	H	front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION	\mathbf{H}	199,00
÷		length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm		0,0
		front boom quickadjust without chain compensation QR-levers		49,90
	_	front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers		229,00
-		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags		0,00
		ErgoMesh HS mesheat (11 cm / 4,3" higher than ErgoMesh Premium)		0,0
		ErgoMesh XL mesheeat (5 cm / 2" wider, backrest and seat 3 cm / 1.2" longer than ErgoMesh Premium)		0,0
		ErgoMesh HS XL meshseat (11 cm / 4,3" higher than ErgoMesh Premium XL)		0,0
	-	ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback		
		independently adjustable		329,0
		ErgoMesh Premium XL meshseat (5 cm / 2" wider, backrest and seat 3 cm / 1.2" longer than ErgoMesh Premium)		329,0
		ErgoMesh Premium HS meshseat (11 cm / 4.3" higher than ErgoMesh Premium)		329,00
		ErgoMesh Premium HS XL meshseat (11 cm / 4.3" higher than ErgoMesh Premium XL)		329,00
		BodyLink seat		179,00
		BodyLink seat with brackets for small riders (4 cm / 1,6" to the front)		179,00
seat		long handlebars recommended for small riders, required for all high netseats (HS and HS XL)		19,9
se	-	seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position		99,9
	_	handrests left and right comfortable hand support, mounted on handlebar, removable cushion		159,0
	_	Airflow seat cushion breathable fabric, sewn, for BodyLink seat		69,9
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle		139,0
		headrest for meshseat adjustable in height and angle, with quick release lever		179,0
	_	SeatWings hip support for BodyLink seat, carbon fiber, padded		289,0
		adjustable end stops allow exact positioning of the seat		19,9
		two adjustable end stops for ErgoMesh Premium seats only, added		39,8
	E	rain cover for seats, ripstop nylon fabric, blue		29,9
	-	add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag		67,90
		Microbag topbag for BodyLink seat, detachable as hip bag, I litre		39,9
	+	rear shock DNM DV-22 (basic specification)		01,11
Б		O soft: 350 lbs/inch, up to 80 kg O standard: 450 lbs/inch, up to 100 kg O hard: 550 lbs/inch, up to 130 kg		0,00
ensi		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump		299,0
suspension		front suspension standard up to 90 kg / 198 lbs, with standard stabilizer/anti-roll-bar		0,00
S		front suspension hard from 90 kg / 198 lbs, with hard stabilizer/anti-roll-bar		34,90
	F	drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear		0.,,,
		derailleur, STURMEY ARCHER 3 speed internal hub		0,00
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black		39,90
drivetrain	1	drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur and barend shifter MICROSHIFT XLE,		
vet		STURMEY ARCHER 3-speed internal gear hub and bar end shifter		179,00
dri		drivetrain SRAM 30 30 speed, SRAM GX rear derailleur, MICROSHIFT front derailleur, SRAM SL-500 barend shifters		349,00
		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter		1.950,00
11		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible		1.990,00





Intern International action International action International action International action International actional actionactional actional actionactional actional actional ac	Edites SHIMANO STEPS E3000 SRAM X4 up to 25 kmh (16 mph), SHM X4 Expand racr denillar, Liko Istary I.469,00 Edites SHIMANO STEPS E3000 SRAM X4 up to 25 kmh (16 mph), SHM X4 Expand racr denillar, Liko Istary I.469,00 Edites SHIMANO STEPS E300 Nexu D2 up to 25 kmh (16 mph), SHM X4 Expand racr denillar, Liko Istary I.200,00 Edites SHIMANO STEPS E300 Nexu D2 up to 25 kmh (16 mph), SHM X4 Expand racr denillar, Liko Istary I.200,00 Edites SHIMANO STEPS E300 Nexu D2 up to 25 kmh (16 mph), SHM X4 Expand racr denillar, Liko Istary I.200,00 Edites SHIMANO STEPS E300 Nexu D2 up to 25 kmh (16 mph), SHM X4 Expand racr denillar, Liko Istary I.200,00 Edites SHIMANO STEPS E300 Nexu D2 up to 25 kmh (16 mph), SHM X4 Expand racr denillar, Liko Istary I.200,00 Edites SHIMANO STEPS E300 Cargo Ces D2 up to 25 kmh (16 mph), SHM X4 Cargo 2 µm tak. Liko Istary (18 Wh, 2.4 charge, pub takit I.200,00 Edites SHIMANO STEPS E300 Cargo Ces D2 up to 25 kmh (16 mph), SHM X4 Cargo 2 µm tak. Liko Istary (18 Wh, 2.4 charge, pub takit I.200,00 Edites SHIMANO STEPS E300 Cargo Ces D2 up to 25 kmh (16 mph), SHM X4 Cargo 2 µm takit I.200,00 Edites SHIMANO STEPS E300 Cargo Ces D2 up to 25 kmh (16 mph), SHM X4 Cargo 2 µm takit I.200,00 Edites SHIMANO STEPS E300 Cargo Ces D40 up to 25 kmh (16 mph), SHM X4 Cargo 2 µm takit Kargo 2 µm takit Karg								
Image: Section of the sectio	up If Work 2A charger, pairs sature If SWD 2A charger, pairs sature If SWD 2A charger, pairs sature Excited SWD 2A charger, pairs sature If SWD 2A charger, pairs sature If SWD 2A charger, pairs sature If SWD 2A charger, pairs sature Excited SWD 2A charger, pairs sature If SWD 2A charger, pairs sature	\prod	×	Item			00		
UP Shartry 418 Wh, 2 A durger, puk axis: 1.797 Image: Shartry 418 Wh, 2 A durger, puk axis: 2.294 418 Wh, 2 A durger, puk axis: 2.594 418 Wh, 2 A durger, puk axis: 2.596 418 Wh, 2 A durger, puk axis: 2.598 418 Wh, 2 A durger, pu	up Intervy 418 Wit, 2 A druger, public basis Intervy 418 With, 2 A druger, public basis Edders SHIMANO STEPS EPS Nexue 5 D2 up to 25 kmh (16 mph), 5HMANO Nexue 5 speed D2 gar hub, Lion basis 2,259,00 Edders SHIMANO STEPS EPS PROXIMA D2 up to 25 kmh (16 mph), 5HMANO Nexue 5 speed D2 gar hub, Lion basis 2,259,00 Edders SHIMANO STEPS EPS PROXIMA D2 up to 25 kmh (16 mph), 5HMANO Nexue 5 speed D2 gar hub, Lion basis 2,259,00 Up of the state of	Π							
Image: Section of the sectio	up Ide Mit Shark A druger, push usate 2,290,00 IE defree SHIMAND STEPS EFS Neurol S D2 up to 25 km/h (16 mph), 5HIMAND Neuro 5 gered D2 gar hub, Li-lon 2,656,00 IE defree SHIMAND STEPS EFS Neurol S D2 up to 25 km/h (16 mph), 5HIMAND Neurol 5 gered D2 gar hub, Li-lon 2,550,00 Intertry 418 Wh, 2 A druger, push usate 2,550,00 Intertry 418 Wh, 2 A druger, push usate 3,290,00 Intertry 418 Wh, 2 A druger, push usate 3,390,00 Intertry 418 Wh, 2 A druger, push usate 3,390,00 Intertry 418 Wh, 2 A druger, push usate 3,390,00 Intertry 418 Wh, 2 A druger, push usate 3,390,00 Intertry 418 Wh, 2 A druger, push usate 4,499,00 Eddres SHIMAND STEPS EF80 Cargo ENNOLO A carcenating up to 25 km/h (16 mph), 100 ROUTO 14 waith 4,499,00 Eddres SHIMAND STEPS EF80 Cargo ENNOLO A carcenating up to 25 km/h (16 mph), 100 ROUTO 14 waith 4,499,00 Eddres SHIMAND STEPS EF80 Cargo ENN/LO A druger, push usate 3,490,00 Interry 418 Wh, 2 A druger, push usate 4,899,00 Eddres NHAND STEPS EF80 Cargo ENN/LO A druger, push usate 3,490,00 Interry 418 Wh, 2 A druger, push usate 5,290,00 Interry 418 Wh, 2 A druger, push usate 5,290,00 Intedres SHIMAND STEPS EF80 Cargo ENN/LO Marker Marker <td></td> <td></td> <td></td> <td></td> <td></td> <td>1.790,00</td>						1.790,00		
Battery Ale Why, 2.4 Adarger, puth assit: 24545 Edrive SHIMANO STEPS EPS Nexus 8 D12 up to 25 km/h (16 mph), SHIMANO Nexus 8 speed D2 gear hub, Li-lon 2.590 Edrive SHIMANO STEPS EPS I Nexus 9 D12 up to 25 km/h (16 mph), SHIMANO Nexus 8 speed D2 gear hub, Li-lon 3.390 Ion battery 418 Wh, 24 adarger, puth assit 3.390 Edrive SHIMANO STEPS EPSI Cargo Cues D12 up to 25 km/h (16 mph), SHIMANO Nexus 8 speed D2 gear hub, Li-lon 3.390 Edrive SHIMANO STEPS EPSI Cargo ENVIDLO Automatig up to 25 km/h (16 mph), SHIMANO Nexus 8 speed D2 gear hub, Li-lon 3.390 Edrive SHIMANO STEPS EPSI Cargo ENVIDLO Automatig up to 25 km/h (16 mph), SHIMANO Nexus 8 speed D2 gear hub, Li-lon 3.390 Edrive SHIMANO STEPS EPSI Cargo ENVIDLO Automatig up to 25 km/h (16 mph), SHIMANO STEPS EPSI Cargo ENVIDLOFF up to 25 km/h (16 mph), adar steps for M10 adar 14 gear intermal gear hub, Li-lon battery 74 km/h, adarger, puth assit 4.390 Edrive SHIMANO STEPS EPSI Cargo ENVIDLO Automatig up to 25 km/h (16 mph), ada mass forward and the Step 20 km/h (16 mph), ada mass forward and the Step 20 km/h (16 mph), adar step 20 km/h	up Instrump 418 Why, 2.A. drugsre, public asset: 2.556,00 IF derive SHIMAND STEPS EF80 Kourds D12 up to 25 kmh (16 mph), SHIMAND Nexus 6 speed D12 gar hub, Li-lon 3.296,00 IF derive SHIMAND STEPS EF80 Cargo Cargo Cargo D2 kmh (16 mph), SHIMAND Nexus 6 speed D12 gar hub, Li-lon 3.396,00 IF derive SHIMAND STEPS EF80 Cargo Cargo Cargo D2 kmh (16 mph), SHIMAND Nexus 6 speed D12 gar hub, Li-lon 3.396,00 IF derive SHIMAND STEPS EF80 Cargo Cargo Cargo D3 kmh (16 mph), SHIMAND Nexus 6 speed D12 gar hub, Li-lon 3.396,00 IF derive SHIMAND STEPS EF80 Cargo Cargo Cargo D4 kmm (16 mph), SHIMAND Nexus 6 speed D12 gar hub, Li-lon 3.396,00 IF derive SHIMAND STEPS EF80 Cargo CARGO P4 kmm (16 mph), SHIMAND Cargo D2 (16 speed derailleur, Li-lon Starty 16 kmh, 2 d- darger, public asite: 4.896,00 IF derive SHIMAND STEPS EF80 Cargo CANLOFF up to 25 kmh (16 mph), bit ACMAC D4 kmm at the bit ShiMA D2 up to 25 kmh (16 mph), bit ACMAC D4 kmm at the bit ShiMA D4 darger, public asite: 3.496,00 IF derive NEDDRIVES Z20 with STAMID0 up to 25 kmh (16 mph), bit motor, 12 queed PMIDDN C1.12 bit D13 kmh (16 mph), bit motor, 12 queed PMIDDN C1.12 bit D13 kmm (16 mph), bit motor, 12 queed PMIDDN C1.12 bit D13 kmm (16 mph), bit motor, 12 queed PMIDDN C1.12 bit D13 kmm (16 mph), bit motor, 12 queed PMIDDN C1.12 bit D13 kmm (16 mph), bit motor, 12 queed PMIDDN C1.12 bit D13 kmm (16 mph), bit motor, 12 queed PMIDDN C1.12 bit D13 kmm (16 mph), bit motor, 12 queed PMIDDN C1.12 bit D13 kmm (16 mph), bit motor, 12 queed PMIDDN C1.12 bit D13 kmm (16 mph), bit motor, 12 queed PMIDDN C1.12 bit D13 kmm (2.290,00		
Bustery 418 Wh, 24. Advager, push assist 2.399 Eddres SHIMANO STEPS EP801 Nexus 5 D2 up to 25 km/h (16 mph), SHIMANO Nexus 8 speed D12 gara huk, Li 3.390 Eddres SHIMANO STEPS EP801 Cargo Cues D12 up to 25 km/h (16 mph), SHIMANO Cues D2 10-speed derailleur. 3.390 Eddres SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 25 km/h (16 mph), SHIMANO Cues D2 10-speed derailleur. 3.390 Eddres SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 25 km/h (16 mph), SHIMANO Cues D2 10-speed derailleur. 4.300 Eddres SHIMANO STEPS EP801 Cargo ENVIOLO Fue to 25 km/h (16 mph), BM/COLO hub with 4.390 Automatiq internal toppies shifting. Li-to battary 418 Wh, 2A charger, push assist 4.890 Eddres SHIMANO STEPS EP801 Cargo CHUCOFF up to 25 km/h (16 mph), abl gars, rear derailleur SAAM GX, handlebar end 3.490 Eddres NDODIVES 220 with FINION C112 up to 25 km/h (16 mph), abl gars, rear derailleur SAAM GX, handlebar end 3.491 Eddres SHIMANO STEPS EP801 Cargo CHUCOFF up to 25 km/h (16 mph), abl motor, 12 bactorn 5.290 Inclus parton, Li-to hattery 516 Wh, hat charger with 4A 3.491 Inclus parton, Unho hattery 517 Wh, push saint forward and backwards, not compatible with streamer, 4A charger, display position: O shore handlebar O side of handlebar 4.101 Ind battery pack for HMANON STEPS Li-to hattery 516 Wh, hattery adpter set, cable extension for convenient 990	up Statesy -18 Vm, 2 A durger, publ assis 2.590,00 in the statesy -18 Vm, 2 A durger, publ assis 3.290,00 in the statesy -18 Vm, 2 A durger, publ assis 3.290,00 in the statesy -18 Vm, 2 A durger, publ assis 3.390,00 in the statesy -18 Vm, 2 A durger, publ assis 3.390,00 in the statesy -18 Vm, 2 A durger, publ assis 4.300,00 in the statesy -18 Vm, 2 A durger, publ assis 4.300,00 in the statesy -18 Vm, 2 A durger, publ assis 4.300,00 in the Vm 2 A durger, publ assis 4.490,00 in the Vm 2 A durger, publ assis 4.490,00 in the Vm 2 A durger, publ assis 4.490,00 in the Vm 2 A durger, publ assis 4.490,00 in the Vm 2 A durger, publ assis 4.490,00 in the Vm 2 A durger, publ assis 4.490,00 in the Vm 2 A durger, publ assis 4.490,00 in the Vm 2 A durger, publ assis 4.490,00 in the Vm 2 A durger, publ assis 4.490,00 in the Vm 2 A durger, publ assis 4.490,00 in the Vm 2 A durger, publ assis 4.490,00 in the Vm 2 A durger, publ assis 5.290,00 in the						2.650,00		
In a battery 418 Wh, Arager 2 A, pub assist: 3.374 Edrive SHIMANO STEPS EP801 Carge Cues D12 up to 25 kmh (16 mph), SHIMANO Cues D12 (10-speed derailleur, Lichon battery 418 Wh, 12 A charger, pub assist: 3.394 Edrive SHIMANO STEPS EP801 Carge CNUCLO Automatiq up to 35 kmh (16 mph), ENIVOLO hub with Automatige internal stepies anding, Li-on battery 418 Wh, 2 A charger, pub assist: 4.296 Edrive SHIMANO STEPS EP801 Carge CNUCLO Automatiq up to 35 kmh (16 mph), incl. ROHLOFF 14 gaar internet agear hub, Li-bon battery 418 Wh, 2 A charger, pub assist: 4.897 Edrive SHIMANO STEPS SP801 Carge CNUCLO Starth (16 mph), incl. ROHLOFF 14 gaar internet agear hub, Li-bon battery 418 Wh, 2 A charger, pub assist 4.897 Edrive SHIMANO STEPS SP801 Carge CNUCLO Automatig up to 25 kmh (16 mph), hub motor, 12 speed PINION C1.12 bottom bracker garlox, Li-lon battery 576 Wh, pub assist forward and backmards, Display position: O above handlebar O side of handlebar 3.490 Edrive SHIMANO STEPS Li-lon battery 576 Wh, bustery hold, in battery hold for SHIMANO STEPS Li-lon battery 576 Wh, bustery hold poser speed set and backwards, not compatible with streamer, 4 A charger, display position: O above handlebar: O side of handlebar 3.116 Dracker garlox, Li-lon battery 576 Wh, bustery hold battery 1030 Wh, battery hold for SHIMANO STEPS Li-lon battery 576 Wh, bustery adapter set, creatics folding function, whother power space, battery fold Wh, battery hold backer pole for thoring and reconcella of additional battery, inder 3.116 In dist bracker SHIMANO STEPS Li-lon battery 576 Wh, battery hold for thoring as	up In hattery 418 Wh, charge 2 A, pub assis: 3.390,00 in hattery 418 Wh, charge 2 A, pub assis: 3.390,00 in hattery 418 Wh, charge 2 A, pub assis: 3.390,00 in hattery 418 Wh, charge 2 A, pub assis: 4.290,00 in hattery 418 Wh, charge 2 A, pub assis: 4.290,00 in hattery 418 Wh, charge 2 A, pub assis: 4.290,00 in hattery 418 Wh, charge 2 A, pub assis: 4.290,00 in hattery 418 Wh, charge 2 A, pub assis: 4.290,00 in hattery 418 Wh, charge pub assis: 4.290,00 in hattery 418 Wh, charge pub assis: 4.890,00 in hattery 418 Wh, charge pub assis: 5.290,00						2.590,00		
Index Image: State of the state state of the state of the state state of the state of the state	upon Link hotsey 418 Wh, karger 2A, public statis, freedult, and studenth function 3.390,00 upon Link hotsey 418 Wh, karger 2A, public statis, freedult, and studenth function 4.299,00 Link hotsey 418 Wh, karger 2A, public statis, freedult, and studenth function 4.299,00 Link hotsey 418 Wh, Alarger 2A, public statis, freedult, and the public st						3.290,00		
Automatiq internal steplets shifting, L-ion battery 418 Wh, 2.4 charger, push assist 4.290 Automatiq internal steplets shifting, L-ion battery 418 Wh, 2.4 charger, push assist 4.890 Edrive SHMENO STEPS EP801 Cargo ROHLOFF up to 25 km/h (16 mph), incl. ROHLOFF 14 gear interneal gear here: SNAT 51-200, castets SNAT/20 up to 25 km/h (16 mph), jog gars, rear derailleur SRAM GX, handlebar and gear lever SNAT 51-200, castets SNAT 10-abore handlebar. 4.890 Edrive NEODRIVES Z20 with SNAM/30 up to 25 km/h (16 mph), bug gars, rear derailleur SRAM GX, handlebar and backwards, toplay position: O above handlebar. 5.290 Edrive NEODRIVES Z20 with PINION C1.12 up to 25 km/h (16 mph), hub motor. 12 speed PINION C1.12 bottom backer garbox. U-lon battery 576 Wh, push assist forward and backwards, not compatible with streamer, 4.A charger, display position: O above handlebar. 5.290 Ib big battery pack for SHIMANO STEPS L-lon battery 530 Wh, battery holder, battery adapter set, (restricts folding function) 990 Internal IS 3m // 5 cm Combined battery, ind.: mounting accessories (rearricts folding function) 990 In dattery pack for NEODRIVES Z20 Li-lon battery 570 Wh, battery adapter set, cable extension for convenient during and reconnecting of addicional battery. index under 175 on 681 920 In diverse shiftANN DR: MT200 hydraulic, separate brake per front wheel (bast specification) 0 990 In disc brakes SHIMANO ST hydraulic, separate brake per front wheel, lever reach adjustable 200 In disc brakes SHIMANO Thydraulic, separate brake per front wheel, lever reach adjustable 201 In disc brakes SHIMANO Thydraulic, separate brake per front wheel, lever reach adjustable 206 In disc	Buromatiq internal tapless shifting, Li-lo battery 418 Wh, 2.A charger, puth saist 4.290.00 Automatiq internal tapless shifting, Li-lo battery 418 Wh, 2.A charger, puth saist 4.890,00 Implementation 5.290,00 Implementation 5.290,0						3.390,00		
mice. Math. Nature 1, 100 mice. View 58, SAM 200 to 25 km/h (16 mph), 30 gears, rear derailleur SRAM GX, handlebar end backwards, Display position: O above handlebar O side of handlebar 3,490 Backwards, Display position: O above handlebar O side of handlebar 3,490 Brackwards, Display position: O above handlebar O side of handlebar 3,490 Bib gatery pack SIM-MANO STEPS Live to Six MM (16 mph), hub motor, 12 speed PINION C1.12 bottom 5,290 Bib gatery pack SIM-MANO STEPS Live to Six MM (16 mph), hub motor, 12 speed PINION C1.12 bottom 3115 Zind battery pack for SHIMANO STEPS Live to Six MM (16 mph), hub motor, 12 speed PINION C1.12 bottom 3116 Zind battery pack for SHIMANO STEPS Live to battery 576 Wh, battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder. 3116 Zind battery pack for NEORIVES Z20 Live ho battery 576 Wh, battery adapter set, (restricts folding function) 990 Bib adatery pack SIMI-MANO STEPS Live adatery. Ind. mounting accessories (restricts folding function) 991 disc brakes SIMINANO RENT Z00 Live 40 mm / 1.5' to O Marathon Plus 47 mm / 1.8'' O Kojak 35 mm / 1.4'' (SRAM30 443 disc brakes SIMIANO RENT Hydraulic, separate brake per front wheel (basic specification) 60 disc brakes SIMIANO RENT Hydraulic, separate brake per front wheel (basic specification) 60 disc brakes SIMIANO RENT H	Bedrive Nation Image: SAM 55.200 with SAM/30 up to 25 km/h (16 mph), 30 gears, rear deraileur SAM 6X, handlebar end gear lever SAM 55.300, casette SAM, takinning set 3-apeed back, Li-lon battery 576 Wh, push assis forward and backwards. Display position: O above handlebar 3.490,00 Bedrive NEODRIVES 220 with SAM/30 up to 25 km/h (16 mph), hub motor, 12 speed PNINON CI 12 bottom battery 576 Wh, push assis forward and backwards, not compatible with streamer, 44 charger, display position: O above handlebar 319,00 Big battery pack for SHIMANO STEPS Li-lon 520 Wh, fats charger with 4A 319,00 Big battery pack for SHIMANO STEPS Li-lon 630 Wh, battery holder, battery stagter set, (restricts folding function) 990,00 India terry pack for SHIMANO STEPS Li-lon battery 570 Wh, battery adapter set, (restricts folding function) 990,00 India terry pack for NEODRIVES 220 Li-lon battery 570 Wh, battery adapter set, (restricts folding function) 990,00 India terry pack for NEODRIVES 220 Li-lon battery 570 Wh, battery adapter set, (restricts folding function) 990,00 India terry pack for NEODRIVES 220 Li-lon battery 570 Wh, battery adapter set, (restricts folding function) 990,00 India terry pack for NEODRIVES 220 Li-lon battery 570 Wh, battery adapter set, fore stress folding function) 990,00 India terry pack for NEODRIVES 220 Li-lon battery 570 Wh, battery pack form 1/3 cn / 48° 244,90 India terras 155 m/l 67 recommended for rider ander 173 cn / 48° 249,00	train					4.290,00		
gear lever SRAM SL-500, cassette SRAM, chaining set 3-speed black, L-ion battery S76 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar 3.490 Bedriver, MCDORNESS 220 witch PINON CI 1.12 to pc 32 km/l (6 mph), hub motor, 12 gpeed PINON CI 1.2 botters 5.290 Big battery pack SIMMANO STEPS Li-ion 630 Wh, fast charger with 4 A 3165 Image: Data battery pack SIMMANO STEPS Li-ion 630 Wh, fast charger with 4 A 3167 Image: Data battery pack SIMMANO STEPS Li-ion battery 630 Wh, battery holder, battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder 990 Image: Data battery pack SIMMANO STEPS Li-ion battery 576 Wh, battery adapter set, cable extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function) 990 Image: Bottery mark SIMMANO SIMMANO SIGNES Libro Dattery 376 Wh, battery adapter set, cable extension for convenient charging and reconnecting of additional battery. Incl. mounting accessories (restricts folding function) 990 Image: Botter and BBT mechanical, suparate brake per front wheel (basic specification) 990 Image: Botter and BBT mechanical, suparate brake per front wheel (basic specification) 990 Image: Botter and BBT mechanical, suparate brake per front wheel (basic specification) 990 Image: Botter and BBT mechanical, suparate brake per front wheel (basic specification) 990 <t< td=""><td>up gas lever SRAM SLOQ, cassett SRAM, chaining set 3-speed black, Li-lon battery 576 Wh, push assist forward and lackwards, Display position: O above handlebar O side of handlebar 3.499,00 3.499,00 </td><td>drive</td><td></td><td></td><td></td><td></td><td>4.890,00</td></t<>	up gas lever SRAM SLOQ, cassett SRAM, chaining set 3-speed black, Li-lon battery 576 Wh, push assist forward and lackwards, Display position: O above handlebar O side of handlebar 3.499,00 3.499,00	drive					4.890,00		
 bracket gearbox, Li-on battery 57 Wh, push assist forward and backwards, not compatible with streamer, 4 A charger, display position: O above handlebar big battery pack SHIMANO STEPS Li-lon 630 Wh, fast charger with 4 A 2nd battery pack SHIMANO STEPS Li-lon battery 630 Wh, battery holder, battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder. 2nd battery pack for NEODRIVES Z20 Li-lon battery 576 Wh, battery dagter set, cable extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function) short cranks 155 mm / 6", recommended for riders under 175 cm / 68" tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO ST hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO XT hydraulic, separate brake per front wheel (basic specification) disc brakes SHIBANO XT hydraulic, separate brake per front wheel (basic specification) disc brakes SHIBANO XT hydraulic, coupled front brakes, with one-hand operation and parking brake function, rear disc brakes with orthor brakes, with one-hand operation and parking brake function, mounting the controls: O left. O right parking brake function, mounting the controls: O left. O right Scorption fs 20 accessories Surcharges, additional special accessories on the "comfort and ability options" order form light wire routing only twin wires routed drough the frame for hub dynamo light wire routing only twin wires routed whough the frame for hub dynamo ling thire system	Pedrive NEODRIVES 220 with PINION C1.12 up to 25 km/h (16 mgh), hb motor, 12 speed PINION C1.12 bottom 5.290,00 Ib bracker gradox, Li-ho battery 50 km, publication and backwards, not compatible with streamer, 4 A charger, display position: O above handlebar 319,00 Image: Interpret of the streamer, 4 A charger, display position: O above handlebar 319,00 Image: Interpret of the streamer, 4 M, battery holder 319,00 Image: Interpret of the streamer, 4 M, battery holder 990,00 Image: Interpret of the streamer, 4 M, battery holder 990,00 Image: Interpret of the streamer, 100, battery 100 Kh, battery holder 990,00 Interpret of the streamer, 100, battery 100 Kh, battery holder 24,00 Inter canks 155 mm / 6, recommende for riders under 175 m / 68° 24,00 Inter canks 155 mm / 6, recommende for riders under 175 m / 68° 24,00 Inter canks 155 mm / 6, recommende for riders under 175 m / 68° 24,00 Inter canks 155 mm / 6, recommende for riders under 175 m / 68° 209,00 Inter canks 155 mm / 6, recommende for riders under 175 m / 68° 209,00 Inter canks 155 mm / 14° to O Marathon Plus 47 mm / 1.8° C Kojak 35 mm / 14° (SRAM30 49,90 Inter canks 155 mm / 6, recommende for riders under 175 m / 68° 209,00 Inter canks STIMANO XT hydraul			gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-Ion battery 576 Wh, push assist forward and			3.490,00		
Image: State Step States Image: States Ima	2nd battery pack for SHIMANO STEPS Li-lon battery 630 Wh, battery holder, battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder 990,00 2nd battery pack for SHIMANO STEPS Li-lon battery 576 Wh, battery adapter set, cable extension for convenient charging and reconnecting of additional battery, ind. mounting accessories (territers folding function) 990,00 induction for the CORNVES Z20 Li-lon battery ind. mounting accessories (territers folding function) 24,90 irre exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 49,900 irre exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 90,000 idis brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) 0,000 idis brakes AVID BB7 mechanical, separate brake per front wheel, lever reach adjustable 69,900 idis brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable 209,000 idis brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, action 1 189,000 hydraulic disc brakes AIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function rear disc brake, forto brake lever: 0 left O right 54,000 hydraulic disc brakes AID BB7 cont brake lever: 0 left O right 519,000 119,000 Barking brake function, mounting the controls: O l			bracket gearbox, Li-lon battery 576 Wh, push assist forward and backwards, not compatible with streamer, 4 A charger,			5.290,00		
2nd battery pack for SHIMANO STEPS Li-lon battery 630 Wh, battery holder, battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder 990 2nd battery pack for NEODRIVES Z20 Li-lon battery 576 Wh, battery adapter set, cable extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function) 990 a hort cranks 155 mm / 6*, recommended for riders under 175 cm / 68* 224 a tre exchange from SCHWALBE Tryker 40 mm / 1.6* to O Marathon Plus 47 mm / 1.8* O Kojak 35 mm / 1.4* (SRAM/30 or PINION) 445 a disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) 666 a disc brakes SHIMANO XT hydraulic, separate brake per front wheel (basic specification) 666 a disc brakes SHIMANO XT hydraulic, separate brake per front wheel (basic specification) 188 a disc brakes SHIMANO XT hydraulic, separate brake per front wheel (basic specification) 188 a disc brakes SHIMANO XT hydraulic, separate brake per front wheel (basic specification) 188 a disc brakes SHIMANO XT hydraulic, separate brake per front wheel (basic specification) 188 a disc brakes SHIMANO XT hydraulic, separate brake per front wheel (basic specification) 188 a disc brakes SHIMANO XT hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake NUD B87 coupled hydraulic disc brakes NUD B87 299	Image: Strike			big battery pack SHIMANO STEPS Li-lon 630 Wh, fast charger with 4 A			319,00		
 charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function) short cranks 155 mm / 6", recommended for riders under 175 cm / 68" short cranks 155 mm / 6", recommended for riders under 175 cm / 68" cire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake parking brake SHIMANO rear wheel V-Brake with thumblever one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake storprion fs 20 accessories Surcharges, additional special accessories on the "comfort and ability options" order form light mire routing only twin wires routed through the frame for hub dynamo light mire routing only twin wires routed through the frame for hub dynamo lighting system B&M IQ-X for E-drive LED headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C DC lighting system B&M IQ-X for E-drive B&M IQ-X with stand light, dytime runnning light an	e charging and reconnecting of additional battery. incl. mounting accessories (restricts folding function) 9990,00 e short cranks 155 mm / 6", recommended for riders under 175 cm / 68" 24,90 itre exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM30 49,90 or PINION) 0,00 disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel 0,00 disc brakes AVID BB7 mechanical, separate brake per front wheel 0,00 disc brakes AVID BB7 coupled front brake, mechanical, rear disc brake, parking brake function 189,00 disc brakes AVID BB7 coupled front brake, mechanical, rear disc brake, parking brake function 189,00 front brake lever: O left. O right 189,00 parking brake SHIMANO rear wheel V-Brake with thumblever 54,90 one-hand operation for brakes avid bBrake stront brake lever: O left. O right 519,00 Scorpion fs 20 accessories Surcharges, additional special accessories on the "comfort and ability options" order form 119,00 light wire routing only twin wires routed through the frame for hub dynamo 109,00 219,00 light wire routing only twin wires routed through the frame for hub dynamo 119,00 219,00 light wire routing only twin wires routed through t								
itire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 45 or PINION) 45 disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) 0 disc brakes AVID BB7 mechanical, separate brake per front wheel (basic specification) 0 disc brakes AVID BB7 mechanical, separate brake per front wheel, lever reach adjustable 206 disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function 188 front brake lever: O left O right 188 hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right 299 parking brake SHIMANO rear wheel V-Brake with thumblever 54 one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right 515 Scorpion fs 20 accessories Surcharges, additional special accessories on the "comfort and ability options" order form 109 lighting system B&M IQ-XS friendly for E-drive LED headlight rechargeable with USB, battery-powered rear light 119 gifting system B&M IQ-XS friendly for E-drive LED headlight rechargeable with USB, battery-powered rear light 219 lighting system B&M IQ-XS friendly for E-drive LED headlight R&M IQ-	tire exchange from SCHWALBE Tryker 40 mm / 1.6° to O Marathon Plus 47 mm / 1.8° O Kojak 35 mm / 1.4° (SRAM/30 49,90 or PINION) 49,90 disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) 0,00 disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) 0,00 disc brakes SHIMANO Thydraulic, separate brake per front wheel (basic specification) 0,00 disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable 200,00 disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function 189,00 front brake lever: O left. O right 189,00 parking brake SHIMANO rear wheel V-Brake with thumblever 54,90 one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake 519,00 Scorption fs 20 accessories Surcharges, additional special accessories on the "comfort and ability options" order form 109,00 lighting system B&M IQ-XS friendly for E-drive LED headlight rehargeable with USB, battery-powered rear light 119,00 lighting system B&M IQ-XS friendly for E-drive LED headlight, daytime running light and brake light, SCHMIDTS 2299,00 ighting system B&M IQ-XS friendly for E-drive LED headlight, daytime running light and brake light, SCHMIDTS						990,00		
or PINION) 445 or PINION) 455 or PINION) 455 of disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) 000000000000000000000000000000000000	• or PINION) 49,90 • or PINION) 49,90 • or PINION) 49,90 • disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) 0,00 • disc brakes AVID BB7 mechanical, separate brake per front wheel (basic specification) 0 • disc brakes SHIMANO XT hydraulic, separate brake per front wheel (basic specification) 0 • disc brakes AVID BB7 coupled front brake, specification of the tracke function 189,00 • disc brakes SHIMANO raw wheel V-Brake, mechanical, rear disc brake, parking brake function, rear disc brake, front brake lever: O left O right 189,00 • parking brake SHIMANO rear wheel V-Brake with humblever 299,00 • one-hand operation for brake lever: O left O right 519,00 • one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake 519,00 • one-hand operation for brakes and drivetrani includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake 219,00 • lighting system B&M EYRO recharges, additional special accessories on the "comfort and ability options" order form 119,00 • lighting system B&M IQ-X for E-drive LED headight B&M IQ-XS friendly, up to 80 lux, rear light B&M 219,00 • lighting system B&M IQ-X for E-drive B&M IQ-X with stand light, daytime running light and brake light, SCHMIDTS 219,00 <tr< td=""><td></td><td></td><td>short cranks 155 mm / 6", recommended for riders under 175 cm / 68"</td><td></td><td></td><td>24,90</td></tr<>			short cranks 155 mm / 6", recommended for riders under 175 cm / 68"			24,90		
isis brakes AVID BB7 mechanical, separate brake per front wheel 669 isis brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable 209 isis brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right 188 indicator lights system SIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right 299 indicator light system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 150 Lux, rear light B&M Toplight 2C DC 219 isighting system B&M IQ-XS for E-drive B&M IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 Lux, Rear light AM Toplight 2C plus rear light indicator lights system WingBling only in conjunction with electric drive 299	idic brakes AVID BB7 mechanical, separate brake per front wheel 69,90 idic brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable 209,00 idic brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable 209,00 idic brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right 189,00 in the brake lever: O left O right 299,00 in the brake shift ANO rear wheel V-Brake with dumblever 299,00 in one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake 519,00 in one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake 519,00 cone-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake 119,00 ight marking brake function, mounting the controls: O left O right 519,00 Scorroin fs 20 accessories Surcharges, additional special accessories on the "comfort and ability options" order form ighting system B&M IQ-XS friendly for E-drive LED headlight rechargeable with USB, battery-powered rear light 84 ighting system B&M IQ-XS friendly for E-drive B&M IQ-X with stand light, daytime running light and brake light, SCHMIDTS 299,00 ighting system B&M IQ-X for E-drive B&M IQ-X with stand light, daytime running light and						49,90		
isic brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable 200 isic brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function 188 iron to brake lever: O left O right 188 hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake 299 inuction, rear disc brake, front brake lever: O left O right 299 inuction, rear disc brakes SHIMANO rear wheel V-Brake with thumblever 54 one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right 519 Scorrion fs 20 accessories Surcharges, additional special accessories on the "comfort and ability options" order form 109 ighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M 219 B&M Toplight 2C permanent 119 iighting system B&M IQ-X for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M 219 ORIGINAL NABENDYNAMO, B&M IQ-X with stand light, daytime running light and brake light, SCHMIDTS 299 ORIGINAL NABENDYNAMO, B&M IQ-X with stand light, daytime running light and brake light, SCHMIDTS 755 ORIGINAL NABENDYNAMO, B&M IQ-X wheadlight, up to 100 lux, B&M Toplight 2C DC 299 iig	Image: State of the set			disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)			0,00		
See and a set of the second set of the set of	sympt disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function 189,00 if disc brakes RVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function 189,00 if disc brakes lever: O left O right 189,00 hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake 299,00 parking brake SHIMANO rear wheel V-Brake with thumblever 6 one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake 519,00 Scorpton fs 20 accessories Surcharges, additional special accessories on the "comfort and ability options" order form light wire routing only twin wires routed through the frame for hub dynamo 109,00 lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light 119,00 lighting system B&M IQ-XS friendly for E-drive LED headlight B&M Toplight 2C DC 299,00 lighting system B&M IQ-XS for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 299,00 lighting system B&M IQ-XS friendly, up to 100 lux, B&M Toplight 2C DC 299,00 lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 299,00 lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 299,00			disc brakes AVID BB7 mechanical, separate brake per front wheel			69,90		
A	Importantic disc brakes RIDERVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake 299,00 Importantic disc brakes RIDERVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake 299,00 Importantic disc brakes RIDERVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake 299,00 Importantic disc brakes RIDERVER hydraulic, coupled front brakes with one-hand operation and parking brake function, rear wheel V-Brake with thumblever 519,00 Importantian disc brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right 519,00 Scorpion fs 20 accessories Surcharges, additional special accessories on the "comfort and ability options" order form 109,00 Ighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C permanent 119,00 Ighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC 299,00 Ighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS 759,00 ORIGINAL INABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light 289,00 Ighting system WingBling only in conjunction with electric drive 6669,00 Iso bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 25 k			disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable			209,00		
Image: system B&M IQ-XS friendly for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 299 Image: system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 299 Image: system B&M IQ-X for E-drive B&M IQ-X up to 100 lux, B&M Toplight 2C DC 299 Image: system B&M IQ-X for E-drive B&M IQ-X up to 100 lux, B&M Toplight 2C DC 299 Image: system B&M IQ-X for E-drive B&M IQ-X up to 100 lux, B&M Toplight 2C DC 299 Image: system B&M IQ-X for E-drive B&M IQ-X up to 100 lux, B&M Toplight 2C DC 299 Image: system B&M IQ-X for Image: system WingBling only in conjunction with electric drive 6666	Interction, rear disc brake, front brake lever: O left O right 2299,00 parking brake SHIMANO rear wheel V-Brake with thumblever 54,90 one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right 519,00 Scorpion fs 20 accessories Surcharges, additional special accessories on the "comfort and ability options" order form 109,00 Ight wire routing only twin wires routed through the frame for hub dynamo 109,00 Ighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light 119,00 Ighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M 219,00 Ighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 299,00 Ighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C DL 299,00 Ighting system WingBling only in conjunction with electric drive 6669,00 289,00 idid to a mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted 159,00 idid bag moount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted 159,00	brakes					189,00		
one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake 515 with parking brake function, mounting the controls: O left O right 515 Scorpion fs 20 accessories Surcharges, additional special accessories on the "comfort and ability options" order form 109 Ighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light 119 Ighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M 216 Ighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 299 Ighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS 759 Ightica tor lights system WingBling only in conjunction with electric drive 6669	Image: space of the second						299,00		
with parking brake function, mounting the controls: O left O right 515 Scorpion fs 20 accessories Surcharges, additional special accessories on the "comfort and ability options" order form 105 Ight wire routing only twin wires routed through the frame for hub dynamo 105 Ighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light 115 Ighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M 215 Ighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 295 Ighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS 755 Ighticator lights system WingBling only in conjunction with electric drive 6655	Iighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light I19,00 Iighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M 219,00 Iighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 299,00 Iighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS 759,00 ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light 669,00 rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs 289,00 side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted 159,00 mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black 329,00	Ш		parking brake SHIMANO rear wheel V-Brake with thumblever			54,90		
Ight wire routing only twin wires routed through the frame for hub dynamo 109 Ighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light 119 Ighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M 219 Ighting system B&M IQ-XS for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 219 Ighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS 759 Ighting system WingBling only in conjunction with electric drive 6659	Iighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light I19,00 Iighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M 219,00 Iighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 299,00 Iighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS 759,00 ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light 669,00 rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs 289,00 side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted 159,00 mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black 329,00						519,00		
Ight wire routing only twin wires routed through the frame for hub dynamo 109 Ighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light 119 Ighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M 219 Ighting system B&M IQ-XS for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 219 Ighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS 759 Ighting system WingBling only in conjunction with electric drive 6669	Iighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light I19,00 Iighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M 219,00 Iighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 299,00 Iighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS 759,00 ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light 669,00 rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs 289,00 side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted 159,00 mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black 329,00	Sco	orp	pion fs 20 accessories Surcharges, additional special accessories on the "comfort and al	oility option	ns" order form			
B&M Toplight 2C permanent 115 Ighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M 215 Toplight 2C DC 219 Ighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 299 Ighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS 759 Ighting system WingBling only in conjunction with electric drive 6659	B&M Toplight 2C permanent 119,00 Ighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M 219,00 Ighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 299,00 Ighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS 759,00 ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light 6669,00 indicator lights system WingBling only in conjunction with electric drive 6699,00 rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs 289,00 iside bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted 159,00 mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black 329,00						109,00		
Image: Properties of the system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 215 Ighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 295 Ighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS 295 Ighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS 755 Indicator lights system WingBling only in conjunction with electric drive 665	Toplight 2C DC Ighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 299,00 Ighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS 759,00 ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light 669,00 indicator lights system WingBling only in conjunction with electric drive 669,00 rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs 289,00 side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted 159,00 mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black 329,00								
indicator lights system WingBling only in conjunction with electric drive 669	indicator lights system WingBling only in conjunction with electric drive 669,00 rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs 289,00 side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted 159,00 mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black 329,00						219,00		
indicator lights system WingBling only in conjunction with electric drive 669	indicator lights system WingBling only in conjunction with electric drive 669,00 rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs 289,00 side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted 159,00 mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black 329,00	ies		lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC			299,00		
indicator lights system WingBling only in conjunction with electric drive 669	indicator lights system WingBling only in conjunction with electric drive 669,00 rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs 289,00 side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted 159,00 mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black 329,00	ccesso		lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS					
	rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs 289,00 side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted 159,00 mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black 329,00				⊢ – I		669,00		
201	Image: mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black 329,00		_			 			
				side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted					
mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black 325	clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes 80 00			mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black		1	329,00		
clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes 85		Ιľ		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes			89,90		





		corpion ⁵ 20	VELOTECH	
	×	Item		re
		handrest with retaining strap comfortable hand support mounted on handlebar mounting side of handrest: O left O right		I
		handrests left and right with one retaining strap with one retaining strap, mounting side of retaining strap: O left O right		2
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion		1
		standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side, O left O right O pair		I
Ī		water bottle set HP VELOTECHNIK 2 x 0.6 I PE-bottle with HP print, with bottle cages, mounted		
		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right		
es		rear mirror MIRRYCLE both sides barend mounting left and right		I
ssories		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right		
acces		rear mirror B&M E both sides left and right knuckle mounting		I
ac		flag HP VELOTECHNIK double-sided print, with reflective strip		
		universal mount for accessories Mounting in handlebar end (twist shifters) or on barend shifter, Ø 22,2 mm / 0.87" tube holder for accessories like phone holder / GPS devices / bell, max. load 400 grams / 0.88 lbs, unmounted		
Ī		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel		
		trailer hitch WEBER with HP VELOTECHNIK adapter, max. vertical load 6,5 kg / 14 lbs, max trailer load 40kg / 88lbs		1
		air horn AIRZOUND XL about 30-115 dB, not mounted		
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)		6
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric		
		frame lock AXA Victory with removable key, without chain, black		
		chain for frame lock AXA length 100 cm / 39.4"		

Suggested retail prices in EURO including German VAT (19 %) plus shipping. Please contact your authorized HP VELOTECHNIK dealer for details and ordering.

Scorpion fs 20

Scorpion fs 20