

... recline in style!



























retail price list 2025/26

HPVELOTECHNIK GmbH & Co. KG ● German recumbent technology ● Kapellenstr. 49 ● 65830 Kriftel ● Germany ph. 011 49 6192 - 97 99 2 - 0 ● fax 011 49 6192 - 97 99 2 - 299 ● sales@hpvelotechnik.com ● www.hpvelotechnik.com

Content

organisational	
About HP Velotechnik	3
How to order?	3
Terms and conditions, shipping	3
Payment / Shipping	4
General Conditions of Trade	89
accessories and spare parts	
accessories for folding frames	24
bags and transport covers	11
BodyLink seat	9
brakes	16
chain protection tubes and accessories	14
chains	13
comfort and ability accessories	27
complete wheels 20" ISO 406 from 11/2017	4
complete wheels 26" ISO 559 from 11/2017	5
cranksets, chainrings, freewheel sprocket	14
ErgoMesh Premium seat	9
ErgoMesh seat	10
forks 20" ISO 406	11
front boom and accessories	24
front boom quick adjust	15
front suspension parts and accessories	12
gear system, Cable routing	16
grips, barends	19
handlebar retrofit kits for two wheelers	17
handlebars for trikes	17
handlebars for two wheelers	17
headsetheadset	17
horns, bells, computer mount, universal holder	19
HP Velotechnik Premium Parts - shipment from US-warehouse	87
hub and drive shaft accessories	6
idlers and accessories	13
indicator lights	7
	6
light systems	-
locks	11
lowriders	26
manuals	10
mirrors	19
mudguards	8
pedelec battery retro fit kits NEODRIVES	21
pedelec retro fit kits SHIMANO STEPS	23
pedelec retrofit kit	21
pedelec/e-drive spare parts BAFANG	23
pedelec/e-drive spare parts for all HP VELOTECHNIK E-drives	24
pedelec/e-drive spare parts GO SWISSDRIVE.□	23
pedelec/e-drive spare parts NEODRIVES Z20	22
pedelec/e-drive spare parts NEODRIVES Z20RS	22
PINION retrofit kits, spare parts	15
protection adhesive films	26
quick release and seat mount bushes	11
rear racks	25
rear shocks	13
seat for Gekko, Gekko fx 20, Gekko fx 26 and Gekko fxs	10
seat for Spirit	10
stands	26
stems for trikes	18
stems for two wheelers	17
Streamer	20
tie rods for trikes	18



tire equipment and rims 20" ISO 406	5
tire equipment and rims 26" ISO 559	5
touch-up paint applicators	26
trailer hitches	19
waterbottle sets	11
workshop-tools	4
recumbent bikes	
Grasshopper fx foldable recumbent 20"/20" (GHF)	30
Streetmachine Gte recumbent 20"/26" (SMGTe)	32
Speedmachine recumbent 20"/26" (SPM)	34
Delta tx recumbent trike	
Delta tx splittable tricycle 20"/20" (DET)	36
recumbent trikes	
Gekko fxs foldable recumbent trike for children and special ability use 20"/20" (GES)	39
Gekko fx 20 foldable recumbent trike 20"/20" (GEF)	41
Gekko fx 26 foldable recumbent trike 20"/26" (GEL)	43
Gekko US VERSION recumbent trike from US-warehouse, built kit	45
recumbent trikes with rear suspension	
Scorpion recumbent trike 20"/26" (SCO2)	47
Scorpion fx 20 foldable recumbent trike 20"/20" (SCF2)	50
Scorpion fx 26 foldable recumbent trike 20"/26" (SCL)	53
recumbent trikes with full suspension	
Scorpion fs 20 foldable full suspension trike 20"/20" (SFS)	56
Scorpion fs 26 foldable full suspension trike 20"/26" (SFL)	60
Scorpion fs 26 Enduro basic model foldable full suspension trike 20"/26" (SFN)	64
Scorpion plus 20 foldable full suspension trike 20"/20" (SPS)	67
Scorpion plus 26 foldable full suspension trike 20"/26" (SPL)	71
Recumbent bikes and trikes with 45km/h approval (S-Pedelecs / Class 3)	
Speedmachine S-Pedelec recumbent 20"/26" (SPE)	75
Scorpion fs 26 S-Pedelec foldable full suspension trike 20"/26" (SFE)	76
Recumbent trikes with hand drive	
Gekko fx 26 Hands-On-Cycle hand drive (GELH)	78
Scorpion fs 20 Hands-On-Cycle hand drive (SFSH)	80
Scorpion plus 20 Hands-On-Cycle hand drive (SPSH)	82
Scorpion plus 26 Hands-On-Cycle hand drive (SPLH)	84
pre-assembled Special Edition (SE) models	
Delta tx SE special edition trike 20" / 20" (KREDETV)	38
Scorpion fs 20 SE special edition trike 20" / 20" (KRSFSV / KRESFSV)	59
Scorpion fs 26 SE special edition trike 20" / 26" (KRSFLV / KRESFLV)	63
Scorpion plus 20 SE special edition trike 20" / 20" (KRESPSV)	70
Scorpion plus 26 SE special edition trike 20" / 26" (KRESPLV)	74

This price list, valid from September 8th 2025, supersedes all previous price lists and offers. We are not liable for any changes, mistakes, or printing errors. The offer is subject to change, and delivery is based solely on our General Conditions of Trade.

Dear customer and recumbent enthusiast,

The recent adjustments to customs duties on shipments from Germany to the US by the US government have unfortunately forced us to make some noticeable price adjustments which will come to effect for all new orders from Sept. 08, 2025 onwards. Despite these price adjustments, we are keeping dealer margins stable.

Fortunately, the base versions of our trike models will only see a slight increase in price. In contrast, all pedelec options will see a significant price increase due to a considerable increase in customs duties on motor systems and batteries.

Good news: the new customs duty rate for our classic two-wheeled recumbent bikes is lower than in the past – and we will of course pass this advantage on to you.

The conditions for imports into the US remain very dynamic. We are monitoring developments closely so that we can respond in the best interests of our dealers and end consumers.

On the following pages you have the choice: You will find short descriptions and prices of all current bikes and our complete range of individual parts and accessories. Detailed information can be found in the respective individual brochures, which we will be happy to send to you, or on the Internet at **www.hpvelotechnik.com**.

Your HP VELOTECHNIK team

Your HP VELOTECHNIK sales team

Consultancy and Sales

e-mail: sales@hpvelotechnik.com phone: 01149 6192-97992-259



Mathieu Aubel consultancy & sales



Marko Diwisch consultancy & sales



Thomas Krack consultancy & sales



Christian Liß consultancy & sales



Thomas Wilkens consultancy & sales Sales Director

Technical Service

e-mail: support@hpvelotechnik.com phone: 01149 6192-97992-250



Alex Kopp technical service



Jakob Zieser technical service



About HP VELOTECHNIK

Driven by their lifelong passion for engineering, Daniel Pulvermüller and Paul Hollants of HP VELOTECHNIK set out three decades ago to create a revolutionary human-powered vehicle. Drawing on their expertise from years of brazing and welding bike frames, as well as their engineering education, they envisioned a recumbent bicycle that would offer unparalleled speed, ergonomic comfort, and pure riding enjoyment – surpassing anything previously available. The result is a line of products you can trust and enjoy, backed by decades of engineering excellence.

The HP VELOTECHNIK design approach has produced many iconic recumbent models. For instance, the Streetmachine Gte is a fully-suspended, compact recumbent bicycle that is ergonomically designed around the human body, providing a luxurious, comfortable riding experience with excellent aerodynamics and mechanical efficiency for outstanding performance.

HP VELOTECHNIK's range of recumbent bikes and trikes offers a comfortable, fast, and high-quality ride. The lineup includes the famous suspended Scorpion trike models, as well as the surprisingly affordable Gekko trikes that provide a nimble, lightweight riding experience. Many of their trikes even fold up in seconds, making them ideal for limited storage space.

Since the company's founding in 1993, HP Velotechnik has been designing and optimizing recumbents and accessories at their facility in Kriftel, a small town west of Frankfurt, Germany. While the company focuses on development, assembly, and marketing, they work with carefully selected partners for the highly specialized welding, laser-cutting, and powder coating required for the thin-walled aluminum alloy frames.

How to order HP Velotechnik recumbents and trikes?

Bike configurator: For setting up your individual recumbent as easy and convenient as possible we created an individual configuration tool for all of our models.

Please check https://www.hpvelotechnik.com/en/recumbent-trikes-bikes to learn more on our models, our customize program and explore the recumbent world of HP VELOTECHNIK – enjoy!

Bike orders: All complete bikes are sold through qualified bikeshops only.

Have you made your choice and select your individual HP VELOTECHNIK recumbent? To proceed please contact your HP VELOTECHNIK retailer who will process your order. Once your order is received, he will set up your recumbent and support you with good advice to ensure an excellent initial riding experience.

Spare part orders: Spare parts can be ordered with your bikeshop.

Please check <u>www.hpvelotechnik.com</u>, category *Dealers* to have full access to our international dealer locator to find your nearest HP VELOTECHNIK retailer.

Terms and conditions

Prices: All prices listed in US Dollar. This retail price list is valid for customers in the USA only (for all other countries please ask for our EURO price list).

The MSRP for bikes or trikes includes shipping, US-duties and customs handling, but not state sales tax (if applicable).

The MSRP for any after-market article includes US-duties and customs handling, but not shipping (if ordered individually) and state sales tax (if applicable).

Please contact your authorized HP VELOTECHNIK retailer for details and ordering.

Spirit (is fixed to seat connection after removing the seat) assembly mount for holding complete bikes or framekits in a repair stand, for Gekko fxs, Gekko fx 20, Gekko fx 26 (is fixed between the seat connection and the seat) track adjustment tool for easy adjustment of front wheel toe-in / toe-out on HP VELOTECHNIK trikes truing stand adapter black anodized, for HP VELOTECHNIK one-side trike hubs truing stand adapter Delta tx black anodized, for HP VELOTECHNIK Delta tx rear wheel hubs stamp to finish chain tube ends headset adjusting tool Spirit for A-head-set 69 mm / 2.7" on Spirit 16 20" and Spirit 20 20" hook wrench for adjusting CONCEPT suspension forks, 45 - 50 mm / 1.77 - 1.97", two pieces needed tool for freewheel sprocket removal Delta tx drive lock bracket Delta tx small for hub gear, black drive lock bracket Delta tx large for derailleur gear, black WZDE	ZSL 239. IZA 9. IZA 9. IZA 9. IZA 58. IEH 9. IEH 9. IFL 45. IEK 4. IEK 4. IEK 4. IEK 4. IEK 4.
assembly mount A for holding complete bikes or framekits in a repair stand, fits all models except Gekkos and Spirit (is fixed to seat connection after removing the seat) assembly mount for holding complete bikes or framekits in a repair stand, for Gekko fxs, Gekko fx 20, Gekko fx 26 (is fixed between the seat connection and the seat) track adjustment tool for easy adjustment of front wheel toe-in / toe-out on HP VELOTECHNIK trikes truing stand adapter black anodized, for HP VELOTECHNIK one-side trike hubs truing stand adapter Delta tx black anodized, for HP VELOTECHNIK Delta tx rear wheel hubs stamp to finish chain tube ends headset adjusting tool Spirit for A-head-set 69 mm / 2.7" on Spirit 16 20" and Spirit 20 20" hook wrench for adjusting CONCEPT suspension forks, 45 - 50 mm / 1.77 - 1.97", two pieces needed tool for freewheel sprocket removal Delta tx drive lock bracket Delta tx small for hub gear, black drive lock bracket Delta tx large for derailleur gear, black derailleur hanger for all models except Spirit	2SL 239. 2ZA 9. 2A2 68. 2ST 35. EH 9. S50 32. FFL 45. BK 4. BG 7.
Spirit (is fixed to seat connection after removing the seat) assembly mount for holding complete bikes or framekits in a repair stand, for Gekko fxs, Gekko fx 20, Gekko fx 26 (is fixed between the seat connection and the seat) track adjustment tool for easy adjustment of front wheel toe-in / toe-out on HP VELOTECHNIK trikes truing stand adapter black anodized, for HP VELOTECHNIK one-side trike hubs NAZI truing stand adapter Delta tx black anodized, for HP VELOTECHNIK Delta tx rear wheel hubs stamp to finish chain tube ends headset adjusting tool Spirit for A-head-set 69 mm / 2.7" on Spirit 16 20" and Spirit 20 20" hook wrench for adjusting CONCEPT suspension forks, 45 - 50 mm / 1.77 - 1.97", two pieces needed tool for freewheel sprocket removal Delta tx drive lock bracket Delta tx small for hub gear, black drive lock bracket Delta tx large for derailleur gear, black derailleur hanger for all models except Spirit MHHPI MHHPI MEAD OF Gekko fx 20, Gekko MAHPI MEAD OF Gekko fx 20, Gekko fx 2	2SL 239. 2ZA 9. 2A2 68. 2ST 35. EH 9. S50 32. FFL 45. BK 4. BG 7.
assembly mount for holding complete bikes or framekits in a repair stand, for Gekko fxs, Gekko fx 20, Gekko fx 26 (is fixed between the seat connection and the seat) track adjustment tool for easy adjustment of front wheel toe-in / toe-out on HP VELOTECHNIK trikes truing stand adapter black anodized, for HP VELOTECHNIK one-side trike hubs NAZI truing stand adapter Delta tx black anodized, for HP VELOTECHNIK Delta tx rear wheel hubs stamp to finish chain tube ends headset adjusting tool Spirit for A-head-set 69 mm / 2.7" on Spirit 16 20" and Spirit 20 20" STSZI hook wrench for adjusting CONCEPT suspension forks, 45 - 50 mm / 1.77 - 1.97", two pieces needed tool for freewheel sprocket removal Delta tx drive lock bracket Delta tx small for hub gear, black drive lock bracket Delta tx large for derailleur gear, black derailleur hanger for all models except Spirit MHHP MHHP MHHP WELOTECHNIK trikes WELOTECHNIK trikes WZDE WZKS NAZI NAZI STSZI WZDE WZDE WZDE WZDE	ZSL 239. IZA 9. IZA 9. IZA 9. IZA 68. IST 35. IEH 9. ISSO 32. IFL 45. IBK 4. IBG 7.
track adjustment tool for easy adjustment of front wheel toe-in / toe-out on HP VELOTECHNIK trikes truing stand adapter black anodized, for HP VELOTECHNIK one-side trike hubs NAZU truing stand adapter Delta tx black anodized, for HP VELOTECHNIK Delta tx rear wheel hubs NAZU stamp to finish chain tube ends NAZU headset adjusting tool Spirit for A-head-set 69 mm / 2.7" on Spirit 16 20" and Spirit 20 20" STSZI hook wrench for adjusting CONCEPT suspension forks, 45 - 50 mm / 1.77 - 1.97", two pieces needed tool for freewheel sprocket removal Delta tx drive lock bracket Delta tx small for hub gear, black drive lock bracket Delta tx large for derailleur gear, black derailleur hanger for all models except Spirit Z20	9. AZA2 68.
truing stand adapter black anodized, for HP VELOTECHNIK one-side trike hubs truing stand adapter Delta tx black anodized, for HP VELOTECHNIK Delta tx rear wheel hubs stamp to finish chain tube ends headset adjusting tool Spirit for A-head-set 69 mm / 2.7" on Spirit 16 20" and Spirit 20 20" hook wrench for adjusting CONCEPT suspension forks, 45 - 50 mm / 1.77 - 1.97", two pieces needed tool for freewheel sprocket removal Delta tx drive lock bracket Delta tx small for hub gear, black drive lock bracket Delta tx large for derailleur gear, black derailleur hanger for all models except Spirit NAZI NAZU NAZU STSZI NAZU STSZI AUGU STSZI WZDE WZDE WZDE WZDE WZDE drive lock bracket Delta tx large for derailleur gear, black WZDE	9. AZA2 68.
truing stand adapter Delta tx black anodized, for HP VELOTECHNIK Delta tx rear wheel hubs stamp to finish chain tube ends headset adjusting tool Spirit for A-head-set 69 mm / 2.7" on Spirit 16 20" and Spirit 20 20" hook wrench for adjusting CONCEPT suspension forks, 45 - 50 mm / 1.77 - 1.97", two pieces needed tool for freewheel sprocket removal Delta tx drive lock bracket Delta tx small for hub gear, black drive lock bracket Delta tx large for derailleur gear, black derailleur hanger for all models except Spirit NAZU WZKS NAZU NAZU STSZI WZDE WZDE WZDE WZDE WZDE drive lock bracket Delta tx large for derailleur gear, black derailleur hanger for all models except Spirit	A2A2 68. ASST 35. BEH 9. ASSO 32. FFL 45. BK 4. BG 7.
stamp to finish chain tube ends headset adjusting tool Spirit for A-head-set 69 mm / 2.7" on Spirit 16 20" and Spirit 20 20" hook wrench for adjusting CONCEPT suspension forks, 45 - 50 mm / 1.77 - 1.97", two pieces needed tool for freewheel sprocket removal Delta tx drive lock bracket Delta tx small for hub gear, black drive lock bracket Delta tx large for derailleur gear, black derailleur hanger for all models except Spirit WZKS NZKS NZH L.77 - 1.97", two pieces needed WZDE WZDE WZDE drive lock bracket Delta tx large for derailleur gear, black WZDE	2ST 35. 2ST 9. 2ST 9. 2ST 45.
headset adjusting tool Spirit for A-head-set 69 mm / 2.7" on Spirit 16 20" and Spirit 20 20" hook wrench for adjusting CONCEPT suspension forks, 45 - 50 mm / 1.77 - 1.97", two pieces needed tool for freewheel sprocket removal Delta tx drive lock bracket Delta tx small for hub gear, black drive lock bracket Delta tx large for derailleur gear, black derailleur hanger for all models except Spirit STSZI WZDE WZDE	9. S50 32. FFL 45. BK 4. BG 7. 195 14.
hook wrench for adjusting CONCEPT suspension forks, 45 - 50 mm / 1.77 - 1.97", two pieces needed tool for freewheel sprocket removal Delta tx drive lock bracket Delta tx small for hub gear, black drive lock bracket Delta tx large for derailleur gear, black derailleur hanger for all models except Spirit WZH WZDE WZDE WZDE	32. IFL 45. BK 4. BG 7. 195 14.
tool for freewheel sprocket removal Delta tx drive lock bracket Delta tx small for hub gear, black drive lock bracket Delta tx large for derailleur gear, black derailleur hanger for all models except Spirit WZDE WZDE	FFL 45. BK 4. BG 7. 195 14.
drive lock bracket Delta tx small for hub gear, black drive lock bracket Delta tx large for derailleur gear, black derailleur hanger for all models except Spirit Z20	BK 4. BG 7.
drive lock bracket Delta tx large for derailleur gear, black derailleur hanger for all models except Spirit Z20	BG 7.
derailleur hanger for all models except Spirit Z20	195 14.
WEW devaillour hanger for Direct Mount for mounting a Direct Mount rear devaillour on 20" rear whoels moves RTHB	SD 45.
defaulted hange for breef found for mounting a breef found feat affects of 20 feat wheels, mores	
the derailleur for more ground clearance **Well derailleur hanger for STEPS IG to mount a chain tensioner with a STEPS UR510 Motor Unit for IG DI2 hubs **RTHB.**	SN 8.
with EP5 or EP801 Systems derailleur hanger for Spirit only Z80	195 14.
HP workshop hox 60 - pcs. contains a variety of most important HP VFI OTFCHNIK spare parts and special WZ	HP 499.
HP workshop box 60 - pcs., contains a variety of most important HP VELOTECHNIK spare parts and special tools for your workshop in a handy plastic sorting box. Saves 10% compared to individual part purchase.	477.
manuals	
manual for HP VELOTECHNIK Hands-On-Cycle (German) BAHTA	UK 4.
manual for HP VELOTECHNIK Delta tx (German)	DET II.
manual for HP VELOTECHNIK Scorpion Plus (German)	SPS II.
manual for HP VELOTECHNIK trikes (German)	SFL 11.
manual for HP VELOTECHNIK two wheelers (German) BAHP2I	AD II.
manual for HP VELOTECHNIK Gekko fxs (German)	SES II.
manual for HP VELOTECHNIK Hands-On-Cycle (English) BAHTAI	KE 4.
manual for HP VELOTECHNIK Delta tx (English)	TE II.
manual for HP VELOTECHNIK trikes (English) BAS	EE 11.
manual for HP VELOTECHNIK two wheelers (English) BAHP2R	DE II.
manual for HP VELOTECHNIK Gekko fxs (English)	SE II.
manual for HP VELOTECHNIK Hands-On-Cycle (French) BAHTA	IKF 4.
manual for HP VELOTECHNIK Delta tx (French) BAD	
manual for HP VELOTECHNIK trikes (French) BAS	
manual for HP VELOTECHNIK two wheelers (French) BAHP2R	
manual for HP VELOTECHNIK Gekko fxs (French) BAG	
document bag for manuals format DIN A5 with HP VELOTECHNIK Logo TAD	
complete wheels 20" ISO 406 from 11/2017	
20" front wheel with HP x-light disc brake hub with HP DB-I box section "disc brake only" rim, VR20\	052 219.
SCHWALBE Marathon Racer tire	
20" front wheel with SON delux dynohub disc HP DB-I box section "disc brake only" rim, SON delux 20"	053 559.
dynohub with centerlock, black, SCHWALBE Marathon Racer tire, without front light	
20" front wheel with SHUTTER PRECISION SD-8 dynohub disc HP DB-1 box section "disc brake only" VR20\	054 265.
rim, SHUTTER PRECISION SD-8 dynohub for disc brake, IS2000 6-hole, black, SCHWALBE Marathon Racer tire, without front light	
20" front wheel for trike with SON xs-m dynohub disc left HP DB-I box section "disc brake only" rim, VR20\	055 675.
SCHWALBE Tryker tire, incl. connecting cable and mounting parts	
20" front wheel for trike with SON xs-m dynohub disc right HP DB-1 box section "disc brake only" rim, SCHWALBE Tryker tire, incl. connecting cable and mounting parts	056 675.



indicates an item that is new in specification	ordercode	sugg.
		retail
20" front wheel for trike with HP one-side hub left HP DB-I box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts	VR20V057	239.00
20" front wheel for trike with HP one-side hub right HP DB-I box section "disc brake only" rim black, SCHWALBE Tryker tire, incl. mounting parts	VR20V058	239.00
20" rear wheel with HP VELOTECHNIK x-light disc hub with HP DB-I "disc brake only" rim, SCHWALBE Marathon Racer tire	HR20V001	225.00
20" rear wheel with STURMEY ARCHER TRIPLESHIFT 3 speed internal geared hub with HP DB-I "disc brake only" rim, SCHWALBE Marathon Racer tire, with shift accessories	HR20V002	345.00
20" rear wheel with SHIMANO Nexus 8 Premium 8 speed internal geared hub with HP DB-I "disc brake only" rim, SCHWALBE Tryker tire, without shift accessories	HR20V003	449.00
tire equipment and rims 20" ISO 406		
tire 20" SCHWALBE Marathon Racer 40 - 406, black, with reflex strip 330 g / 0.72 lbs, max. 6 bar / 87 psi,	DES20MR	45.00
wire bead, low rolling resistance with excellent grip and RaceGuard technology tire 20" SCHWALBE Tryker 40 - 406, designed for trikes, black, with reflex strip 334 g / 0.74 lbs, max. 6 bar / 87 psi, wire bead, low rolling resistance with RaceGuard technology, ECE-R75 certified for fast E-bikes	DES20TR	44.00
tire 20" SCHWALBE Marathon Plus 47 - 406, black, with reflex strip, 725 g / 1.6 lbs, wire bead, max. 5 bar/72 psi, flat-safe tire for everyday use with SmartGuard technology, ECE-R75 certified for fast E-bikes	DES20MP	50.00
tire 20" SCHWALBE Smart Sam 60 - 406, black, 590 g / 1.3 lbs, clincher tyres, optimal off-road grip, All-rounder for road and off-road, K-Guard Active Line	DES20SS	35.00
tire 20" SCHWALBE Kojak 35 - 406, black, 285 g / 0.62 lbs, wire bead, max. 6,5 bar / 94 psi, SpeedGrip Compound, fast sporty slick with RaceGuard technology	DES20KJ	39.00
rim 20" ALEX DA-16 32 holes, box section, light weight aero design, silver anodized, machined sidewalls, 406x16C, 22 mm / 0.87" width, 392 g / 0.86 lbs	FEAL2032DG	20.00
rim 20" ALEX DA-16 36 holes, box section, light weight aero design, silver anodized, machined sidewalls, $406 \times 16C$, $22 \text{ mm} / 0.87$ " width, $392 \text{ g} / 0.86 \text{ lbs}$	FEAL2036DG	20.00
rim 20" HP AM-I 32 holes, box section, light weight aero design, black anodized, 406x19C, 25mm / 0.98" width, 396 g / 0.87 lbs	FE2032SIA1	15.00
rim 20" HP DB-I 32 holes, disc brake only, box section, light weight aero design, black anodized, 406x24C, 30 mm / 1.18" width, 362 g / 0.80 lbs	FE2032SID1	59.00
rim 20" HP DB-1 36 holes, disc brake only, box section, light weight aero design, black anodized, 406x24C, 30 mm / 1.18" width, 359 g / 0.97 lbs	FE2036SID1	59.00
rim 20" HP AN for GEN 36 holes, black anodized, 406x19C, 25 mm / 0.98" width, 340 g / 0.75 lbs	FE2036SIN1	15.00
inner tube 20" SCHWALBE No. 6 28 / 40-406 Presta valve, 96 g / 0.21 lbs inner tube 20" SCHWALBE No. 7 47 / 57-406 Presta valve, 145 g / 0.32 lbs	SLS20 SLS20SV7	9.90 9.90
Spokes: Only available for rear wheel motors. For other spare spokes, please contact your wholesaler.		
complete wheels 26" ISO 559 from 11/2017		
26" rear wheel with HP VELOTECHNIK x-light disc hub with HP DB-I "disc brake only" rim,	HR26V002	225.00
SCHWALBE Marathon Racer tire 26" rear wheel with STURMEY ARCHER TRIPLESHIFT 3 speed internal geared hub with HP DB-I "disc brake only" rim, SCHWALBE Marathon Racer tire, with shift accessories	HR26V003	339.00
26" rear wheel with SHIMANO Nexus 8 Premium 8 speed internal geared hub with HP DB-I "disc brake only" rim, SCHWALBE Tryker tire, without shift accessories	HR26V004	399.00
tire equipment and rims 26" ISO 559		
tire 26" SCHWALBE Marathon Racer 40 - 559, black, with reflex strip, 464 g / 1.02 lbs, wire bead, max. 6 bar / 87 psi, low rolling resistance with excellent grip and RaceGuard technology	DES26MR	45.00
tire 26" SCHWALBE Marathon Plus 47 - 559, black, with reflex strip, 995 g / 2.19 lbs, wire bead, max. 5 bar / 72 psi, flat-safe tire for everyday use with SmartGuard technology, ECE-R75 certified for fast E-bikes	DES26MP	50.00
tire 26" SCHWALBE Smart Sam 54 - 559, black, 660 g / 1.46 lbs, clincher tyres, optimal off-road grip, All-rounder for road and off-road, K-Guard Active Line	DES26SS	27.90
tire 26" SCHWALBE Kojak 35 - 559, black, 395 g / 0.87 lbs, wire bead, max. 6,5 bar / 94psi, SpeedGrip Compound, RaceGuard technology, fast sporty slick with RaceGuard technology	DES26KJ	39.00

indicates an item that is new in specification	ordercode	sug reta
rim 26" ALEX DA-16 32 holes, box section, light aero design, silver anodized, machined sidewalls, 559×16C, 22	FEAL2632DG	20
mm / 0.87" width, 511 g / 1.12 lbs		
rim 26" ALEX DA-16 36 holes, box section, light aero design, silver anodized, machined sidewalls, 559x16C, 22	FEAL2636DG	20
mm / 0.87" width, 511 g / 1.12 lbs		
rim 26" HP-AMI 32 holes, box section, aero design, black anodized, 559x19C, 25 mm / 0.98" width, 520 g / 1.1	FE2632SIA1	18
lbs		
rim 26" HP-AMI 36 holes, box section, aero design, black anodized, 559x19C, 22 mm / 0.87" width, 520 g / 1.1	FE2636SIA1	18
lbs		
rim 26" HP DB-1 32 holes, disc brake only, box section, light weight aero design, black anodized, 559x24C, 30	FE2632SID1	5
mm / 1.18" width, 502 g / 1.1 lbs		
rim 26" HP DB-1 36 holes, disc brake only, box section, light weight aero design, black anodized, 559x24C, 30	FE2636SID1	5
mm / 1.18" width, 498 g / 1.1 lbs		
rim 26" HP-AN for GEN 32 holes, black anodized, 559x19C, 25 mm / 0.98" width, 470 g / 1.0 lbs	FE2632SIN1	1
inner tube 26" SCHWALBE Nr. 12a 25 / 40-559 Presta valve, 120 g / 0.26	SLS26	
inner tube 26" SCHWALBE Nr. 13 40 / 62-559 Presta valve, 190 g / 0.42	SLS26SV13	
		ı
Spokes: Only available for rear wheel motors. For other spare spokes, please contact your wholesaler.		
hub and drive shaft accessories		
hub one side for trikes 36 holes, incl. bearings, spacer, cap and axle	NAV32OSS1	16
one side hub axle pre assembled, incl. spring and screw	NAZUAOSM	6
bearing for HP VELOTECHNIK trike hubs (one-side hub) 12x28x8mm	D1096	
hub sealing for HP VELOTECHNIK trike hubs (one-side hub)	NAZUDSOS	
dust cap for HP VELOTECHNIK trike hubs (one-side hub), outside	NAZUAK	
countersunk screw for dust cap (one-side hub), outside	D1080	
locking piece for HP VELOTECHNIK trike hubs (one-side hub)	NAZUAKS	
cylinder head screw for locking piece (one-side hub), for fastening the hub in the wheel carrier	D2020	
pressure spring Spring between hub and locking piece (one-side hub)	NAZUFE8_11	
dust cap for SON delux disc mount	NAZUADK	ĺ
locking piece for one-side dynohub SON xs-m	NAZUES	i
- '		
HP VELOTECHNIK free wheel 8, 9, 10 and 11 speed, splined shaft	NAZUFL1	4
centerlock adapter for SON delux disc dynohub for mounting of IS 2000 6-hole brake discs to centerlock hubs	NAZUCLA	3
delta tx hub shell complete, incl. bearing and spacer	NAZUNDK	9
bearing for Delta tx rear axle shaft 35x47x7mm	D3KL35X47	
bearing cover outside Delta tx Outer bearing cover for Delta tx rear hub	NAZULD	
end screw Delta tx for fastening the rear wheels to the rear axle shaft on the Delta tx	NAZUAS22	
foam ring Delta tx friction ring for the use of ENVIOLO in the Delta tx	FGZUBOSFS	
cover cap for drive bell Delta tx plastic cover, black	NAZUAK3	
rear axle shaft Delta tx single shaft without accessories	AHWE	16
delta tx circlip for the bearings on the rear axle	D1189	
Spring washer for Delta tx for mounting on the rear axle	AHLSFS	
light systems		
dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release skewer,	DYN32SP8SB	15
fits all HP VELOTECHNIK bikes		
dynohub SON xs-m SCHMIDTS ORIGINAL NABENDYNAMO xs-m dynohub one-side mounting, for trikes,	DYN36OS	49
20", for disc brake, 36 holes		
dynohub SON xs-m retrofit kit IQ-X front wheel right, rim HP AM-1 black, SCHWALBE Tryker, SCHMIDTS	DYNOSKITIX	86



NEW	indicates an item that is new in specification	ordercode	sugg. retail
	headlight B&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, with rear light connector	SEBUMIQXD	175.00
	headlight B&M IQ Eyro battery 30 Lux, with integrated rechargable Li-lon Battery, charging via USB	SEBUMEY	65.00
	headlight B&M IQ-X for e-drive 140 Lux, 7,5 W, sensor, parking and daytime light, without switch	SEBUMIQXA2	189.00
	headlight B&M IQ-XS for e-drive 80 Lux, sensor, parking and daytime running light, w/o switch	SEBUMIQXSA	99.00
	headlight B&M IQ-X S-Pedelec for S-Pedelec from 2018	SEBUMIQXE	239.00
	headlight mounting ring B&M for headlight IQ-X Plastic retaining ring	SEZUHAX	10.00
	headlight mounting long stainless steel, silver	SWHAU	6.00
	headlight mounting short stainless steel, black	SWHAU2	6.50
	headlight holder Delta tx light and cable holder, on stem, black	VBZULHD2	45.00
VEW	rear light B&M battery 2C PERMANENT, LineTec light clamps, integrated Li-lon battery, rechargeable via	RLBUTLPER	45.00
VEW	rear light B&M battery 2C PLUS, position light, LineTec light brackets	RLBUTL2PLU	16.90
	rear light B&M for e-drive 2C E, LineTec light brackets	RLBUTL2CE	18.00
	rear light B&M S-Pedelec toplight line for S-Pedelec after 2018	RLBUTTLE2	79.00
	rear light mount with flag holder, for mounting the rear light on the BodyLink seat	RLZUHL	59.00
	rear light mount for Gekko models or ErgoMesh seat	RLZUHEMK	39.00
	light cable with DC-connector for rear light connection to the seat, for hub dynamo	LISTDC5	13.00
	light cable with HIGO plug for connecting rear lights to pedelec systems	LISTHM62B	27.00
	light wire extension for Streamer, from 12/2014	LIZUSTV2	32.00
	LED license plate light for Scorpion fs 26 S-Pedelec	RLKTRILED	29.00
	position light for Scorpion fs 26 S-Pedelec (without mounting hardware)	RLTRILED	42.00
	position light bracket for mounting RLTRILED to Scorpion fs 26 S-Pedelec front boom	SEHAPL	42.00
	reflector S-Pedelec for S-Pedelec from 2018, reflector 306/2 KG-1 yellow	REBUSFE2	5.20
	connector for light cable inside the front boom, 4 pin, crimpable contacts	S4RSSET	18.00
	indicator lights		'
	•	BLSET03	729.00
	indicator WingBling retrofit kit 12V for 12V supply voltage, at HP VELOTECHNIK: all S-Pedelecs. 2 pairs of	DEGLIG	727.00
	indicator lights with mounting on luggage carrier and front boom, switch for mounting on handlebar end or		
	handlebar end shift lever, wiring harness, without voltage transformer. Suitable for electronic drive systems with		
	12V DC output voltage or for trikes with an external voltage source 11,113,8V DC. Not suitable for 12V		
	dynamo lighting systems.	DI OFTOO	
	indicator WingBling retrofit kit HIGO STEPS E5000 / EP5 / EP8 / E6100 / EP801 Cargo for HP	BLSET06	729.0
	VELOTECHNIK Pedelecs with Shimano TEPS drive E5000 or EP8, 2 pairs of turn signals with mounting under		
	the rear light and on the front boom, switch for mounting at the handlebar end or handlebar end shift lever, The		
	turn signal system is connected to the existing wiring harness by plug. indicator WingBling retrofit set HIGO GSD from 12/2018 and NEODRIVES Z20 for HP	BLSET08	729.0
		DEGLIOO	727.00
	VELOTECHNIK Pedelecs with GoSwissDrive from 12/2018 onwards, 2 pairs of indicator lights with mounting		
	under the rear light and on the front boom, switch for mounting on the handlebar end or handlebar end shift lever, The indicator system is connected to the existing wiring harness by plug.		
	rear indicator mount HIGO ready wired with plug, incl. 2 flasher lights "Spark", for mounting on rear rack or	BLHAHHK	255.00
	seat		25585
	indicator mount front for STEPS HIGO wiring harness ready wired with plug, for mounting on the STEPS	BLHASTVHK	229.00
	boom, incl. 2 turn signals "Spark" lights		
	front turn signal holder for HIGO wiring harness ready wired with plug, for mounting on boom, incl. 2	BLHAVHK	229.00
	indicator lights "Spark"	BITIDETA	220.04
	front turn signal holder for Delta tx ready wired with plug, for mounting on Delta tx, incl. 2 indicator lights "Spark"	BLLIDETV	229.00
	·	BLHADHK	250.00
	rear indicator holder Delta tx Rear indicator holder, pre-wired with plug, incl. 2 indicator lights "Spark", for mounting on the luggage rack of the Delta tx	DEHADIIK	250.00
		BLBSHK	269.00
	switch for Indicator light HIGO complete switch with housing and sticker, ready wired with plug, mounting	DEDOIN	207.00
	position must be specified when ordering.	D. 7110D	
	bracket for indicator switch for mounting the indicator switch on the handlebars of the Delta tx, without	BLZUSD	11.00

V	indicates an item that is new in specification	ordercode	sugg. retail
i	ndicator Light "Spark" ready wired with plug for mounting on WingBling indicator mount, LED, M8-thread	BLLISPK	55.00
	nount, one piece		
	ndicator light "Spark" Delta tx rear ready-made for WingBling bracket on Delta tx rear, LED, E-approved,	BLLISPK2	55.0
	18 thread, I piece Spark I piece Spark I I I I I I I I I	KUSLS5X3	0.7
	equired for one "Spark" indicator light)		"
	mudguards		
	ront fender set HP Trikefender 20" 60 mm / 2.3" width, with 11/8" supports for Scorpion from 03/2012, corpion fx from 04/2011, Gekko 26, fx 20, fx 26, fxs	SBVR20S8S	399.0
	ront fender set HP Trikefender 20" 60 mm / 2.3" width, with 1" supports for Scorpion before 03/2012 and corpion fx before 04/2011	SBVR20S3S	399.0
S	ront fender set HP Trikefender 20" 60 mm / 2.3" width, for Scorpion fs 20, fs 26, fs 26 S-Pedelec and corpion plus 20, plus 26, incl. mudguard holders, for models before 2012 a pair of mudguard clips (SBZUSESFS) is	SBVR20FSS	399.0
r	equired ear mudguard set Delta tx complete rear mudguard set for Delta tx, SKS mudguards 69 mm / 2.71" wide, vith splash flaps and reflective sticker, incl. mounting plates and fixing material.	SBHR20DET	219.0
ŀ	HP Trikefender left 60 mm / 2.3" black, left front, without support and edge protection	SBVR20S3L	115.0
	HP Trikefender right 60 mm / 2.3" black, right front, without support and edge protection	SBVR20S3R	115.0
f	ront fender SKS 20" Delta tx SKS mudguard, 69 mm / 2.7" wide, incl. splash flaps, front edge protectors and	SBVR2069S1	45.0
f	nounting material ront fender SKS 20" 53 mm / 2.1" width, with spoiler, I stainless steel U-stay, black, for Grasshopper fx, treetmachine Gte, Speedmachine, Spirit	SBVR2053S1	45.0
r	ear mudguard SKS 20" Delta tx left SKS mudguard, 69 mm / 2.7" wide, incl. mud flaps and holes	SBHR2069LR	45.0
r	ear mudguard SKS 20" Delta tx right SKS mudguard, 69 mm / 2.7" wide, incl. mud flaps and holes	SBHR2069RR	45.0
r	ear mudguard SKS 20" 53 mm / 2.1" width, spoiler, 2 stainless steel U-stays, black, all 20" rear wheels	SBHR2053S1	45.0
	ear mudguard SKS 26" 53 mm / 2.1" width, with spoiler, 2 stainless steel U-stays, black, for all 26" trikes xcept Scorpion fs 26 Enduro und Scorpion fs 26 S-Pedelec	SBHR2653S1	45.0
	ear mudguard SKS 26" 53 mm / 2.1" width, without spoiler, 2 stainless steel U-stays, black, for Scorpion fs 26 -Pedelec	SBHR2653S2	45.0
	ear mudguard SKS 26" 53 mm / 2.1" width, with spoiler, 2 stainless steel U-stays, black, for Streetmachine Ste, Speedmachine	SBHR2653S3	45.0
r	ear mudguard Scorpion fs 26 Enduro SKS MUD-X to mount at seat, with mounting sheet and clamps, black	SBKOSSSFN	69.0
1	1udguard holder		1
	upport I" left for HP trikefender on Scorpion before 03/2012 and Scorpion fx before 04/2011, one-piece	SBZUHASCL	69.0
	upport 1" right for HP trikefender on Scorpion before 03/2012 and Scorpion fx before 04/2011, one-piece	SBZUHASCR SBZUSESFS	69.0
s	ender support clamp for mounting of fender support on Scorpion fs 20 knuckles before 10/2012 upport 1 1/8" left for HP trikefender on Gekko 26, fxs, fx 20, fx 26, Scorpion ab 03/2012, Scorpion fx ab	SBZUHAS8L	18.0 69.0
s	4/2011, one-piece upport 1 1/8" right for HP trikefender on Gekko 26, fxs, fx 20, fx 26, Scorpion ab 03/2012, Scorpion fx ab 4/2011, one-piece	SBZUHAS8R	69.0
	upport left for HP Trikefender on Scorpion fs 20, fs 26, plus 20, plus 26	SBZUHAFSL	69.0
	upport right for HP Trikefender on Scorpion is 20, is 26, plus 20, plus 26	SBZUHAFSR	69.0
	ear mudguard holder left Delta tx mounting plate for rear mudguard, black anodised, without bracket	SBZUHADH	69.0
	ear mudguard holder right Delta tx mounting plate for rear mudguard, black anodised, without bracket	SBZUHADH2	69.0
r	nudguard accessories:		
r	nounting parts Trikefender all small parts for attaching trike fenders to all tricycles	SBZUKTTF	7.9
s	poiler for mudguards SKS Pro advanced splash guard, flexible, SBZUST is required for mounting	SBZUSP50	5.0
s	poiler for mudguards SKS Prisma advanced splash guard, flexible, blind rivets are required for mounting	SBZUSP53	5.0
f	ixing plugs for mudguard spoiler SKS Pro to fix the spoiler to the mudguard	SBZUST	1.0



indicates an item that is new in specification	ordercode	sugg. retail
ID and and District and all the soul of the MS	SB7IICI D	2.50
edge guard 8,5 x 5 mm, black, PVC with adhesive layer, to protect edges of fenders or Streamer edges, per	KUKTEG5S	2.50 8.00
,	740054	
•		0.50
		4.90
		4.90
	SBZUEA	2.10
		ı
		839.00
	SIHPBL2KKS	839.00
·		
		315.00
·		315.00
,		139.00
BodyLink seat cushion EVA foam padding 14 mm / 0.5", with velcro, from 01/2010	SASHBL2	69.00
BodyLink seat accessories		
,	SIZUBL2WI	359.00
,	SIZUAPKO	29.00
	SIHPKSV	175.00
cushion for adjustable headrest SIHPKSV, mesh material	SIHPKSVPK	35.00
•	SIMKSP	35.00
seat brackets "long" brings the BodyLink seat 4 cm forward, for smaller riders, retrofit kit, from 01/2010	SIB2LSET	89.00
pracket for upper seat connection for BodyLink seat	SIBLBAO	29.00
**	SIBLBAM	29.00
•	SIBLB2U	29.00
·	SIBLBAU	29.00
·	SIBLBAOL	45.00
, , ,	SIBLBAML	29.00
pracket "long" for lower seat connection for BodyLink seat put 4 cm / 1.6" forward, from 01/2010, for small	SIBLB2UL	29.00
pracket "long" for lower seat connection for BodyLink seat put 4cm / 1.6" forward, before 01/2010, for	SIBLBAUL	29.00
		1
-	SIKONX2	1,090.00
	5 <u>-</u>	1,070.00
·		
	SIKUNAH3	1 000 00
		1,090.00
	SINONALZ	1,090.00
	CINONATII 3	
ErgoMesh Premium HS XL 5 cm / 2" wider and each 3 cm / 1.2" longer seat and backrest and 11 cm / 1.3" higher seat position than ErgoMesh Premium seat	SIKONXHL2	1,090.00
-8 seat position than 2-80 ross r small seat		
Caution: ErgoMesh (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE).		
	SIZUBZEP	289.00
Caution: ErgoMesh (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE).	SIZUBZEP	289.00
	HP mudguard P-Clip for mounting the U-stays to the fender, M5 edge guard 8,5 x 5 mm, black, PVC with adhesive layer, to protect edges of fenders or Streamer edges, per metre (ca. 3 m / 120" needed for one Streamer, ca. 1,2 m / 47" for fender set) spacer 10 mm high, OD 20 mm, ID 6 mm, plastic, between mudguard and frame clamp to mount mudguards on SPINNER Grind suspension fork without eyelets at the dropout, per piece clamp to mount mudguards on MEKS suspension fork without eyelets at the dropout, per piece fender mount adapter SKS angled to attach fenders to TSR AXI suspension fork BodyLink seat BodyLink seat complete with standard brackets, EVA foam padding BodyLink seat complete for smaller cyclists with long brackets, EVA foam padding. The long brackets bring the seat up to 4 cm / 1.6" forward. BodyLink seat upper half without padding and hardware, with velcro BodyLink seat lower half without padding and hardware, with velcro, new form from 01/2010 BodyLink seat cushion Airflow for BodyLink seat, new form from 01/2010 BodyLink seat cushion EVA foam padding 14 mm / 0.5", with velcro, from 01/2010	HP mudguard P-Clip for mounting the U-stays to the fender, M5 edge guard 8.5 x 5 mm, black, PVC with adhesive layer, to protect edges of fenders or Streamer edges, per MUKTEGSS metre (cs. 3 m / 120° needed for one Streamer, cs. 1.2 m / 47° for fender set) spacer 10 mm high, OD 20 mm, ID 6 mm, plasto, between mudguard and frame Z10051 clamp to mount mudguards on PMENSE Grind supposition for Without eyelets at the dropout, per piece SBZUSCCA8 clamp to mount mudguards on PMENSE suspension for Without eyelets at the dropout, per piece SBZUSCCA8 clamp to mount mudguards on PMENS suspension for Without eyelets at the dropout, per piece SBZUSCCA8 clamp to mount mudguards on PMENS suspension for Without eyelets at the dropout, per piece SBZUSCA BodyLink seat BodyLink seat complete with standard brackets, EVA foam padding SIMPBLZKS SBOdyLink seat complete for smaller cyclists with long brackets, EVA foam padding. The long brackets bring bodyLink seat complete for smaller cyclists with long brackets, EVA foam padding. The long brackets bring bodyLink seat use to of cm / 1.6° forward. BodyLink seat cushion Airflow for BodyLink seat, new form from 01/2010 SIMPBLZKS BodyLink seat cushion Airflow for BodyLink seat, new form from 01/2010 SAAFBL2 BodyLink seat cushion EVA foam padding 14 mm / 0.5°, with velcro, from 01/2010 SAAFBL2 BodyLink seat accessories SeatWings carbon hip support, better lateral support in fast bends, flexible, padded for the BodyLink seat with new shape from approx. 01/2010 (recessed screw mount on the lower seat shell) adjustable end stops for positioning the backrest 0°-4° from middle position SIZUAPKO bracket for upper seat connection for BodyLink seat the seat brackets "10 mg" brings the BodyLink seat from 01/2010 SIBLSAU SIBLBAO SIBLBAO

indicates an item that is new in specification	ordercode	sı re
ErgoMesh seat		
ErgoMesh with seat cover, Orthoflex inserts, prepared for add-on bags, backrest height 55 cm / 22", seat surface depth 25 cm / 9.8", seat surface width 38 cm / 15"	SIKONE2	6
ErgoMesh HS 11 cm / 4.3" higher position than the standard ErgoMesh seat, 5° greater backrest adjustment range compared to ErgoMesh seat	SIKONEPS2	6
ErgoMesh XL 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard ErgoMesh seat ErgoMesh HS XL 5cm / 2" wider with 3 cm / 1.2" longer seat and backrest, 11 cm / 4.3" higher position than the standard ErgoMesh seat, 5° greater backrest adjustment range compared to ErgoMesh XL seat	SIKONEL2 SIKONELP2	63
Caution: ErgoMesh (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE).		
seat mesh ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket	SIZUBZNE	
seat mesh ErgoMesh wide (discontinued item) for ErgoMesh XL seats, with zip-pocket	SIZUBZNEL	9
seat mesh ErgoMesh 2022 for ErgoMesh seat and ErgoMesh HS seat with small parts bag, Orthoflex inserts, attachment points for Add-on bags	SIZUBZNE2	22
seat mesh ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, attachment points for Add-on bags	SIZUBZNEL2	23
seat for Gekko, Gekko fx 20, Gekko fx 26 and Gekko fxs		
seat mesh Gekko 2022 for Gekko 26, Gekko fx 20 and Gekko fx 26, reinforced in the folding area, attachment points for Add-on bags	SIZUBZNEG2	22
seat mesh fxs OrthoFlex, reinforced in the folding area, without cushion set, only for Gekko fxs	SIZUBZNES	2
seat pad for Gekko seat for Gekko 26, Gekko fx 20 and Gekko fx 26, additional comfortably upholstered seat pad to attach to the normal seat, fastened with buckles, airy, non-absorbent filling material	SIKIGEF	19
OrthoFlex cushion set Gekko fxs for Gekko fxs, set for customized cushion seatbelt retrofit kit usable as lap belt or 4- or 5-point belt	SIZUBZPOS SIZUGUS	1
roller 76 mm / 3" skater style, for Gekko fx 20 (from 11/2014), Gekko fx 26 and Gekko fxs, black, to roll a folded trike	KURO76X8	
side cover for roller 76 mm / 3" black, aluminium, 1 pc.	ZUROAB	
retrofit kit for roller 76 mm / 3" one pair of rollers and covers, spacers and screws, for retrofitting the larger 76 mm / 3" rollers to Gekko fx 20 seats before 12/2014	KURO76SET	
mesh seat acessories		
headrest for mesh seats aluminium, removable cushion, washable at 30°C, adjustable in angle and height, with quick release levers, suitable for riders taller than 140 cm / 55"	SIHPKNESK	2
cushion for mesh seat headrest mesh material	SIHPKNEKP	:
adjustable end stops for positioning the backrest 0°-4° from middle position	SIZUAPKO	2
seat angle adapter set GEN/GEL/GEF, ErgoMesh Premium Adapter to adjust the backrest in 9° more	SIZUBV	13
upright position, with quick release quick release for seat angle adapter longer quick release for seat angle adapter (SIZUBV), black	SSM5X125	
cushion for ErgoMesh and ErgoMesh HS seat	SIZUNEKI	
cushion for ErgoMesh XL and ErgoMesh HS XL seat	SIZUNELKI	2
OrthoFlex cushion set for ErgoMesh and ErgoMesh Premium seats, set for customized cushion	SIZUBZPOPS	:
seat plate ErgoMesh Premium for mounting on the backrest seat adapter Delta tx for mounting HP VELOTECHNIK seats on the frame of the Delta tx	SIBLEP2 SIADDET	34
seat for Spirit		
mesh seat for Spirit, complete with seat mesh, seat cushion, sliding blocks, quick releases, without seat rail	SIHPSRTKO	48
seat cushion for Spirit	SIKIWAF	8
seat mesh for Spirit, with reflective strips and seat bag	Z80024	- 11
Seat Mesh for Spirit, with reneedive strips and seat bag	Z80022	



MEW indicates an item that is new in specification sugg.

ordercode retail

quick release and seat mount bushes	COMENATOR	1
quick release skewer for Gekko upper seat connection M5 x 112, black, with chamfer	SSM5X112G	19
quick release skewer for upper seat connection M5 x 112, blue lever, basic specification for Gekko fxs	SSM5X112B	18
quick release skewer for lower seat connection M5 x 88	SSM5X88K	29
quick release skewer for middle seat connection M5 x 122	SSM5X122K	29
quick release skewer for middle seat connection for GHF M5 x 122 with folding buffer	SSM5X122GK	42
quick release skewer for upper seat connection M5 x 112, black, replaces M6 x 115	SSM5X112	18
quick release skewer for upper seat connection M5 x 112, with folding buffer, basic specification for Scorpion fs 26, Scorpion fs 26 Enduro, Scorpion fs 26 S-Pedelec (Only until 02/2020)	SSM5X112K	4!
quick release skewer for seat adapter sheet Delta tx M6 x 96, blue lever	SSM6X95B	2
quick release skewer for lower seat adjustment M6, blue, with stand, for Gekko fxs	SSM6X150SB	32
bushing lower seat connection with large outside diameter, black anodized	SIBUU	i i
bushing middle seat connection black anodized	SIBUR	
bushing upper seat connection collar 2 mm thick and long hole, grey, hard anodized	Z14075	
	SIBUO	
bushing upper seat connection collar 4 mm thick, round hole, from 01/2011, black anodized	SIBUOG	
bushing upper seat connection for Gekko 26, Gekko fxs, Gekko fx 20 and Gekko fx 26	D3BUS8 6	
bushing spacer stainless steel, for upper seat connection quick release lever	D3D000_0	
waterbottle sets		
waterbottle set for BodyLink seat with bottles, bottle cages and bottle cage adapter, mounting on seat	TFSETSCF	10
waterbottle set for BodyLink seat with bottles, bottle cages and bottle cage adapter, for Grasshopper fx, Streetmachine Gte, Scorpion without electric assist, mounted on frame	TFSETGHP	10
bottle cage adapter BodyLink for Scorpion fx, Scorpion fs 26 and Scorpion fs 26 Enduro, adapter plate for mounting water bottle holders on the BodyLink seat, anodised black	TFHASCX	3
waterbottle set ErgoMesh seat and Gekkos with bottles, bottle cages and bottle cage adapter, for Grasshopper fx, Streetmachine Gte, Speedmachine, Gekko 26, fx 20, fx 26, fxs, Scorpion, fx, fs 20, fs 26, plus 20, plus 26, fs 26 S-Pedelec	TFSETEM	10:
bags and transport covers		ı
Microbag for BodyLink detachable, also as hip bag, I litre volume, with reflective strips (not for Scorpion fs 26 and Scorpion fs 26 S-Pedelec)	TABLMB	5
Add-on bags for mesh seat for all mesh seats from 2022 except Gekko fxs, I pair, mounts to the backrest, I bag water repellent, I bag ventilated, I.4 liters per bag, can only be mounted in pairs	TAEPPA	8
transport cover with carrying strap, for folded Grasshopper fx	TASHGHF	13
transport cover for all foldable HP VELOTECHNIK trikes, ripstop nylon	TASHSCF	13
rain cover for all HP VELOTECHNIK seats, ripstop nylon fabric, blue	SIZURS	3
locks		
AXA frame lock retrofit set AXA Imenso large for Delta tx, incl. frame adapter	SCRAXVDS	7
· ·	SCRAXVSS	8
	SCRAXVGS	10
·	OUNAAVOO	10.
·		
ABUS frame lock retrofit set ABUS Granit for all Gekko models, incl. frame adapter plate	SCEAX100	3
ABUS frame lock retrofit set ABUS Granit for all Gekko models, incl. frame adapter plate lock chain AXA Victory length 100 cm / 40"	SCEAX100 SCEAXU100	
ABUS frame lock retrofit set ABUS Granit for all Gekko models, incl. frame adapter plate lock chain AXA Victory length 100 cm / 40"		_
ABUS frame lock retrofit set ABUS Granit for all Gekko models, incl. frame adapter plate lock chain AXA Victory length 100 cm / 40" lock chain AXA Imenso large for Delta tx, lenght 100 cm / 40" forks 20" ISO 406		
ABUS frame lock retrofit set ABUS Granit for all Gekko models, incl. frame adapter plate lock chain AXA Victory length 100 cm / 40" lock chain AXA Imenso large for Delta tx, lenght 100 cm / 40" forks 20" ISO 406 note suspension fork I": as replacement for a Spinner or MEKS suspension fork with I" steerer tube on GHF		
ABUS frame lock retrofit set ABUS Granit for all Gekko models, incl. frame adapter plate lock chain AXA Victory length 100 cm / 40" lock chain AXA Imenso large for Delta tx, lenght 100 cm / 40" forks 20" ISO 406 note suspension fork 1": as replacement for a Spinner or MEKS suspension fork with 1" steerer tube on GHF or GTE, the headset and stem must also be replaced.		39
ABUS frame lock retrofit set ABUS Granit for all Gekko models, incl. frame adapter plate lock chain AXA Victory length 100 cm / 40" lock chain AXA Imenso large for Delta tx, lenght 100 cm / 40" forks 20" ISO 406 note suspension fork I": as replacement for a Spinner or MEKS suspension fork with I" steerer tube on GHF or GTE, the headset and stem must also be replaced. TSR AXI 20" suspension fork for disc brake, steel coil spring / MCU elastomers, 63 mm / 2.5" travel, external pre-load adjuster, IS2000 disc brake bracket, I 1/8" steel steerer, length 245 mm / 9.6", for A-head headsets, non-	SCEAXU100	3:
ABUS frame lock retrofit set ABUS Granit for all Gekko models, incl. frame adapter plate lock chain AXA Victory length 100 cm / 40" lock chain AXA Imenso large for Delta tx, lenght 100 cm / 40" forks 20" ISO 406 note suspension fork I": as replacement for a Spinner or MEKS suspension fork with I" steerer tube on GHF or GTE, the headset and stem must also be replaced. TSR AXI 20" suspension fork for disc brake, steel coil spring / MCU elastomers, 63 mm / 2.5" travel, external pre-load adjuster, IS2000 disc brake bracket, I 1/8" steel steerer, length 245 mm / 9.6", for A-head headsets, non-threaded	SCEAXU100 FG8A2TSAX	249
ABUS frame lock retrofit set ABUS Granit for all Gekko models, incl. frame adapter plate lock chain AXA Victory length 100 cm / 40" lock chain AXA Imenso large for Delta tx, lenght 100 cm / 40" forks 20" ISO 406 note suspension fork I": as replacement for a Spinner or MEKS suspension fork with I" steerer tube on GHF or GTE, the headset and stem must also be replaced. TSR AXI 20" suspension fork for disc brake, steel coil spring / MCU elastomers, 63 mm / 2.5" travel, external pre-load adjuster, IS2000 disc brake bracket, I 1/8" steel steerer, length 245 mm / 9.6", for A-head headsets, non-threaded CONCEPT fork with steel coil suspension, 50 mm / 2" travel, external damping adjuster, Cantilever brakets and	SCEAXU100	249
ABUS frame lock retrofit set ABUS Granit for all Gekko models, incl. frame adapter plate lock chain AXA Victory length 100 cm / 40" lock chain AXA Imenso large for Delta tx, lenght 100 cm / 40" forks 20" ISO 406 note suspension fork I": as replacement for a Spinner or MEKS suspension fork with I" steerer tube on GHF or GTE, the headset and stem must also be replaced. TSR AXI 20" suspension fork for disc brake, steel coil spring / MCU elastomers, 63 mm / 2.5" travel, external pre-load adjuster, IS2000 disc brake bracket, I 1/8" steel steerer, length 245 mm / 9.6", for A-head headsets, non-threaded CONCEPT fork with steel coil suspension, 50 mm / 2" travel, external damping adjuster, Cantilever brakets and IS2000 disc brake bracket, aluminium, 40 mm / 1.6" steerer, can not be shortened, 1050 g / 2.3 lbs, for	SCEAXU100 FG8A2TSAX	249
ABUS frame lock retrofit set ABUS Granit for all Gekko models, incl. frame adapter plate lock chain AXA Victory length 100 cm / 40" lock chain AXA Imenso large for Delta tx, lenght 100 cm / 40" forks 20" ISO 406 note suspension fork 1": as replacement for a Spinner or MEKS suspension fork with 1" steerer tube on GHF or GTE, the headset and stem must also be replaced. TSR AXI 20" suspension fork for disc brake, steel coil spring / MCU elastomers, 63 mm / 2.5" travel, external pre-load adjuster, IS2000 disc brake bracket, I 1/8" steel steerer, length 245 mm / 9.6", for A-head headsets, non-threaded CONCEPT fork with steel coil suspension, 50 mm / 2" travel, external damping adjuster, Cantilever brakets and IS2000 disc brake bracket, aluminium, 40 mm / 1.6" steerer, can not be shortened, 1050 g / 2.3 lbs, for Speedmachine only, fork comes without spring, please order spring separately	SCEAXU100 FG8A2TSAX FGCS2SPM2	244
ABUS frame lock retrofit set ABUS Granit for all Scorpion models, incl. frame adapter ABUS frame lock retrofit set ABUS Granit for all Gekko models, incl. frame adapter plate lock chain AXA Victory length 100 cm / 40" lock chain AXA Imenso large for Delta tx, lenght 100 cm / 40" forks 20" ISO 406 note suspension fork I": as replacement for a Spinner or MEKS suspension fork with I" steerer tube on GHF or GTE, the headset and stem must also be replaced. TSR AXI 20" suspension fork for disc brake, steel coil spring / MCU elastomers, 63 mm / 2.5" travel, external pre-load adjuster, IS2000 disc brake bracket, I 1/8" steel steerer, length 245 mm / 9.6", for A-head headsets, non-threaded CONCEPT fork with steel coil suspension, 50 mm / 2" travel, external damping adjuster, Cantilever brakets and IS2000 disc brake bracket, aluminium, 40 mm / 1.6" steerer, can not be shortened, 1050 g / 2.3 lbs, for Speedmachine only, fork comes without spring, please order spring separately rigid fork aluminium, 40 mm / 1.57" aluminium steerer, silver, fits Speedmachine only	SCEAXU100 FG8A2TSAX	24

NEW	indicates an item that is new in specification	ordercode	sugg. retail
	front suspension parts and accessories		
	front suspension struts servicekit most frequently needed spare parts. 2 rubber strut bearings, 2 support discs, 2 shock boots black and 2 blue, 2 upper and 2 lower sealing rings, 2 damping strips soft and 2 hart, 2 teflon sheets, 2 bottom elastomers, 2 end stop, 2 end stop stretchings, 2 axial bearings, 10 elastomers hard and 10 soft, 2 headset covers, 2 spacer bushings, 2 preload adjusters.	LTFBSER	199.00
	springs for forks	FGZUTSFH	24.90
	spring hard coil spring for TSR AXI, single piece	FGZUGRFH	
	spring hard coil spring for SPINNER Grind2, single piece	FGZUGRAFH	16.90
	spring hard coil spring for SPINNER Grind AL, single piece	FGZUCSFM	15.90
	spring for CONCEPT headset-suspension system, SPM, (from 11/2005), red, medium	FGZUCSFH	16.00
	spring for CONCEPT headset-suspension system, SPM, (from 11/2005), yellow, hard	1 02000111	16.00
	accessories for spring forks upper bearing for CONCEPT fork 39,8x52x7 mm for Speedmachine frames before serial no. HP0709SPMxxxx	Z70031	45.00
	lower bearing for CONCEPT fork 40x52x7 mm from frame number HP0709SPMxxxx, and headset for	Z7003	25.00
	Speedmachine rigid forks from 2017 onwards		25.0
	adapter for indirect steering for SPINNER forks with I "steel steering tube, will be inserted from the bottom into the steering tube for Grasshopper	LTADGR1	79.00
	adapter for indirect steering for TSR AXI forks, to be clamped on the will be inserted from the bottom into the steering tube for Grasshopper	LTADAX	24.90
	front suspension Scorpion fs 20 / fs 26 / fs 26 Enduro / fs 26 S-Pedelec / plus 20 / plus 26		
	coil spring standrad for front suspension struts, up to 90 kg / 198 lbs, red	FGZUFESFS1	15.90
	coil spring hard for front suspension struts, above 90 kg / 198 lbs, yellow	FGZUFESFS2	15.90
	MCU elastomer spring hard for front suspension struts, 12 mm / 0.47", for Scorpion fs 20, Scorpion plus 20	FGZUELSFS1	3.50
	MCU elastomer spring soft for front suspension struts, 13,5 mm / 0.53" for Scorpion fs 26, Scorpion fs 26 Enduro, Scorpion fs 26 S-Pedelec, Scorpion plus 26	FGZUELSFS2	3.50
	spacer for front suspension struts, instead of MCU elastomer spring, for suspension adjustment	FGZUESSFS1	1.20
	shock boot for front suspension struts, black	FGZUFBSFS	10.00
	shock boot for front suspension struts, blue	FGZUFBFSBL	10.00
			l I
	anti-roll bar for Scorpion fs 20, fs 26, fs 26 Enduro, fs 26 S-Pedelec standard, up to 90 kg / 198 lbs, blue (until 10/2018 white), w/o bracket	FGZUSTM	65.00
	anti-roll bar for Scorpion fs 20, fs 26, fs 26 Enduro, fs 26 S-Pedelec hard, above 90 kg / 198 lbs, grey, w/o bracket	FGZUSTHM	65.00
	anti-roll bar for Scorpion plus 20, plus 26 standard, up to 90 kg / 198 lbs, blue (until 10/2018 white), w/o bracket	FGZUSTPSM	65.00
	anti-roll bar for Scorpion plus 20, plus 26 hard, above 90 kg / 198 lbs, grey, w/o bracket	FGZUSTPHM	65.00
	anti-roll bar bushing two bundles, black	FGZUSTBU	5.00
	anti-roll bar bracket with bushing	FGZUSTHB	25.00
	rubber strut bearing for suspension struts	LTDLSFS	18.00
	support disc is placed under the rubber strut bearing in the suspension struts	FGZUSTSFS	4.00
	cover suspension strut for suspension struts	STSZUAS1	4.90
	spring preload adjusting disc for adjustemnt of the suspension struts	FGZUPASFS	12.00
	upper cover for strut mount made of foam rubber for the support bearing on suspension struts	KUGUASO	2.50
	lower cover for strut mount made of foam rubber for the support bearing on suspension struts	KUGUASU	2.50
	damping strip soft 1,6 mm, for suspension struts	FGZUDSSFS1	3.50
	damping strip hard 1,7mm, for suspension strut	FGZUDSSFS2	3.50
	axial needle bearing between spring disc and spring for suspension struts	D3LAAX0619	9.00
	spring end stop stretching for rebound on the suspension strut	FGZURFSFS	2.80
	end stop elastomer for rebound on the suspension strut	FGZURBSFS	5.00
	foil insert between stanchion tube and spring to avoid noise production	FGZUEFO	3.5



MEW indicates an item that is new in specification sugg.

ordercode retail

useu ah calco		
rear shocks		u u
rear shock DNM DV-22 without spring, black length 150 mm / 5.9", eyelet width 24 mm / 0.94" and 34 mm / 1.3", travel 27 mm / 1.06 fits any SRT from 11/2004, GHF, SMGTe, SPM, SCO, SCO2, SCF, SCF2, SCL, SFS, SFL,	FELMM22	75.0
SFN, SFE, SPL, SPS		
rear shock ROCKSHOX Monarch RL lightweight air suspension shock (215 g / 0.47 lbs), adjustable rebound	FLELRSMO	449.0
damping, lockout, incl. spacer bushings, length 152 mm / 6", eyelet width 24 mm / 0.94" and 34 mm / 1.3", travel		
30 mm / 1.18" fits any SRT from 11/2004, GHF, SMGTe, SPM, SCO, SCO2, SCF, SCF2, SCL, SFS, SFL, SFN, SFE, SPS, SPL		
shock adapter 90 degree for ROCKSHOX rear shock, to ensure the valve accessibility for Delta tx	FLZUDPAD	29.0
bolt set diameter = 8 mm, 32 and 41 mm threaded sleeves and screws	Z5015	14.0
spring travel reducer clip for shock DNM DV-22 to attach to the piston rod, thickness 5 mm	FECL	1.2
spring for DNM DV-22, spring rate 350 lbs/inch, approx. 83 mm long, black	Z5010	29.0
spring for DNM DV-22, spring rate 450 lbs/inch, approx. 83 mm long, black	Z5011	29.0
spring for DNM DV-22, spring rate 550 lbs/inch, approx. 83 mm long, black	Z5012	29.00
spring for DNM DV-22, spring rate 650 lbs/inch, approx. 83 mm long, black	Z50121	29.00
spring for DNM DV-22, spring rate 850 lbs/inch, approx. 83 mm long, black	Z50122	29.00
spring for DNM DV-22, spring rate 1000 lbs/inch, approx. 83 mm long, black	Z50124	29.00
spring for DNM DV-22, spring rate 450 lbs/inch, approx. 83 mm long, blue	Z5011B	29.00
spring for DNM DV-22, spring rate 550 lbs/inch, approx. 83 mm long, blue	Z5012B	29.00
spring for DNM DV-22, spring rate 650 lbs/inch, approx. 83 mm long, blue	Z50121B	29.0
spring for DNM DV-22, spring rate 850 lbs/inch, approx. 83 mm long, blue	Z50122B	29.00
spring for DNM DV-22, spring rate 1100 lbs/inch, approx. 83 mm long, blue	Z50123B	29.00
spring for DNM DV-22, spring rate 1500 lbs/inch, approx. 83 mm long, blue	Z50125B	29.00
chains		
chain KMC 8 speed per metre (approx. 4 m / 160" needed for HP VELOTECHNIK bikes)	KE8FKMCRB	18.00
chain KMC 10 speed per metre (approx. 4 m / 160" needed for HP VELOTECHNIK bikes)	KE10FKMC	39.00
chain KMC 11 speed per metre (approx. 4 m / 160" needed for HP VELOTECHNIK bikes)	KE11FKMC	45.00
chain connecting link 8 speed for KMC chains, silver-coloured	KEZUCOKMC8	2.90
chain connecting link 10 speed for KMC chains, titan-coloured	KEZUCKMC10	3.00
chain connecting link 11 speed for KMC chains, gold-coloured	KEZUCKMC11	3.00
idlers and accessories		
idler complete set, fits all models except Streetmachine Gt	KLRSPM	45.00
idler complete set for Streetmachine Gt steel frames	KLRSMGT	52.0
o-ring for idler silencing, wear part, 2 pcs. neccessary	Z70071	1.5
rubber layer for idler on Streetmachine Gt steel frames	Z1508	10.0
idler bolt DIN912 M8x80 12.9 high strength, zinc plated, for GHP, GHF, SPM before 11/2005	D1036	2.1
idler bolt DIN6912 M8x60A2, stainless, for GTE, SMP from 10/2005, SCO, SCF, SCF2, SCL, SFS, SFL, SFN, SFE	D1064	3.0
idler bolt DIN6912 M8x70A2, stainless, for GEN, GEK, GES, GEF, GEL, SPS, SPL	D1114	5.0
cap nut for idler DIN917 M8x45A2, stainless, for GHP, GHF, SPM before 11/2005	D1028	1.10
spacer between idler and frame, ID 8,5 mm, OD 12 mm, length 12 mm, for GHP, GHF	Z5001	3.0
chain catch hook aluminium, to mount between frame and idler, protects the idler and prevents chain jump	Z7009	7.00
chain catch hook GES, GEF, GEL aluminium, to mount between frame and idler, protects the idler and	KFGEF	12.00
prevents chain jump		

NEW	indicates an item that is new in specification	ordercode	sugg. retail
	chain protection tubes and accessories		
	chaintube set Delta tx flanged edges, incl. rubber support	KSRDETS	55.00
	upper chaintube SPM, GTE, SMGT, GHP, SCO, GEK flanged edges, with mounting springs, 85 / 28 cm (33 / 11") with PU hose	KSRSPMO	35.00
	upper chaintube GHF flanged edges, foldable, with mounting springs, 100 / 28 cm (39 / 11") with PU hose	KSRGHFO	35.00
	upper chaintube GEF, GES flanged edges, with mounting springs, 85 / 28 cm (33 / 11") with PU hose	KSRGEFO	35.00
	upper chaintube GEL flanged edges, with mounting springs, 85 / 50 cm (33 / 19") with PU hose	KSRGELO	35.00
	upper chaintube SCO2, GEN flanged edges, with mounting springs, 85 / 50 cm (33 / 19") with PU hose	KSRSCBO	35.00
	upper chaintube SCF, SCF2, SCL, SFS flanged edges, foldable, with mounting springs, 85 / 28 cm (33 / 11") with PU hose	KSRSCFO	35.00
	upper chaintube SFL, SFN, SFE flanged edges, foldable, with mounting springs, 80 / 50 cm (31 / 19") with PU hose	KSRSFLO	35.00
	upper chaintube SPS flanged edges, foldable, with mounting springs, 80 / 38 cm (31 / 14") with PU hose	KSRSPSO	35.00
	upper chaintube SPL flanged edges, foldable, with mounting springs, 80 / 50 cm (31 / 19") with PU hose	KSRSPLO	35.00
	lower chaintube GTE, SMGT, GHP flanged edges, incl. rubber support, 125cm (49")	KSRGTU	22.00
	lower chaintube SPM, SCO flanged edges, incl. rubber support, 125cm (49")	KSRGTU2	24.00
	lower chaintube GHF flanged edges, incl. rubber support, 125cm (49")	KSRGHFU	24.00
	lower chaintube GEF, GES flanged edges, incl. rubber support, 125cm (49")	KSRGEFU	24.00
	lower chaintube GEL flanged edges, incl. rubber support, 144cm (56")	KSRGELU	24.00
	lower chaintube SCO2 flanged edges, incl. rubber support, 144cm (56")	KSRSCBU	24.00
	lower chaintube SCF, SCF2, SCL flanged edges, incl. rubber support, 125cm (49")	KSRSCFU	35.00
	lower chaintube SFS, SFL, SFN, SFE flanged edges, foldable, incl. rubber support, 125cm (49")	KSRSFSU	24.00
	lower chaintube SPS flanged edges, foldable, incl. rubber support	KSRSPSU	35.00
	lower chaintube SPL flanged edges, foldable, incl. rubber support, 125cm (49")	KSRSPLU	35.00
	lower chaintube GEN flanged edges, incl. rubber support, 144cm (56")	KSRGENU	24.00
	chain tube set SRT containing holder	KSRSRTSET	55.00
	chain tube SRT upper or lower, per piece, flanged edges, 100cm (39")	KSRSRT	24.00
	chaintube mounting strap for guiding the chain	KSRHSSRT	6.00
	chaintube mounting spring front for upper chaintube, without rubber sleeve (KSMTGUT)	KSMTFDV	7.50
NEW	chaintube mounting spring front for upper chaintube, SFL/SPS/SPL	KSMTFDVK	7.50
	chaintube mounting spring rear for upper chaintube, without rubber sleeve (KSMTGUT)	KSMTFDH	7.50
	rubber sleeve for chaintube mounting spring for fixing the spring on the chaintube	KSMTGUT	2.50
	mounting sheet for chaintube holder	Z2006	7.90
	mounting for chain tube bracket on SRT	Z7006	9.00
	chaintube holder incl. rubber sleeve and bracket	RSK	8.00
	PUR-tube 150 mm / 5.9", black, chaintube connection in the folding area	KUSLP01	4.50
	telescope set chain protection tube for length adjustment of the chain protection tube	KSRTK	35.00
	cranksets, chainrings, freewheel sprocket		
	crankset single 32 teeth, two chainring protection discs aluminium, 115 mm / 4.5", black	KBG1F32115	99.00
	crankset single 32 teeth, two chainring protection discs aluminium, 135 mm / 5.3", black	KBG1F32135	99.00
	crankset single 39 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black	KBGKTRE39	99.00
	crankset single 39 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black	KBGKTRE39K	109.00
	crankset single 46 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black	KBGDORF	99.00
	crankset single 46 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black	KBGKTR46	109.00
	crankset single 52 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black	KBGSRTRF KBGKTR52	109.00
	crankset single 52 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black	KBGKTR3F	119.00
	crankset triple 52-42-30 teeth, 155 mm / 6.1", black	NDONINOF	119.00



indicates an item that is new in specification	ordercode	ret
crankset triple 52-42-30 teeth, 170 mm / 6.7", black	KBG3F53S	110
crankset triple 60-52-40 teeth with integrated chain protection ring, 170 mm / 6.7", black	KBG3F654	25
crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black	KBGK3F654	289
chainring 60 teeth with integrated chain protecting disc, black	KBCH60Z	13
chainring E6100 / E8000 / EP5 / EP8 / EP801 Cargo 38 teeth Chainring STEPS 38T completely assembled	KBBLS838K	15
chainring E6100 / E8000 / EP5 / EP8 / EP801 Cargo 50 teeth Chainring STEPS 50T completely assembled	KBBLS850K	15
BAFANG chainring 38 teeth completely mounted	KBBF38	9
chainring disc light for 50-52 teeth chainring, 52 g / 0.11 lbs, threads on chainring must be drilled by customer, incl. screws and washers, black	KBZUKR52SE	7
bottom bracket for all models except Spirit	ILSR113SQ	2
chainguard chainring protection, maximum 54 teeth, mounted at the bottom bracket, aluminium, black	RMSKO	6
front parking support protection for crash guard and position light of the S-Pedelec when the trike is folded (recommended for 26" trikes without chainring disc)	RMAF	3
freewheel sprocket Delta tx left left-hand thread, 16 teeth	ZK1FL16L	3
freewheel sprocket Delta tx right right-hand thread, 16 teeth	ZK1FL16R	3
front boom quick adjust		
front boom quick adjust with quick release levers, for chain length compensation when front boom is adjusted,	RTZUSV	28
incl. length adjustable upper chain protection tube, for all models except Speedmachine, Spirit and Gekko fxs		
front boom quickadjust without chain length compensation quick release for the bottom bracket boom	RTZUSVO	6
front boom quick adjust for Gekko fxs with quick release levers, for chain length compensation when front	RTZUSVGES	28
boom is adjusted, incl. length adjustable upper chain protection tube	2007020	
front boom quick adjust STEPS E5000 / E6100 / E8000 / EP5 / EP8 / EP801 Cargo with quick release	RTZUSVS8	28
levers, for chain length compensation when front boom is adjusted, incl. length adjustable upper chain protection		
front boom quick adjust chain idler 42x6 mm complete including bearing and O-ring	KLKO42X6E	
front boom quick adjust O-RING for front boom quick adjust chain idler	D3GUOR22	
PINION retrofit kits, spare parts		
PINION retrofit set 20" PINION C1.12 gearbox with 46T chainwheel, chainwheeldiscs, 170 mm / 6.7" cranks,	TGSET20	2,96
black anodized front boom, twist shifter with long grip, HP chaintensioner, 28T rear chainring, spacerset for		
cassettehubs, w/o rear wheel, not compatibel with internal gear hubs		
PINION retrofit set 26" PINION C1.12 gearbox with 46T chainwheel, chainwheeldiscs, 170 mm / 6.7" cranks,	TGSET26	2,96
black anodized front boom, twist shifter with long grip, HP chaintensioner, 36T rear chainring, spacerset for		
cassettehubs, w/o rear wheel, not compatibel with internal gear hubs		
PINION chainring disc set for 46 teeth chainring, 2 discs for in-and outside, threads on chainring must be	KBZUKR46SE	7
drilled by customer, incl. screws and washers, black anodized		
PINION chainring 46 teeth 4 arm, 104mm BCD	KBTR46Z	2
PINION rear chainring 28 teeth for cassette hubs, aluminium 7075, black	ZK1PI28	7
PINION rear chainring 36 teeth for cassette hubs, aluminium 7075, black	ZK1PI36	7
PINION crank arms for PINION gearbox, length 170 mm / 6.7", price per pair	KBKUPI170	22
PINION crank arms for PINION gearbox, length 155 mm / 4.5", price per pair	KBKUPI155	34
rear chainring spacer for PINION for 8 / 9 / 10-speed cassette hubs, aluminium, black, 2 pieces required per	ZKZUSPPI	i
hub		
lockring for spacer set for PINION aluminium, black	ZKZUVR	
	SH12PIL	22
PINION shifter, long version for HP VELOTECHNIK	SH12PIEGL	

NEW	indicates an item that is new in specification	ordercode	sugg. retail
	gear system, Cable routing		
	ROHLOFF shifter, long version for HP VELOTECHNIK	SH14RFSHL	249.00
NEW	replacementgrip ROHLOFF long version	SH14RFEGL	59.90
	STURMEY ARCHER bar end shifter for 3-speed TRIPLESHIFT internal gear hub	SH3SALE	27.00
	MICROSHIFT bar end shifter 10 speed for 10-speed Shimano MTB rear derailleurs	SH10MSLE	85.00
	MICROSHIFT bar end shifter 3 speed for 3-speed front derailleurs	SH3MSLE	99.00
	HP VELOTECHNIK chaintensioner, long version big capacity and 14T pulleys, ball bearings, 95mm / 3.7"	SWKSHP	135.00
	long, necessary for PINION, ROHLOFF or STEPS on Scorpion plus 20 / plus 26		
	front derailleur MICROSHIFT 439B silver, clamping diameter 31.8 / 28.6 mm	UWMSR438B	49.00
	cable guide 5 mm, to be fixed with bolt	Z1105	0.50
	derailleur cable protection bellow and sealing for front derailleur cable	SZSRNC	1.70
	cable stop for shifting cable, screw on attachement, with adjustment screw	SZZA	5.90
	cable guide pipe 130° for shifting cable in front boom	BZR130	3.50
	cable fastening Delta tx Magnetic cable attachment	ZUMASET	17.00
	brakes		
	brake Riderever Cargo-D coupled coupled hydraulic brake for two wheels, 3 finger lever, 2 pistons, with pads, non-mirrored	BRSBRVDGL	435.00
	brake Riderever Cargo-D coupled left Delta tx left side, coupled hydraulic brake for rear wheels on Delta	BRSBRVDGLL	435.00
	tx, 3 finger lever, 2 pistons, with pads, non-mirrored		
	brake Riderever Cargo-D coupled right Delta tx right side, coupled hydraulic brake for rear wheels on	BRSBRVDGLR	435.00
	Delta tx, 3 finger lever, 2 pistons, with pads, non-mirrored		
	Riderever brake disc 160mm, 6-hole, screws included	BRSBBSRV16	19.00
	brake lever DualControl right, for two brake cables, with parking brake function, (right or left side for under seat steering, when mounted on right side the locking knob faces the rider)	BHVBDR	39.00
	brake lever with locking knob, right lever (mounted on left side with under seat steering)	BHVBPMLR	23.00
	brake lever with locking knob, left lever (mounted on right side with under seat steering)	BHVBPMLL	23.00
	double brake lever adapter set to mount a second brake lever on a parallel running handlebar piece, for one-hand operation	LEZUDBK	45.00
	parking brake for trikes retrofit kit with lever, V- brake, brake cable, cantilever sockets	BRPBS	79.00
	parking brake lever thumb switch for actuating the parking brake	SH3DS1	16.00
	hook and loop strap to use standard brake levers as parking brake	KUKLBRST	3.90
	brakeadapter "Copilot" for second cable brake lever actuation (i.e. companion bar)	BZADB	59.00
	brake cable seal SnakeSeal for 2 brake cables, retrofit kit	BZSSKO	35.00
	"XT-Dächle" brakelever cover neopren, black, fits SHIMANO and TEKTRO brakelevers, I pair	BHZUDA	18.00
	brake pad TEKTRO S20.11 fits Auriga / Auriga Twin disc brakes, I pair for with spring one Brake, green organic compound, low noise, for one piece caliper	BRBTEAU	20.00
	brake pad TEKTRO E10.11 fits Auriga / Auriga Twin disc brakes, I pair with spring for one brake, organic	BRBTEAU3	49.00
	compound, low noise, for 2-piece bolted brake caliper Tektro 160 mm brake disc for S-Pedelecs	BRSBBSTE2	23.00



MEW indicates an item that is new in specification sugg. ordercode retail

handlebars for two wheele	ers		
	are for recumbent use only, not for upright use.		
·	for Streetmachine Gte, 60 cm / 23.6" wide, straight ends, steel, chrome	LEULGTERFS	42.0
finish, for ROHLOFF and PINION	of 3d eedifactifie Gte, 60 cm / 23.0 wide, straight ends, steel, chrome		42.0
, and the second	for Streetmachine Gte, 65 cm / 25.6" wide, straight ends, steel, chrome	LEULGTERF	42.0
finish, required for ErgoMesh seats			
· ·	for Grasshopper fx and Speedmachine, 55 cm / 21.6" wide, straight ends,	LEHPGHP	65.0
aluminium handlehar for above seat steering	for Speedmachine, Streetmachine Gte et Grasshopper fx, tiller, 60 cm /	LEHUSPM	29.0
23.6" wide, aluminium, black	ior opecaniacimic, ou ceaniacimic dec et drassnopper ix, amer, ou chi /		27.0
handlebar for above seat steering	for Speedmachine and Grasshopper fx, aerobar, 60 cm / 23.6" wide,	LEOLSPMAE2	45.0
aluminium, black			
stems for two wheelers			
under seat steering retrofit kit Gra	asshopper SPINNER GRIND2 handlebar, stem, fork adapter, track rod,	LEGHFULKIT	399.0
bolts			
wunder seat steering retrofit kit Gra	asshopper TSR AXI handlebar, stem, fork adapter, track rod, bolts	LEGHFULKIA	359.0
under seat steering retrofit kit Spe	eedmachine handlebar, stem, fork adapter, track rod, bolts	LESPMULKIT	399.0
handlebar retrofit kits for	two wheelers		
stem for under seat steering A-He	ad	VBHPGTEAH1	75.0
stem for under seat steering A-He		VBHPGTAH1	49.9
W stem for under seat steering A-He		VBHPGTE118	69.0
stem for under seat steering for G	rasshopper and Speedmachine, adjustable length, w/ bearings, spacer, cap,	VBKOULGHF	315.0
titan finish			
folding stem for above seat steering	ng I" for Grasshopper fx and Streetmachine Gte, I" A-Head clamp,	OLVBGHP	359.
·	RACYCLE, telescopically adjustable height, aluminium, black	VDVODLA	
_	ng 1 1/8" for Grasshopper fx and Streetmachine Gte, 1 1/8" A-Head	VBKODLA	339.0
· · · · · ·	m TERRACYCLE, telescopically adjustable height, aluminium, black irit, telescopically adjustable height, clamps to 1 1/8" steerer, aluminium,	VBHPSRTK	110.0
black	ing telescopically adjustable neight, clamps to 1 170 secords, administra		
stem for Aerobar for Grasshopper, a	adjustable length, w/ quick release, removable, aluminium, black	VBKOOLGHF	349.0
stem for Aerobar for Speedmachine,	adjustable length, aluminum, black	VBHPSPM2	315.0
stem for tillerbar		VBHPSPM	330.0
folding stem hinge for above seat s	steering I" I" A-Head clamp, I" stem riser, TERRACYCLE Glideflex	Z2005	199.0
hinge, for I" stem extension Z20051			
	steering Spirit, 1/8" A-Head clamp, 1 1/8" stem riser, TERRACYCLE	Z8004	169.
	steering I 1/8" to I" 1/8" A-Head clamp, I" stem riser, TERRACYCLE	VBGF181	169.0
•	steering stem Grasshopper fx and Speedmachine (VBKOULGHF)	SSM6X56L LGKKA6D2	15.0
under seat steering)	t steering, maintenance free (for Speedmachine and Grasshopper fx with	LGKKA0DZ	18.0
handlebars for trikes			
Important: All handlebars and stems a	are for recumbent use only, not for upright use.		
handlebar Delta tx Aluminum		LEOLDET	24.0
handlebar for under seat steering	for all Scorpions and Gekko fxs two-piece design for width-adjustable	LEULSCO2T	50.0
stem, aluminium, black		I EIII SCOOTI	
	reering for all Scorpions and Gekko fxs two-piece design for width-	LEULSCO2TL	65.0
·	red for ErgoMesh HS and ErgoMesh HS XL seat Gekko 26, Gekko fx 20, Gekko fx 26 aluminium, black	LEULGEF	45.0
_		VBZULR	l Ì
(LEULSCO2T or LEULSCO2TL)	llebar, to mount two-piece handlebars for under seat steering	*DLULIX	30.0
,	e steering and braking, adapter "copilot" enables operation of the rear V-	LEBGSET	439.0
Brake, removable, not compatible with			

W	indicates an item that is new in specification	ordercode	sugg. retail
,	clamp w/ two bolts, left for mounting of two-piece handlebar	LTKS30BLS	7.00
	clamp w/ two bolts, right for mounting of two-piece handlebar	LTKS30BRS	7.00
	clamp w/ two bolts, full width quick release lever, left for mounting the left long handlebar on the Scorpion	LTKS30BSLS	29.00
	s 26 / fs 26 Enduro / fs 26 S-Pedelec / plus 20, the long right handlebar on the Gekko fxs as well as the right		27.00
	tandard handlebar on the Gekko fxs and the left handlebar on the plus 20 / plus 26, for folding the handlebar		
	luring the folding process		
	clamp w/ two bolts, full width quick release lever, right for mounting the long right handlebar on the	LTKS30BSRS	29.00
	corpion plus 20 / plus 26, as well as the left handlebar on the Gekko fxs, for folding the handlebar during the		
	olding process		
	nset sheetmetal for double quick release stainless steel	SSZUBL2	2.90
ı	stems for trikes		<u>.</u>
s	tem middle part Delta tx for users over 1,60 m / 63" with high seat, all users with low seat	VBROMNDETB	49.00
5	tem middle part Delta tx short for users under 1,65 m / 65" with high seat	VBROMHDETB	49.00
5	tem Delta tx short complete for users under 1,65 m / 65" with high seat	VBKOKMDET	289.00
5	tem Delta tx standard complete for users between 1,60 - 1,95 m / 63 - 76", for all users with a low seat	VBKOSMDET	289.00
5	tem Delta tx long complete for users over 1,90 m / 75"	VBKOLMDET	289.00
	tem Delta tx short quick releasecomplete for users under 1,65 m / 65" with high seat, with quick release or easier adjustment	VBKOKSDET	289.00
	tem Delta tx standard quick releasecomplete for users between 1,60 - 1,95 m/ 63 - 76", for all users with	VBKOSSDET	289.00
а	low seat, with quick release for easier adjustment		
	tem Delta tx long quick release complete for users over 1,90 m / 75", with quick release for easier djustment	VBKOLSDET	289.00
	GLIDEFLEX retrofit kit TERRACYCLE stem, for a folding function of the stem on the Delta tx, cannot be	VBGFSET	329.00
	ombined with a long stem Quick release retrofit kit Clamp and lamp holder with quick release, for convenient stem length adjustment on	VBSSDETSET	85.00
t	he Delta tx		
S	teering damper elastomer body for mounting between fork and frame on the Delta tx	LTLDEL	23.90
	tem Scorpion for two-piece handlebar, ASG, w/o clamps (steering rods before 11/2012 must be shortened 3 nm)	VBSCOAL	149.00
	tem Scorpion fx 20 / fx 26 for two-piece handlebar, ASG, w/o clamps (steering rods before 11/2012 must be	VBSCOALG	139.00
	hortened 3 mm), rubber folding buffer tem Scorpion fs 20 for two-piece handlebar, ASG, w/o clamps, from 10/2012, rubber folding buffer, for	VBSF2ALG	139.00
	ehicles before 09/2012 please also order new track rods (LTSSSF2K)	VDOI ZALO	137.00
	tem Scorpion fs 26 / fs 26 Enduro / fs 26 S-Pedelec	VBSF2AL	139.00
	·	VDDOUTEDE	
	tem lower part for Scorpion plus 20, Scorpion plus 26 black	VBROUTSPS	99.00
	tem upper part for Scorpion plus 20, Scorpion plus 26 black, w/o clamps	VBKOOTSPS	89.00
	tem lower part Gekko 26, Gekko fx 20, Gekko fx 26 aluminium, black	VBROUTGEF VBKO8AGEF	75.00
	tem upper part Gekko 26, Gekko fx 20, Gekko fx 26 aluminium, black	VBROUTGES	35.00
	tem lower part Gekko fxs black tem upper part Gekko fxs black	VBKO01GES VBKO8AGES	49.00 39.00
	neadset adjuster adjustable spacer for adjusting the headset clearance on wheels without A-head cap	STSZUHA	39.00
ı	tie rods for trikes		
1	ie rod Scorpion after 10/2012, Scorpion fx after 10/2012 for steering, with rod ends and rubber cover	LTSSSC2K	45.00
	ie rod Scorpion until 09/2012, Scorpion fx until 09/2012 and Scorpion fs 20 until 09/2012 for steering,	LTSSSCOK	45.00
	vith rod ends and rubber cover		
	ie rod Scorpion fs 26, Scorpion fs 26 Enduro and Scorpion fs 26 S-Pedelec for steering, with rod ends	LTSSSF2K	45.00
	nd rubber cover	I Teceber	48.66
	ie rod Gekko fxs, Scorpion plus 20, Scorpion plus 26 for steering, with rod ends and rubber cover ie rod Gekko fx 20, Gekko fx 26, Gekko 26 for steering, with rod ends and rubber cover	LTSSSPSK LTSSGEFK	45.00 42.00
	od end M6 for tie rods with all HP VELOTECHNIK trikes, maintenance free	Z20034	16.00
		D3GUKA	4.90
	ubber cover for rod end (I socket head screw D1023, 2 washers D1011, 2 spacers D3BUS86 and one nut D1017 are required for retrofitting)		4.90
9	STEPS steering damper adjustable, for GEL, GES, GEF, GEN, SCO, SCO2, SCF2 and SCL incl. mounting	LTLDK	179.00



indicates an item that is new in specification sugg. ordercode retail headset Note: fork bearings and spares can be found under front suspension and suspension fork spares Z20033 11.00 stem bearing for under seat steering Grasshopper, Speedmachine, Scorpion, Scorpion fx 20 / fx 26 / fs 20 / fs STSNFIAH1 85.00 headset I" A-head semi-integrated for Grasshopper / fx and Streetmachine Gte forks, for Scorpion before 03/2012 and Scorpion fx before 05/2011 knuckles STSNEIAH41 WEW headset I 1/8" A-head semi-integrated for Grasshopper / fx and Streetmachine Gte forks, 41.4mm head tube 34.90 to I I/8" steerer tube, fork TSR AXI STSNEIAH18 headset 1 1/8" A-head semi-integrated for Scorpion from 03/2012, Scorpion fx from 04/2011, Scorpion fx 20 / 29.00 fx 26, Gekko / fx 20 / fx 26 knuckles, for Gekko 26 / fx 20 / fx 26, Scorpion plus 20 / plus 26 stem, Gekko / fx 20 and for Spirit fork (SRT) grips, barends handlebar grip foam, hexagonally, pc. LEGR 4.90 handlebar grips blue, pair GRRFBL 29.00 handlebar grip HERRMANS Maxi Grip 50 mm / 2", pc. **GRHFMW5** 5.00 handlebar grip for TRIPLESHIFT / DualDrive 94 mm / 3.7", pc. GRSRDD 2.75 handlebar grip for long PINION / ROHLOFF twist shifter 86 mm / 3.4", pc. GRSRRO 5.00 handlebar grip SPECTRO long 136 mm / 5.4", pc. GRSRSPL 6.50 LEHABA barend with slotted clamp 80 mm / 3", to mount accessories on the handlebar, pc. 19.00 71205 barend with slotted clamp 120 mm / 4.8", to mount accessories on the handlebar, pc. 22.00 mirrors RSPBCSE rear mirror B&M Cyclestar E extra large field of view, for Delta tx, left 45.00 **RSPMM** rear mirror Mirrycle mounting at end of handlebar, for handlebars w/o barend shifters 25.00 **RSPMMBH** rear mirror Mirrycle with barend mounting by HP VELOTECHNIK, also as computer mount 85.00 **RSPBEK** rear mirror B&M E extra large field of view, for Scorpion fs 20, fs 26, fs 26 Enduro, fs 26 S-Pedelec, left 109.00 **RSPBEKR** rear mirror B&M E extra large field of view, for Scorpion fs 20, fs 26, fs 26 Enduro, fs 26 S-Pedelec, right 109.00 **RSPBEPLK** rear mirror B&M E extra large field of view, for Scorpion plus 20, plus 26, with barend mounting, left 109.00 RSPBEPRK rear mirror B&M E extra large field of view, Scorpion plus 20, plus 26, with barend mounting, right 109.00 **RSPBESK** rear mirror B&M E extra large field of view, for all HP VELOTECHNIK trikes without front suspension, left 109.00 RSPBESKR rear mirror B&M E extra large field of view, for all HP VELOTECHNIK trikes without front suspension, right 109.00 trailer hitches ZUADDET 259.00 trailer hitch WEBER for Delta tx ZUAD trailer hitch WEBER for Scorpion fs 20 219.00 horns, bells, computer mount, universal holder air horn AIRZOUND XL with plastic compressed air bottle 500 ml, 75 cm / 30" hose. The horn mounts to the HUAZ5 45.00 handlebar, the air bottle is put into the bottle cage or attached with velcro. Can be refilled via schrader valve up to 5,5 bar / 79.7psi, one charge lasts for ca. 90 horn signals, adjustable volume about 30-115 dB, weight only 120 g / 0.26 lbs, handlebar brackets 25,4 and 31,8 mm. May not be permitted for use on public roads! Please observe the traffic regulations prevailing in your country. HUAZ3ZUHA handlebar bracket for AIRZOUND 3/4/XL Retrofit bracket for handlebar mounting, Ø 22.2, white or red, 9.90 please specify when ordering HUBUM 119.00 horn B&M S-Pedelec for Scorpion fs 26 S-Pedelec from 2018 and Speedmachine S-Pedelec, switch for brake lever clamp, cable 30 cm / 12", connection 110 cm / 43" KLSWE 3.50 bell Pling! handlebar mount, small and black WIHP bike flag HP VELOTECHNIK double sided print, on reflective material, for HP VELOTECHNIK rear racks 33.00 and mesh seats with flag mount

computer and sensor mount set for all HP trikes

sensor mount for trikes for all HP trikes, addition to computer mount to attach sensor to the knuckle

computer mount also for lights or GPS-device

39.00

18.00

21.00

CHSMSET

CHSM

CHSH

indicates an item that is new in specification	ordercode	sug _s reta
universal holder T-Bar for accessories such as mobile phone holder / GPS devices or bell, mounting on the	СНИНТВ	69
handlebar end (for gearshifts with twist shifters), tube holder Ø 22.2mm, only for USS, max load 400 gram / 0.9		
lbs, please make sure that the handlebar ist drilled inside universal holder TopView for accessories such as mobile phone holder / GPS devices or bell, mounting on a	CHUHTV	69
barend shifter, tube holder Ø 22.2 mm, for USS only, max. load 400 gram / 0.9 lbs	OHOHIV	07.
Streamer		
Streamer complete set universal transparent front fairing, PETG, 1.5 mm thick, with adjustable retainers for	STHPKO	779
frame tube incl. front light support. Can be rolled up for a few days for transport. Compatible with all HP		
VELOTECHNIK trikes, Streetmachine Gt / Gte, Grasshopper / fx, Wavey, most SWB recumbents and trikes. Not		
recommended for Speedmachine. To ensure a complete forward view over the front fairing, the bottom bracket		
should not be higher than 18 cm / 7" above the seat.		
Streamer complete set same as above, with hole for front light	STHPLKO	779
Streamer disc with edge band, velcro tape and reflective strips, only available from specialised dealers	STHPFOKO	439
Streamer disc same as above, with hole for front light, only available from specialised dealers	STHPFOLKO	439

Streamer spare parts



hook and loop tape for front support 16 mm / 0.6" hook side, extra strong, self-adhesive, per metre (approx.	Z3017	4.50
1,20 m / 47" required) hook and loop tape for fairing 25 mm / 1" loop side, extra strong, self-adhesive, per metre (approx. 1,20 m / 47" required)	Z3018	4.50
edge guard 8,5 x 5 mm, black, PVC with adhesive layer, to protect edges of fenders or Streamer edges, per metre (ca. 3 m / 120" needed for one Streamer, ca. 1,2 m / 47" for fender set)	KUKTEG5S	8.00
edge protection tape S-Pedelec black plastic, with adhesive layer, for front light hole, per centimetre	KUKTEG	0.50
reflex tape 3M, 25mm / 1" width, self adhesive, per metre	Z30065	8.00
sticker "Streamer"	Z3006	5.00
Streamer retainer single part, front quickmount bracket, to be mounted under bottom bracket shell, without hose clamp	Z3023	79.00
Streamer retainer single part, front support with bail	Z3026	75.00
Streamer retainer single part, rear fixture to be mounted on the frame, without hose clamp	Z3024	79.00
Streamer retainer single part, rear support with bail	Z3025	75.00
mounting clamp for front quickmount bracket and rear fixture (2 pieces are required for the front one), stainless steel hose clamp, for tube diameters 50 – 80 mm (fits also square tube)	Z3011	10.00
quick release skewer for quickmount bracket, M6 x 50 mm	SSM6X50	6.00
front light mounting set for mounting the frontlight B&M IQ Fly inside Streamer	STHPRSWHS	24.00
front light holder for mounting a frontlight below the Streamer	STHPRSH	19.00
turn indicator adapter Streamer for attaching the "WingBling" indicator to a Streamer	STHPBH	25.00



NEW indicates an item that is new in specification sugg.

ordercode retail

pedelec retrofit kit

NEODRIVES retrofit kit please give us the following information when ordering: model, year of built and desired control position. The retrofit kit will be sent from our warehouse in Germany. The battery must be ordered seperatly and will be shipped from our US warehouse.

NEODRIVES Z20 retrofit kit for all HP trikes and bikes, for GHF and SPM only in combination with above	HABKNDUS	3,090.00
seat steering, NEODRIVES Z20 rear wheel, up to 20 mph, tire SCHWALBE Marathon Plus, with remote control,		
battery rail and adapter, recumbent specific wire harness, charger 4 A		
NEODDRIVES Z20RS 26" retrofit kit for HP trikes SCO2, SFL and SFN, NEODRIVES Z20RS 26" rear wheel,	HABKND5	3,420.00
up to 28mph, tire SCHWALBE Marathon Plus, with remote control, battery rail and adapter, recumbent specific		
wire harness, charger 4 A		

SHIMANO STEPS retrofit kit with motor mounted on the boom, HP VELOTECHNIK external wiring harness and connected battery holder rail. Please also order the desired battery adapter. The battery must be ordered seperatly and will be shipped from our US warehouse. Only for retrofitting to HP VELOTECHNIK trikes, not for use on HP VELOTECHNIK bikes or other brands. Installation must be carried out by an HP Velotechnik dealer.

E-Kit SHIMANO STEPS E5000 for 20" for all HP trikes, SHIMANO STEPS E5000 motor, large display SC-	HAEKS520	1,535.00
E6100, control unit SW-E6000, battery charger 4A, up to 20 mph, headlight B&M IQ-XS, rear light B&M Toplight		
Flat battery, front boom (requires separate battery adapter kit)		
E-Kit SHIMANO STEPS E5000 for 26" for all HP trikes, SHIMANO STEPS E5000 motor, large display SC-	HAEKS526	1,535.00
E6100, control unit SW-E6000, battery charger 4A, up to 20 mph, headlight B&M IQ-XS, rear light B&M Toplight		
Flat battery, front boom (requires separate battery adapter kit)		
E-Kit SHIMANO STEPS EP801 Cargo for 20" for all HP trikes, SHIMANO STEPS EP801 Cargo motor,	HAEKS80120	3,170.00
large display SC-EN610, control unit SW-EN600L, battery charger 4A, up to 20 mph, headlight B&M IQ-X, rear		
light B&M Toplight Flat battery, front boom (requires separate battery adapter kit)		
E-Kit SHIMANO STEPS EP801 Cargo for 26" for all HP trikes, SHIMANO STEPS EP801 Cargo motor,	HAEKS80126	3,170.00
large display SC-EN610, control unit SW-EN600L, battery charger 4A, up to 20 mph, headlight B&M IQ-X, rear		
light B&M Toplight Flat battery, front boom (requires separate battery adapter kit)		

pedelec battery retro fit kits NEODRIVES

NEODRIVES Z20 2nd battery retrofit kit battery rail, battery bracket, battery adapter set, wire extension for easy charging and switching between batteries, incl. mounting hardware (may restrict folding function), without battery

The battery must be ordered seperatly and is shipped from our US warehouse.

suitable for Scorpion fs 26 / fs 26 Enduro mounted on left side, with wire extension	HABZAG2109	249.00
suitable for Scorpion fx 26 / fs 20 / plus 20 / plus 26 mounted on left side, with wire extension	HABZAG2110	249.00
suitable for Scorpion / 2 / fx / fx 2 mounted on right side, with wire extension	HABZAG2111	249.00
wire extension set for NEODRIVES V2 2nd battery pack, for comfortable charging and switching	HAZUVAK	179.00

VEW	indicates an item that is new in specification	ordercode	sugg. retail
	pedelec/e-drive spare parts NEODRIVES Z20		
1	NEODRIVES Z20 battery 36V, 576Wh, model V2	HAAKND36V2	1,290.00
1	NEODRIVES Z20 battery rail for Neodrives battery V2	HAHSND1	55.00
1	NEODRIVES Z20 V2 charger charger, 4 A charging current, only 230V, for 110V please use HALGGDV2	HALGND1	290.00
1	NEODRIVES Z20 Simply Remote control unit for Neodrive systems from 07/2023 (no S-Pedelec)	HABEND4RM	360.00
	SIGMA display EOX View 1300 Sigma Eox View 1300 display, display unit for Neodrive Simply Remote from 7/2023	HABEND4DI	119.00
S	IGMA display holder Bracket for Sigma EOX View Display, Butler short	HABEND4HA	20.00
S	IGMA display clamping ring for mounting the Sigma display holder	HABEZUDNS	6.50
	NEODRIVES Z20 display for NEODRIVE-Systems until 07/2023, with touch function and USB connection	HABEND1DI	315.00
1	NEODRIVES Z20 display holder for the Z20 display, with handlebar remote control	HABEND1HA	120.00
1	NEODRIVES Z20 display holder mounting set for attaching the Z20 display to the handlebar or tube, uitable diplay clamping ring required	HABEND1HAM	12.00
1	NEODRIVES Z20 display clamping ring for mounting the display holder mounting set on tubes with 22.2 - 2.8 mm diameter	HABEZUDN	6.50
١	NEODRIVES Z20 display clamping ring ASS for mounting the display holder mounting set on tubes with 5.4 mm diameter	HABEZUDNO	39.00
	NEODRIVES Z20 wiring harness with connection to battery, NODE and HIGO wiring harness	HAKBND01	295.00
	NEODRIVES Z20 adapter cable Connection cable for the Simply Remote	HABEND4AK	45.00
	NEODRIVES Z20 node converter, connection between display and motor	HAZUNDNO	79.00
1	NEODRIVES Z20 voltage transformer to connect to the wiring harness, is needed to use light and turn ignals	HAZUSWND2	92.00
		HAZUDN	27.00
	NEODRIVES Z20 torque retainer IS2000 dropouts, stainless steel	HAZUDN	37.00
	poke black for NEODRIVES motor 20", 2,0 mm, 86 mm long, suitable for HP DB-1 Wheel 20"	SP23086	1.30
	poke black for NODRIVES motor 26", 2,0 mm, 176 mm long, suitable for HP DB-1 Rim 26" NEODRIVES Z20 free wheel for quick release axle	SP23176S NAZUFL3	1.30 59.00
	pedelec/e-drive spare parts NEODRIVES Z20RS		
1	NEODRIVES Z20RS display (S-Pedelec) with touch function and USB connection	HABEND2DI	355.00
1	NEODRIVES Z20RS display holder (S-Pedelec) with handlebar remote control	HABEND2HA	119.00
1	NEODRIVES Z20RS V8 battery 48 Volt, 627 Wh, with decor	HAAKND48V2	1,990.00
	NEODRIVES charger Z20RS V8 charger, 4 A charging current	HALGND2	360.00
1	NEODRIVES Z20RS battery adapter plate right for mounting the battery on the trike	HAADSFER	159.00
1	NEODRIVES Z20RS battery adapter plate left for mounting the battery on the trike	HAADSFEL	159.00
	NEODRIVES Z20RS cap for battery holder cable side for mounting on the battery holder, black	HAAKKA1	42.00
	NEODRIVES Z20RS cap for battery holder lock side for mounting on the battery holder, black	HAAKKA2	79.00
	REODRIVES Z20RS cap for battery top for mounting on battery, black	HAAKKA3	55.00
1	NEODRIVES Z20RS wiring harness	HAKBND02	295.00
1	NEODRIVES Z20RS battery lock for V8 battery	HAZUSLV8	39.00
1	NEODRIVES Z20RS free wheel for screw axle	NAZUFL4	59.00

NEW indicates an item that is new in specification

ordercode

sugg. retail

pedelec retro fit kits SHIMANO STEPS

Important note SHIMANO STEPS battery: batteries for the SHIMANO STEPS system are only available as
retrofit kits. For individual orders, please contact your SHIMANO representative.

retrofit kits. For individual orders, please contact your SHIMANO representative.		
STEPS battery for Shimano first generation (E5000, E6100, E8000, EP8), 418 Wh	HAAKS84	619.00
STEPS battery for Shimano first generation (E5000, E6100, E8000, EP8), 630 Wh	HAAKS86	899.00
STEPS 2 battery for Shimano second generation (EP801 Cargo), 418 Wh	HAAKS814U	619.00
STEPS 2 battery for Shimano second generation (EP801 Cargo), 630 Wh	HAAKS816U	899.00
STEPS battery mount for second battery to carry a second battery, with base plate, without cable harness,	HAAKHS86K	240.00
suitable battery adapter set must be ordered separately		
STEPS battery adapter sheet for E6000 black anodized	HAAKPLST	35.00
STEPS battery adapter sheet for E5000 / E6100 / E8000 / EP5 / EP8 / EP801 Cargo black anodized	HAAKPLS8	35.00
STEPS mounting tube for barend T-bar for barend mounting, black anodized, with internal clamping	HABEMRSTK	52.00
STEPS headlight bracket aluminium, black	SWHAST	22.00
STEPS steering damper adjustable, for GEL, GES, GEF, GEN, SCO, SCO2, SCF2 and SCL incl. mounting	LTLDK	179.00
material, for smooth drivability when using E-drive STEPS		
STEPS EP5 / EP8 / EP801 Cargo insert for boom for motor bridge front side, plastic, black	RTALS8ET2	18.00
STEPS E8000 insert for boom for motor bridge front side, plastic, black	RTALS8ET	31.70
STEPS E5000 / E6100 insert for boom for motor bridge front side, plastic, black	RTALS5ET	18.00
STEPS battery cable EP8 HIGO long for STEPS EP8 systems	HAKBSEP8	229.00
STEPS battery cable E6000 HIGO long for STEPS E6000 systems	HAKBSTBHL	229.00
cranks for SHIMANO STEPS		
crank arms 115 for BAFANG und SHIMANO STEPS E5000, length 115 mm / 4.5", pair price	KBKU115ST	69.00
crank arms 135 for BAFANG und SHIMANO STEPS E5000, length 135 mm / 5.3", pair price	KBKU135ST	69.00
crank arms 155 for BAFANG und SHIMANO STEPS E5000, length 155 mm / 4.5", pair price	KBKU155ST	69.00
crank arms 170 for BAFANG und SHIMANO STEPS E5000, length 170 mm / 6.7", pair price	KBKU170S5	59.00
crank arms 140 for SHIMANO STEPS EP801 Cargo, length 140 mm / 5.5", pair price	KBKU140E8	69.00
crank arms 155 for SHIMANO STEPS EP801 Cargo, length 155 mm / 4.5", pair price	KBKU155E8	69.00
crank arms 170 for SHIMANO STEPS EP801 Cargo, length 170 mm / 6.7", pair price	KBKU170E8	69.00

pedelec/e-drive spare parts BAFANG

	BAFANG battery for frame mounting 450Wh, replacement battery for BAFANG drive system BAFANG battery for frame mounting 600Wh, replacement battery for BAFANG drive system BAFANG charger 49.2V 2A charger for Bafang battery	HAAKBF450 HAAKBF600 HALGBF1US	970.00 1,290.00 120.00
NEW	BAFANG Display DP E161 compact LED display, with mounting BAFANG Display DP C381 2-inch segment display, with control element, with mounting BAFANG throttle retrofit-kit Control unit and connection cable for retrofitting a push-off aid up to 6 km/h (4 mph)	HABEBFDI HABEBFDI2 HATHBFSET	185.00 120.00 75.00
	BAFANG battery retaining rail for BAFANG batteries, with connection cable for motor, display and	HAHSBF1	175.00

pedelec/e-drive spare parts GO SWISSDRIVE.

Note: GO SWISSDRIVE All GO SWISSDRIVE spare parts still in stock can be found on the sales list on our website.

Batteries for the GO SWISSDRIVE systems can be ordered through retailer directly from the battery manufacturer BMZ GmbH.

https://bmz-group.com/index.php/en/battery-systems-en/drive-systems/components/batteries/down-tube-batteries For other spare parts, please contact YouMo GmbH.

EW	indicates an item that is new in specification	ordercode	sugg. retail
ì	pedelec/e-drive spare parts for all HP VELOTECHNIK E-drives		
	rattery adapter kit HP VELOTECHNIK left standard on Scorpion / fx / fx 2, for 2nd battery on Scorpion fx	HAASSCOL	199.00
t	6 / fs 20 / plus 20 / plus 26, aluminium, black **attery adapter kit HP VELOTECHNIK right standard on Scorpion fx 26 / fs 20 / plus 20 / plus 26, for 2nd attery on Scorpion / fx / fx 2, aluminium, black	HAASSCOR	199.00
t	nattery adapter kit HP VELOTECHNIK left for 2nd battery on Scorpion 2 / fs 26 / fs 26 Enduro, aluminium, lack	HAASSFLL	199.00
	vattery adapter kit HP VELOTECHNIK right standard on Scorpion 2 / fx 26 / fs 26 / fs 26 Enduro,	HAASSFLR	199.00
	nattery adapter kit HP VELOTECHNIK left standard on Gekko / fx 20 / fx 26, aluminium, black	HAASGEFL	199.00
t	attery adapter kit HP VELOTECHNIK left standard on Gekko fxs, aluminium, black	HAASGESL	199.00
	able conduit with zipper (zipper tube) practical, reusable sheathing for laying cables underneath the vehicle, nade of neoprene	HAZUKHZT	14.00
	front boom and accessories		
f	ront boom without derailleur tube:		
f	ront boom NT black anodized with scale on topside, w/o derailleur tube	RTALNTSE	315.00
	ront boom NT custom colour (only RAL colours, no signal- or luminous colour), w/o derailleur tube	RTALNTSF	279.00
C	arbon front boom NT w/o derailleur tube for all HP VELOTECHNIK models, saves 170g / 0.37 lbs of weight	RTALCFNT	529.00
f	ront boom STEPS E5000 / E6100 / E8000 / EP5 / EP8 / EP801 Cargo black anodized with scale on	RTALSHS8SW	629.00
	ront boom STEPS E5000 / E6100 / E8000 / EP5 / EP8 / EP801 Cargo custom colour, (only RAL colours,	RTALSHS8SF	539.00
	o signal- or luminous colour)		
f	ront boom PINION black anodized with scale on topside	RTALPISW	629.00
f	ront boom PINION custom colour, (only RAL colours, no signal- or luminous colour)	RTALPISF	539.00
f	ront boom with derailleur tube:		
f	ront boom KO black anodized with scale on topside, with derailleur tube	RTALSCOSE	315.00
	ront boom KO custom colour, (only RAL colours, no signal- or luminous colour)	RTALSCOSF	279.00
	arbon front boom KO front boom with derailleur tube for all HP VELOTECHNIK models, saves 170g / 0.37 os of weight, Speedmachine requires derailleur clamp RTALCFUWS and braze-on derailleur	RTALCFKO	529.00
,	lerailleur clamp for carbon front boom Speedmachine	RTALCFUWS	29.00
	olt for front boom clamp DIN912 M8x35A2, stainless, for all models	D1053	1.00
	oushing for front boom 0.5mm, plastic, for trikes before 06/2011	RTZUEB05	10.00
	sushing for front boom / main tube clamping, 1.0 mm plastic, injection molded	Z700201	35.00
	ront boom bushing for anodized front boom for retrofitting, with adhesive backing	RTZUEBV2	15.00
	accessories for folding frames		
F	lastic foot Gekko fx 20, Gekko fx 26 for folding hinge	RTZUFXAF	9.00
S	tem protetion buffer Scorpion fx, Scorpion fx 20 rubber, protects the stem on folded trike. Important:	VBZUSCFSG	6.50
٧	When replacing the plastic protection sheet on models before 10/2012 please order 2x bolts D2024.		
r	einforcement sheet Scorpion fs 26, Scorpion plus 20, Scorpion plus 26 for main frame	RTZUFXVB	13.50
f	olding support Gekko fx 20, Gekko fx 26,, for a secure stand of the folded bike, variably adjustable	STEMGE	49.00
	olding buffer rubber, cone-shaped, M6, for Gekko fx 20, Gekko fx 26	D3PU20P24	5.90
	ocking sheet Gekko fx 20, stainless steel	RTZUFXSB	9.90
	ocking sheet Gekko fxs, stainless steel	RTZUFXSE RTZUFXSC	23.00
	ocking sheet Gekko fx 26, stainless steel olding end stop Scorpion plus 20, Scorpion plus 26	RTZUFXSD	29.00 22.00
	olding secure strap Scorpion pius 20, 3corpion pius 26	RTZUFXFSRK	8.00
	olding secure strap Scorpion Nz 20 / 13 20, With velcto and eyelet	RTZUFXFSRP	6.00
	olding secure strap Grasshopper fx, Scorpion fx, Scorpion fs 20, plastic, black	RTZUFXFSR	5.99
	olding lock buckle Grasshopper fx, Scorpion fx	RTZUFXFS	7.90



MEW indicates an item that is new in specification sugg.

ordercode retail

rear racks		
bag holder Delta tx attaches to the back rest of the seat, for one bicycle bag, maximum load 12 kg / 26.5 lbs	LRHPDET	189.00
carrier Delta tx luggage carrier suitable for insertion into the frame of the Delta tx. For retrofitting, the rear	GTKODET	289.00
light must be converted. All parts for the conversion are included. Order basket separately.		
basket Delta tx fine-mesh metal basket with folding handle, black, fits Delta tx luggage carrier	GTKBDET	55.00
anti-tip wheels Delta tx recomended for tall riders, high seats, with bagholders, always with Shimano STEPS EP801 Cargo	GTKSDEK	139.00
rear rack Grasshopper fx 12 mm aluminium tube 6061 T4, heat treated, black powdercoated, with flag holder, max. load 25 kg / 55 lbs	GTHPGHF	289.00
rear rack Grasshopper 10 mm aluminium tube 6061 T4, heat treated, black powdercoated, with flag holder, max. load 25 kg / 55 lbs	GTHPGHP	289.00
rear rack Streetmachine 12 mm aluminium tube 6061 T4, heat treated, black powdercoated, with flag holder, max. load 25 kg / 55 lbs	GTHPSMGT	289.00
rear rack Speedmachine 12 mm aluminium tube 6061 T4, heat treated, black powdercoated, with flag holder, max. load 25 kg / 55 lbs	GTKOSPM2	289.00
rear rack Gekko fx 20, Gekko fxs 10 mm tube, black powdercoating, max. load 25 kg / 55 lbs	GTKOGEF	109.00
rear rack Gekko fx 26, Gekko 26 10 mm tube, black powdercoating, max. load 25 kg / 55 lbs	GTKOGEL	109.00
rear rack Scorpion, Scorpion fs 20 12 mm / 10 mm aluminium tube 6061 T4, additional lower tubes for optimized center of gravity for bags, black powdercoating, max. load 25 kg / 55 lbs, flag mount	GTKOSCO	329.00
rear rack Scorpion fx 2 12 mm / 18 mm aluminium tube 6061 T4, additional lower tubes for optimized center of gravity for bags, black powdercoating, max. load 25 kg / 55 lbs, flag mount	GTKOSCF	329.00
rear rack Scorpion fx 12 mm / 18 mm aluminium tube 6061 T4, additional lower 10 mm tubes for optimized center of gravity for bags, black powdercoating, max. load 25 kg / 55 lbs, flag mount	GTKOSFX	329.00
rear rack Scorpion 2, Scorpion fs 26, fs 26 Enduro 14 mm aluminium tube 6061 T4, black powdercoated, flag tube, without platform, max. load 25 kg / 55 lbs	GTKOSFL	299.00
rear rack Scorpion plus 20 12 mm / 18 mm aluminium tube 6061 T4, additional lower tubes for optimized center of gravity for bags, black powdercoating, max. load 25 kg / 55 lbs, flag mount	GTKOSPS	329.00
rear rack Scorpion fx 26 / plus 26 14 mm aluminium tube 6061 T4, black powdercoated, flag tube, without platform, max. load 25 kg / 55 lbs (not suitable for Moonbiker side bags)	GTKOSPL	299.00
top load rack additional luggage carrier above the rear wheel, only for Scorpion SCL, SFL, SFN, SFE and SPL, maximum payload 10 kg / 22 lbs, not suitable for luggage bags, normal rear rack required for fastening	GTKOTL	239.00
bolt for rear end axle with rear rack or lowrider DIN7984 M8x45A2, for all models without Spaceframe	D1031	2.90
bolt for rear end axle without rear rack or lowrider ISO7380 M8x25A2, stainless, for GHP, GHF, SMGTe, SPM, SCO, SFS	D2005	1.50
Side Bag Mount Ergomesh holder for handlebar bags, only for Ergomesh seats, is attached to the seat frame, maximum load 5 kg / 11 lbs, left and right, only for trikes	LESHEM	209.00
Side Bag Mount Gekko for Gekko 26, Gekko fx 20, Gekko fx 26, mount for handlebar bags, attached to the frame, maximum load 5 kg / 11 lbs, left and right, with Gekko fx models: limited folding function, bike can no longer be pulled on casters	LESHGE	209.00
Side Bag Mount holder tube Ergomesh left angled holding tube for mounting onto the clamp	LESHHREL	27.00
Side Bag Mount holder tube Ergomesh right angled holding tube for mounting onto the clamp	LESHHRER	27.00
Side Bag Mount clamping sleeve for Ergomesh Premium to attach the Side Bag mount to the ErgoMesh Premium seat	LESHDH2	14.00
Side Bag Mount holder tube Gekko right or left angled holding tube for mounting onto the clamp	LESHHRGR	20.90

indicates an item that is new in specification	ordercode	sugg. retail
lowriders		
lowrider rack Grasshopper fx under seat mounting for panniers, 10 mm aluminium tube 6061 T4, heat treated, black powdercoated, max. load 25 kg / 55 lbs	LRHPGHFSET	199.00
lowrider rack Grasshopper under seat mounting for panniers, 10 mm aluminium tube 6061 T4, heat treated, black powdercoated, max. load 25 kg / 55 lbs	LRHPGHPSET	199.00
lowrider rack Streetmachine under seat mounting for panniers, 12 mm aluminium tube 6061 T4, heat treated, black powdercoated, max. load 25 kg / 55 lbs, with integrated mounting plate for kickstand e.g. PLETSCHER Esge (STESSTSW)	LRHPGTSET	199.00
lowrider rack Speedmachine under seat mounting for panniers, 10 mm aluminium tube 6061 T4, heat treated, black powdercoated, with flag holder, max. load 25 kg / 55 lbs	LRKOSPM2	199.00
lowrider rack Scorpion fx 20 / fx 26 / plus 20 / plus 26 10 mm aluminium tube 6061 T4, heat treated, black	LRHPSCFSET	199.00
powdercoated, max. load 25 kg / 55 lbs (rear rack needed for attachement)		
stands		
kickstand Speedmachine PLETSCHER Esge Comp Zoom, center mounting, black, aluminium, adjustable	STEMZO	39.00
kickstand Grasshopper before 12/2011 HEBIE, for frames with PLETSCHER-mounting plate	STHE325	29.00
kickstand Streetmachine, Streetmachine Gte, Spirit before 12/2011 PLETSCHER Esge, mounted under the lowrider rack, aluminium, with plastic foot, black	STESSTSW	27.00
kickstand Streetmachine, Streetmachine Gte, Grasshopper from 11/2011, Spirit from 11/2011 PLETSCHER Esge Comp Zoom, mounted at the rear swingarm, adjustable, black	STESHBGT	49.00
vertical parking stand Delta tx pedestals mounted on seat and rack for space-saving parking position of the Delta tx. We recommend fitting anti-tip wheels.	STEDAFKO	139.00
protection adhesive films		
protective adhesive film 60x25 mm protection against abrasion by wires and cables, per piece	AKSFK	1.50
protective adhesive film 60x50 mm protection against abrasion by wires and cables, per piece	AKSFG	2.00
protective adhesive film for front boom quick adjust transparent, per piece	AKRTZUSV	0.70
protective adhesive film for WEBER adapter mount transparent, per pc.	AKSFZUAD	2.00

MEW indicates an item that is new in specification sugg. ordercode retail

comfort and ability accessories		
heel support pedals		
pedal with heelstrap and foot clamp small left, easy entry and positive grip, adjustable length (22 – 28 cm (9"	PDRZFBKL	119.00
- II"))	PDRZFBKR	110.00
pedal with heelstrap and foot clamp small right, easy entry and positive grip, adjustable length (22 – 28 cm (9" – 11"))	PURZFBAR	119.00
pedal with heelstrap and foot clamp left, easy entry and positive grip, adjustable length (27 – 35 cm (11" –	PDRZFBLI	119.00
[4"])		
pedal with heelstrap and foot clamp right, easy entry and positive grip, adjustable length (27 – 35 cm (11" –	PDRZFBRE	119.0
14"))		
replacement heelstrap adjustable, black	PDRZFBEK	65.0
reflector set for one pedal with heelstrap and foot clamp, left or right, pc.	PDZURSF	18.00
ergonomic pedals		
ErgoPedal left, small adjustable position, adjustable length 20 – 28 cm(8" - 11"), easy entry straps	PDREKL	179.0
ErgoPedal right, small adjustable position, adjustable length 20 – 28 cm (8" - 11"), easy entry straps	PDREKR	179.0
ErgoPedal left adjustable position, adjustable length 27 – 34 cm (11" - 14"), easy entry straps	PDREL	179.0
ErgoPedal right adjustable position, adjustable length 27 – 34 cm (11" - 14"), easy entry straps	PDRER	179.0
ErgoPedal with safety release left, small adjustable position, adjustable length 20 - 28 cm (8" - 11"), joint-	PDRZEKL	235.0
friendly freedom of movement +/-3 degrees, easy entry straps, higher safety due to adjustable release force		
ErgoPedal with safety release right, small adjustable position, adjustable length 2 20 - 28 cm (8" - 11"), joint-	PDRZEKR	235.0
friendly freedom of movement +/-3 degrees, easy entry straps, higher safety due to adjustable release force		
ErgoPedal with safety release left adjustable position, adjustable length 27 – 34 cm (11" - 14"), joint-friendly	PDRZEL	235.0
freedom of movement +/-3 degrees, easy entry straps, higher safety due to adjustable release force		
ErgoPedal with safety release right adjustable position, adjustable length 27 – 34 cm (11" - 14"), joint-friendly	PDRZER	235.0
freedom of movement +/-3 degrees, easy entry straps, higher safety due to adjustable release force		
ErgoPedal with calf brace left, small adjustable position, adjustable length 20 - 28 cm (8" - 11"), easy entry	PDRZEKUL	369.00
straps, leg fixation adjustable in length and position		
ErgoPedal with calf brace right, small adjustable position, adjustable length 20 - 28 cm (8" - 11"), easy entry	PDRZEKUR	369.0
straps, leg fixation adjustable in length and position		
ErgoPedal with calf brace left adjustable position, adjustable length 27 – 34 cm (11" - 14"), easy entry straps,	PDRZEUL	369.0
leg fixation adjustable in length and position	PDRZEUR	
ErgoPedal with calf brace right adjustable position, adjustable length 27 – 34 cm (11" - 14"), easy entry straps,	PDRZEUR	369.0
leg fixation adjustable in length and position		
calf brace for ErgoPedal for retrofitting ErgoPedal with safety release, with padding and strap	PDRZEUFL	199.0
calf brace right for retrofitting ErgoPedal with safety release, with padding and strap	PDRZEUFR	199.0
cushion for calf brace	PDRZEUFP	15.0
strap for calf brace	PDRZEUFB	9.0
strap for foot fixation, long, rear	PDRZHBL	12.0
strap for foot fixation, short, front	PDRZHBK	12.0
spring sheet long, for strap for foot fixation long, stainless steel	PDRZSBL PDRZSBK	5.90
spring sheet short, for strap for foot fixation short, stainless steel	PDRZSBK	5.90 9.00
reflector set for one ErgoPedal with safety release or ErgoPedal with calf brace, left or right, pc.	PDZURSE	9

NEW	indicates an item that is new in specification	ordercode	sugg. retail
	walking aid mounts		
	walking aid mount for one walking aid, for all mesh seats, easy fixing and safety clip, suits clamping diameter 20 – 30 mm (up to 2 walking aids mounts per bike)	GHEM	129.00
	walking aid mount for one walking aid, for BodyLink seats, easy fixing and safety clip, (up to 2 walking aids mounts per bike)	GHBL	129.00
	handrests		
	handrest with retaining strap left comfortable hand support mounted on handlebar, with breathable cushion, support and hand retention on the handlebar	LEHALIKO	135.00
	handrest with retaining strap right comfortable hand support mounted on handlebar, with breathable cushion, support and hand retention on the handlebar	LEHAREKO	135.00
	handrest left and right comfortable hand support mounted on handlebar, breathable cushion, compatible with retaining strap (LEHAHB) and spring sheet (LEHASB)	LEHAPAKO	189.00
	cushion for handrest breathable, with velcro, per pc.	LEHAPO	18.00
	retaining strap for handrest black, cushioned, with velcro (w/o spring sheet LEHASB)	LEHAHB	20.00
	spring sheet for retaining strap stainless steel, lifts the retaining strap (LEHAHB) for easy entry	LEHASB	8.00
	pads chest support belt for optimal upper body support on HP VELOTECHNIK recumbent trikes with mesh seats, asy handling due to simple ratchet belts. Size in a wide range adjustable	SIZUPGOK	349.00
	chest support belt XL for upper body support on HP VELOTECHNIK recumbent trikes with mesh seats, recommended for XL seats and tall people	SIZUPGOGK	349.00
	pelvic support belt for optimal pelvis support on HP VELOTECHNIK recumbent trikes with mesh seats, easy handling due to simple ratchet belts. Size in a wide range adjustable	SIZUPGBK	349.00
	pelvic support belt XL for pelvis support on HP VELOTECHNIK recumbent trikes with mesh seats, recommended for XL seats and tall people	SIZUPGBGK	349.00
	standing up aids		
	standing up aid 11/8" left side for HP VELOTECHNIK trikes without front suspension, I support with grip for easy entry and standing up from trike, for mounting to the steerer tube	LEAAHSETL	124.50
	standing up aid 11/8" right side for HP VELOTECHNIK trikes without front suspension, I support with grip for easy entry and standing up from trike, for mounting to the steerer tube	LEAAHSETR	124.50
	standing up aid left side for HP VELOTECHNIK trikes with front suspension I support with grip for easy entry and standing up from trike, for mounting to the main frame cross member	LEAAHSET2L	194.50
	standing up aid right side for HP VELOTECHNIK trikes with front suspension 1 support with grip for easy entry and standing up from trike, for mounting to the main frame cross member	LEAAHSET2R	194.50
	standing up aid I" left side for HP VELOTECHNIK trikes without front suspension, I support with grip for easy entry and standing up from trike, for mounting to the steerer tube	LEAAHSET1L	124.50
	standing up aid 1" right side for HP VELOTECHNIK trikes without front suspension, I support with grip for easy entry and standing up from trike, for mounting to the steerer tube	LEAAHSET1R	124.50
	quick release clamp for standing up aid for quick assembly and disassembly of the standing up aid, inner diameter 25,4mm	LTKS254SS	16.00

<u>notes</u>







	×	Item		sugg. tail \$
Gr	as	shopper fx foldable recumbent 20"/20" (GHF)		
	<u></u>	Grasshopper fx basic model foldable, rear suspension, suspension fork, aerobar steering, STURMEY ARCHER 24 speed		
		derailleur/hub gears, SHIMANO hydraulic disc brakes	5,19	90.00
		Grasshopper fx frameset foldable, with suspension front and rear, seat, aerobar steering, chain guide setup	4,3	10.00
Gr	as	shopper fx options extra charge – drivetrain and brake options for complete bikes onl	v	
	_	standard colour O magic green O blue shade grey		0.00
		single custom colour according to RAL-colour chart: (please specify)	23	39.00
	_	double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	} 	49.00
e		front boom with derailleur tube regardless of shifting option (not w/PINION)		0.00
trame		front boom carbon saves 170 g / 0.37 lbs of weight, not with PINION	23	39.00
_		length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm		0.00
		front boom quickadjust without chain compensation QR-levers		69.00
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	28	89.00
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags		0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)		0.00
		ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback		00.00
		independently adjustable] 38	89.00
		BodyLink seat	2	19.00
		BodyLink seat with brackets for small riders (1.6" to the front)	2	19.00
at		Airflow seat cushion breathable fabric, sewn, for BodyLink seat		99.00
seat		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	17	75.00
		headrest for meshseat adjustable in height and angle, with quick release lever	2	19.00
		adjustable end stops allow exact positioning of the seat		29.00
ŀ		two adjustable end stops for ErgoMesh Premium seats only, added		58.00
		rain cover for seats, ripstop nylon fabric, blue	3	39.00
ţ		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	8	89.00
		Microbag topbag for BodyLink seat, detachable as hip bag, I litre		55.00
,		rear shock DNM DV-22 (basic specification)		0.00
Sion	J	O soft: 450 lbs/inch, up to 175lbs O standard: 650 lbs/inch, up to 220lbs O hard: 850 lbs/inch, up to 285lbs		0.00
pensi		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	3!	59.00
sns	×	suspension fork TSR AXI (basic specification)		0.00
		hard spring for suspension fork for loads over 220 lbs, pre-installed	3	39.00
ıng		above seat steering (ASS) with aerobar direct (basic specification)		0.00
eer		above seat steering with tiller steering (ASS) direct, tiller bar, TERRACYCLE folding stem	11	19.00
st		under seat steering (USS) indirect, adjustable, not compatible with ErgoMesh XL seat or E-drive	15	59.00
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear	1 1 1 1	0.00
	_	derailleur, STURMEY ARCHER 3 speed internal hub		
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black		49.00
		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY		
	ш	ARCHER barend shifters (USS), XT twist shifters (ASS), STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette 11-36 teeth, crankset with 46 teeth chainring, double sided chainwheel disc		19.00
		drivetrain MICROSHIFT XLE30 30 speed, MICROSHIFT XLE 10 speed rear derailleur / cassette, triple crankset,		
rain	ш	MICROSHIFT front derailleur, MICROSHIFT barend shifters for underseat steering, twist shifter SHIMANO XT for above seat steering		99.00
		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter	22	70.00
drive		drivetrain PINION C1.12 12 speed front gear box, long twist shifter for USS, Stremaer not compatible		70.00
0]			30.00
		E-drive NEODRIVES Z20 and drivetrain MICROSHIFT XLE30 only for ASS, up to 20 mph, hub motor, 30 speed, rear derailleur MICROSHIFT XLE, triggershifter / cassette SHIMANO XT, triple chainring set, front derailleur		90.00
]	MICROSHIFT, Li-lon battery 576 Wh, push assist	4,2	, 0.00
		E-drive NEODRIVES Z20 with PINION C1.12 push assist only with ASS, up to 20 mph, 12 speed PINION C1.12 front	 	
		gear box, Li-lon 576 Wh, push assist, 4 A charger, not compatible with streamer	6,19	90.00
		short cranks 155 mm / 6", recommended for riders under 175 cm / 68"	 	32.00
		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35mm / 1.4" (XLE/30 or		
		PINION)		59.00





_					
	×	Item			sugg. retail \$
Gı	ras	shopper fx accessories Surcharges, additional special accessories on the "comfort and	ability option	s" order form	
S		disc brakes SHIMANO BR-MT200 hydraulic (basic specification)			0.00
brakes		disc brakes AVID BB7 mechanical			99.00
q		disc brakes SHIMANO XT hydraulic			339.00
		light wire routing only twin wires routed through the frame for hub dynamo			129.00
		lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C permanent			139.00
		lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC			259.00
		lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC			359.00
		lighting system SHUTTER PRECISION SD-8 disc dynohub/IQ-X with stand light, daytime running light and brake light, SHUTTER PRECISION SD-8 hub dynamo, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light			499.00
		lighting system SON disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light			819.00
es		rear rack 12 mm / 0.5" tube, black powder coating, max. load 25 kg / 55 lbs			289.00
accessories		lowrider rack 10 mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg			199.00
Cess		mudguards SKS 20" with spoiler, rear 53 mm / 2.1", black, stainless steel stays, mounted			199.00
aç		kickstand PLETSCHER Esge Comp Zoom mounted on the rear swingarm, black			79.00
		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes			119.00
		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted			105.00
		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right			85.00
		rear mirror MIRRYCLE both sides barend mounting left and right			170.00
		flag HP VELOTECHNIK double-sided print, with reflective strip			33.00
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, \emptyset 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted			69.00
		transport cover with carrying strap, for Grasshopper fx			139.00
		air horn AIRZOUND XL about 30-115 dB, not mounted			45.00
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION)			779.00

All prices in US\$. The MSRP includes duties and shipping, excluding applicable sales tax. This form is valid for US customers only.

Our general terms and conditions shall apply for all orders. Please contact your authorized HP Velotechnik dealer for details and ordering.





	×	Item		sugg. retail \$			
St	ree	etmachine Gte recumbent 20"/26" (SMGTe)					
		Streetmachine Gte basic model rear and front suspension, under deat steering, STURMEY ARCHER 24 speed		4,590.00			
	_	derailleur/hub gears, SHIMANO hydraulic disc brakes		4,370.00			
Ш		Streetmachine Gte frameset with suspension front and rear, seat, handlebar, chain guide setup		3,710.00			
St	treetmachine Gte options extra charge – drivetrain and brake options for complete bikes only						
		standard colour O pearl orange O silvergrey		0.00			
		single custom colour according to RAL-colour chart: (please specify)		239.00			
ø		double custom colour according to RAL-colour chart main frame:, front boom / swing arm: front boom with derailleur tube regardless of shifting option (not w/PINION)		349.00 0.00			
fram		front boom carbon saves 170 g / 0.37 lbs of weight, not with PINION		239.00			
ų.		length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm		0.00			
		front boom quickadjust without chain compensation QR-levers		69.00			
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers		289.00			
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags		0.00			
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)		0.00			
		ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback		389.00			
		independently adjustable		367.00			
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)		389.00			
		BodyLink seat		219.00			
Ħ	_	BodyLink seat with brackets for small riders (1.6" to the front)		219.00			
seat		Airflow seat cushion breathable fabric, sewn, for BodyLink seat		99.00			
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle		175.00			
		headrest for meshseat adjustable in height and angle, with quick release lever		219.00			
		adjustable end stops allow exact positioning of the seat two adjustable end stops for ErgoMesh Premium seats only, added		29.00 58.00			
		rain cover for seats, ripstop nylon fabric, blue		39.00			
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag		89.00			
		Microbag topbag for BodyLink seat, detachable as hip bag, I litre		55.00			
П		rear shock DNM DV-22 (basic specification)					
ion		O soft: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 225 lbs O hard: 550 lbs/inch, up to 285 lbs		0.00			
suspension		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump		359.00			
dsns	×	suspension fork TSR AXI (basic specification)		0.00			
<u></u>		hard spring for suspension fork for loads over 220 lbs, pre-installed		39.00			
50		under seat steering (USS) (basic specification) not compatible with ErgoMesh and ErgoMesh XL seat		0.00			
steering		extra wide under seat steering handlebar 65 cm / 26.6" width (instead of 60 cm / 23.6"), recommended for all		0.00			
ste		ErgoMesh and ErgoMesh Premium seats					
		above seat steering (ASS) adjustable in angle and length, with TERRACYCLE Glideflex folding stem		419.00			
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur, STURMEY ARCHER 3 speed internal hub		0.00			
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black		49.00			
		deinotrain STIIDMEY ADCUED Triplochit 20 20 aread was dessillar MICDOCHIET VIE MICDOCHIET (CTIDMEY					
		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY ARCHER barend shifters (USS), XT twist shifters (ASS), STURMEY ARCHER 3 speed internal gear hub		219.00			
		drivetrain MICROSHIFT XLE30 30 speed, MICROSHIFT XLE 10 speed rear derailleur / cassette, triple crankset, MICROSHIFT front derailleur, MICROSHIFT barend shifters for underseat steering, twist shifter SHIMANO XT for above seat steering		189.00			
ا ِ ا	اں	drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter for USS		2,430.00			
drivetrain		drivetrain PINION C1.12 12 speed front gear box, long twist shifter for USS, Stremaer not compatible		2,370.00			
ivet		E-drive NEODRIVES Z20 and drivetrain SHIMANO XT30 up to 20 mph, hub motor, 30 speed, rear derailleur		,,,,,,,,,,			
φ		MICROSHIFT XLE, cassette SHIMANO XT, USS barend shifter MICROSHIFT/ ASS XT Triggershifter, triple chainring set,		4 200 00			
		front derailleur MICROSHIFT, Li-Ion battery 576 Wh, push assist		4,290.00			
		display position on USS: O above handlebar O side of handlebar					
		E-drive NEODRIVES Z20 with PINION C1.12 hub motor, 12 speed PINION C1.12 bottom bracket gearbox, push					
		assist up to 20 mph., Li-lon 576 Wh, push assist, not compatible with streamer		6,190.00			
	_	display position: O above handlebar O side of handlebar, not compatible with streamer					
		short cranks 155 mm / 6", recommended for riders under 175 cm / 68"		32.00			
		chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)		49.00			
		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35mm / 1.4" (XLE/30 or PINION)		59.00			
Ш		····················					





_	-			1	
	×	Item			sugg.
					retail \$
St	ree	tmachine Gte accessories Surcharges, additional special accessories on the "comfort	and abilit	y options"	order form
es		disc brakes SHIMANO BR-MT200 hydraulic (basic specification)			0.00
brakes		disc brakes AVID BB7 mechanical			99.00
q		disc brakes SHIMANO XT hydraulic			339.00
		light wire routing only twin wires routed through the frame for hub dynamo			129.00
		lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C permanent			139.00
		lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC			259.00
		lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC			359.00
		lighting system SHUTTER PRECISION SD-8 disc dynohub/IQ-X with stand light, daytime running light and brake light, SHUTTER PRECISION SD-8 hub dynamo, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light			499.00
		lighting system SON disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light			819.00
		rear rack 12 mm / 0.5" tube, black powder coating, max. load 25 kg / 55 lbs			289.00
accessories		lowrider rack 12 mm / 0,47" tube, black powder coating, max. load 55 lbs / 25 kg			199.00
SSO		mudguards SKS 20" / 26" with spoiler, rear 53 mm / 2.1", black, stainless steel stays, mounted			199.00
9))		kickstand PLETSCHER Esge Comp Zoom mounted on the rear swingarm, black			79.00
		kickstand PLETSCHER Esge mounted under the lowrider rack, black			52.00
		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes			119.00
		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted			105.00
		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right			85.00
		rear mirror MIRRYCLE both sides barend mounting left and right			170.00
		flag HP VELOTECHNIK double-sided print, with reflective strip			33.00
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted			69.00
		speedometer mount for computers, GPS-devices, or battery lights			16.00
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION)		Ī	779.00
		air horn AIRZOUND XL about 30-115 dB, not mounted		Ì	45.00

All prices in US\$. The MSRP includes duties and shipping, excluding applicable sales tax. This form is valid for US customers only.

Our general terms and conditions shall apply for all orders. Please contact your authorized HP Velotechnik dealer for details and ordering.





	×	Item		sugg. retail \$
Spe	ee	dmachine recumbent 20"/26" (SPM)		
		Speedmachine basic model rear suspension, rigid fork, above seat steering, STURMEY ARCHER 24 speed derailleur/hub		
		gears, SHIMANO hydraulic disc brakes		4,690.00
		The boom on the Speedmachine is typically shortened by 8 cm / 3.15"		
		Speedmachine frameset with rigid fork and rear suspension, seat, handlebar, chain guide setup The boom on the Speedmachine is typically shortened by 8 cm / 3.15".		3,810.00
Spe	ee	dmachine options extra charge – drivetrain and brake options for complete bikes only		_
_	_	standard colour O silvergrey O carmine red RAL3002		0.00
		single custom colour according to RAL-colour chart: (please specify)		239.00
4)		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:		349.00
frame		front boom quickadjust without chain compensation QR-levers		69.00
Ē,		front boom with derailleur tube regardless of shifting option (not w/PINION)		0.00
		front boom carbon saves 170 g / 0.37 lbs of weight, not with PINION		239.00
		length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm		0.00
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags		0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)		0.00
		ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback		200.00
		independently adjustable		389.00
		BodyLink seat		219.00
		BodyLink seat with brackets for small riders (1.6" to the front)		219.00
seat		Airflow seat cushion breathable fabric, sewn, for BodyLink seat		99.00
Se		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle		175.00
		headrest for meshseat adjustable in height and angle, with quick release lever		219.00
		adjustable end stops allow exact positioning of the seat		29.00
		two adjustable end stops for ErgoMesh Premium seats only, added		58.00
		rain cover for seats, ripstop nylon fabric, blue		39.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag		89.00
		Microbag topbag for BodyLink seat, detachable as hip bag, 1 litre		55.00
		rear shock DNM DV-22 (basic specification)		0.00
드	٦	O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 285lbs		0.00
suspension		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump		359.00
sbe		rigid fork (basic specification)		0.00
ns		suspension fork CONCEPT 2" suspension travel, steerer suspension system, adjustable		359.00
		hard spring for suspension fork for loads over 220 lbs, pre-installed		39.00
eering		above seat steering (ASS) with serobar direct (basic specification)		0.00
eeri		above seat steering with tiller steering (ASS) non-foldable stem to the back		0.00
		under seat steering (USS) indirect, adjustable, not compatible with ErgoMesh XL seat or E-drive		209.00
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear		0.00
		derailleur, STURMEY ARCHER 3 speed internal hub		
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black		49.00
		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY		219.00
	٦	ARCHER barend shifters (USS), XT twist shifters (ASS), STURMEY ARCHER 3 speed internal gear hub		217.00
		drivetrain MICROSHIFT XLE30 30 speed, MICROSHIFT XLE 10 speed rear derailleur / cassette, triple crankset,		
		MICROSHIFT front derailleur, MICROSHIFT barend shifters for underseat steering, twist shifter SHIMANO XT for above		189.00
_		seat steering		
drivetrain		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter for USS		2,430.00
ri Ve		drivetrain PINION C1.12 12 speed front gear box, long twist shifter for USS, Stremaer not compatible		2,370.00
ē		E-drive NEODRIVES Z20 and drivetrain MICROSHIFT XLE30 only for ASS, up to 20 mph, hub motor, 30 speed,		
		rear derailleur MICROSHIFT XLE, triggershifter / cassette SHIMANO XT, triple chainring set, front derailleur		4,290.00
		MICROSHIFT, Li-Ion battery 576 Wh, push assist		
		E-drive NEODRIVES Z20 with PINION C1.12 push assist only with ASS, up to 20 mph, 12 speed PINION C1.12 front		6,190.00
		gear box, Li-lon 576 Wh, push assist, 4 A charger, not compatible with streamer		3,170.00
L	_	short cranks 155 mm / 6", recommended for riders under 175 cm / 68"		32.00
IL		chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)		49.00
		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35mm / 1.4" (XLE/30 or		59.00
		PINION)		





×	ltem		sugg. retail \$
Spee	dmachine accessories Surcharges, additional special accessories on the "comfort and a	ability options" orde	er form
s _e	disc brakes SHIMANO BR-MT200 hydraulic (basic specification)		0.00
brakes	disc brakes AVID BB7 mechanical		99.00
ם ق	disc brakes SHIMANO XT hydraulic		339.00
	lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C permanent		139.00
	lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC		259.00
	lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		359.00
	lighting system SHUTTER PRECISION SD-8 disc dynohub/IQ-X with stand light, daytime running light and brake light, SHUTTER PRECISION SD-8 hub dynamo, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light		499.00
	lighting system SON disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light		819.00
S \square	rear rack 12 mm / 0.5" tube, black powder coating, max. load 25 kg / 55 lbs		289.00
ssories	lowrider rack 10 mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg		199.00
Ges	mudguards SKS 20" / 26" with spoiler, rear 53 mm / 2.1", black, stainless steel stays, mounted		199.00
ac	kickstand PLETSCHER Esge Zoom mounted on the rear swingarm, black		65.00
	clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes		119.00
	water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted		105.00
	rear mirror MIRRYCLE with barend mounting, also computer mount O left O right		85.00
	rear mirror MIRRYCLE both sides barend mounting left and right		170.00
	flag HP VELOTECHNIK double-sided print, with reflective strip		33.00
	universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted		69.00
	speedometer mount for computers, GPS-devices, or battery lights		16.00
	air horn AIRZOUND XL about 30-115 dB, not mounted		45.00

35





2] Item	sugg. retail \$
Del	a tx splittable tricycle 20"/20" (DET)	
	Delta tx Pedelec basic model separable, above seat steering, rear suspesion, BAFANG M300 e-drive up to 20 mph,	
[3	SRAM X4 8-speed derailleur gears, crank length 155 mm /6.1", SCHWALBE Super Moto-X tyres, B&M lighting system,	8,590.00
\sqcup	SHIMANO hydraulic disc brakes, rear rack incl. basket max. load 55,12 lbs	
[3	standard colour O sparkling iron gray O blue flash	0.00
	a tx options extra charge	
	Stem O short: recommended for body height < 165 cm / 5.5" O standard: 160 -195 cm / 5.3 - 6.5" O long: > 190 cm / 6.3"	0.00
Steam	folding stem GlideFlex angle adjustable stem with folding mechanism for easy access	255.00
Ste	stem quickadjust QR-levers on the stem clamps	69.00
	stem length fitting service: straight line distance upper edge of headtube clamp to middle of handlebarcm/inch	0.00
	ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00
	ErgoMesh HS meshseat (4.3" higher than EM seat)	0.00
		0.00
	ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)	0.00
	ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback	389.00
	independently adjustable	
ı t		389.00
sea		389.00
		389.00
		129.00
		219.00 29.00
		58.00
		39.00
		89.00
H	rear shock DNM DV-22 (basic specification)	67.55
	O soft: 850 lbs/inch, up to 175 lbs O standard: 1100 lbs/inch, up to 220 lbs O hard: 1500 lbs/inch, up to 320 lbs	0.00
	rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	359.00
	E-drive BAFANG M300 with SRAM X4 (basic configuration)up to 20 mph, with derailleur SRAM X4 8-speed, Li-lon	
	battery 450 Wh, charger 2 A, throttle for push assist	0.00
	E-drive BAFANG M300 and ENVIOLO Automatiq up to 20 mph, with ENVIOLO Automatiq shifting, Li-lon battery	1 270 00
	450 Wh, charger 2 A, throttle for push assist	1,370.00
	E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-Ion battery 418 Wh	10.00
	(BT-E8014, 2 A charger, push assist	19.00
	E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery	299.00
'	418 Wh, 2 A charger, push assist	277.00
llr	E-drive SHIMANO STEPS EP5 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lon battery 418 Wh, 2	359.00
	A charger, push assist	337.00
ا۔ا	E-drive SHIMANO STEPS EP5 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 5 speed Di2 gear hub, Li-lon battery 418	739.00
drivetrain	Wh, 2 A charger, push assist	
ivet	E-drive SHIMANO STEPS EP5 Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418	739.00
þ	Wh, 2 A charger, push assist	
	E-drive SHIMANO STEPS EP801 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery	1,610.00
	with 418 Wh, charger 2 A, push assist	
	E-drive SHIMANO STEPS EP801 Cargo Cues up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-Ion battery with 418 Wh (BT-EN804), charger 2 A, push assist, freeshift and autoshift function, anti-tip wheels required	1,730.00
	E-drive SHIMANO STEPS EP801 Cargo ENVIOLO up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lon battery 418 Wh (BT-EN804), 2 A charger, push assist, anti-tip wheels required	2,850.00
		
	E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lon battery 418 Wh (BT-EN804), push assist 4 mph, anti-tip wheels required	3,530.00
		339.00
		399.00
		32.00
		52.00





	×	Item		sugg.
	-			retail \$
De	_	tx SE accessories Surcharges, additional special accessories on the "comfort and abilit	y options" ord	
		disc brakes SHIMANO BR-MT200 (basic equipment) hydraulic, separately operated rear wheel brakes		0.00
		RIDEREVER hydraulic disc brakes coupled, additional rear brake hydraulic, coupled rear brakes, additional		
ses		mechanical disc brake AVID BB7 at the rear with parking brake function, adjustable grip width,		479.00
brakes		hydraulic brake lever: O left O right		
1		RIDEREVER hydraulic disc brakes coupled, additional front brake hydraulic, coupled rear brakes, additional		
		mechanical disc brake AVID BB7 with parking brake function at the front, adjustable grip width, limited possibility to split		479.00
		the vehicle, hydraulic: brake lever is O left or O right		
		parking brake rear Mechanical on rear wheel, disc brake, detent lever on handlebar, not compatible with coupled brake		125.00
		with additional rear brake		
(es		parking brake front Mechanical on front wheel, disc brake, detent lever on handlebar, trike splitting very limited, not compatible with coupled brake with additional brake at front, only recommended with additional rear brake		135.00
brakes				
		one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled disc brakes, AVID BB7 disc		F00 00
	٦	brake with parking brake function, position of disc brake with parking function: O front O rear, mounting of controls: O left O right		599.00
	x	tires SCHWALBE Super Moto-X 62 mm / 2.5" width, Greenguard		0.00
		lighting system B&M IQ-X, only with STEPS drive systems B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C		105.00
		lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M		
		Toplight 2C DC		0.00
		indicator lights system WingBling only in conjunction with electric drive		789.00
		anti-tip wheels recomended for tall riders, high seats, with bagholders, always with Shimano STEPS EP801 Cargo		139.00
	_	vertical parking stand pedestals mounted on seat and rack for space-saving parking position of the Delta tx. We		
es		recommend fitting anti-tip wheels.		139.00
accessories		bag holder for one bicycle bag behind seatback, max. load 12 kg / 26 lbs		189.00
ces		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted		209.00
ac		mudguards Delta tx SKS front and rear, 69 mm / 2.7" wide, with spoiler		229.00
		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes		119.00
		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted		105.00
		rear mirror B&M Cyclestar E mounted on the handlebar O left O right		55.00
		flag HP VELOTECHNIK double-sided print, with reflective strip		33.00
		trailer hitch WEBER for trailers with WEBER coupling, max. trailer load 40 kg / 88 lbs		259.00
		frame lock AXA Imenso with removable key, without chain, black		99.00
		chain for frame lock length 100 cm / 39.4"		39.00

All prices in US\$. The MSRP includes duties and shipping, excluding applicable sales tax. This form is valid for US customers only.

Our general terms and conditions shall apply for all orders. Please contact your authorized HP Velotechnik dealer for details and ordering.





Delt	ta tx SE special edition trike 20" / 20" (KREDETV)		sugg. retail \$				
Delt	ta tx SE special edition trike 20" / 20" (KREDETV)						
Ī							
	Delta tx Special Edition Pedelec						
	- drivetrain BAFANG M300 with ENVIOLO Trekking automatiq						
	- crank lenght 155 mm / 6.1"						
	- battery with 450 Wh						
	- hydraulic disc brake SHIMANO MT200,						
3	lighting system B&M IQ-XS friendly with B&M 2C		9,990.00				
	- steel spring damper DNM with standard spring (1100 lbs/inch, up to 100 kg)						
	- parking brake						
	- luggage carrier with basket						
	- tyres SCHWALBE Super Moto-X						
	- mudguards, mirror left, pennant						
[3	standard colour O sparkling iron gray O blue flash		0.00				
	ta tx SE selection seat						
	ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags		0.00				
	ErgoMesh HS meshseat (4.3" higher than EM seat)		0.00				
	ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)		0.00				
	ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)		0.00				
eat	ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback						
% [independently adjustable		389.00				
	· , ,		200.00				
	· · · · · · · · · · · · · · · · · · ·		389.00				
	· · · · · · · · · · · · · · · · · · ·		389.00				
			389.00				
Delt	Delta tx SE accessories Surcharges, unmounted, additional special accessories on the "comfort and ability options" order for						
	short stem recommended for body height < 1.65 m / 5.5", middle part added		49.00				
	folding stem GlideFlex angle adjustable stem with folding mechanism for easy access		255.00				
	stem quickadjust QR-levers on the stem clamps		69.00				
	soft spring (850 lbs/inch up to 175 lbs) for rear suspension element, added		29.00				
	hard spring (1500 lbs/inch up to 320 lbs) for rear suspension element, added		29.00				
			219.00				
			89.00				
II –							
			129.00				
			29.00				
ries			58.00				
Sor	rain cover for seats, ripstop nylon fabric, blue		39.00				
ces	bag holder for one bicycle bag behind seatback, max. load 12 kg / 26 lbs, added		189.00				
ac	anti-tip wheels recomended for tall riders, high seats, with bagholders, added		139.00				
	big battery pack BAFANG Li-lon 600 Wh		339.00				
			209.00				
	vertical parking stand pedestals on seat and rack for space-saving parking position of the Delta tx. We recommend fitting						
	anti-tip wheels, added		139.00				
	clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes		119.00				
	water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, added		105.00				
	trailer hitch WEBER for trailers with WEBER coupling, max. trailer load 40 kg / 88 lbs		259.00				
	frame lock AXA Imenso with removable key, without chain, black		99.00				
-		1 I					





	×	Item		sugg. retail \$						
Ge	ekk	to fxs foldable recumbent trike for children and special ability use 20"/20" (GES)								
	×	Gekko fxs basic model foldable, adjustable lenght, under seat steering, SHIMANO 8 speed hub gears, 135 mm / 5.3", 32 teeth crankset, AVID mechanical disc brakes, B&M lighting system, rear rack, mudguards, pedals with heel strap, OrthoFlex seatmesh with individual upholstery, adjustable retention belt system		5,590.00						
G	Gekko fxs options extra charge									
		standard colour magma red		0.00						
		single custom colour according to RAL-colour chart: (please specify)		239.00						
		length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm		0.00						
		front boom quickadjust compensates extra chain length when front boom is adjusted, with quick release levers, ca. 35 cm / 14" adjustment range, incl. adjustable length upper chain protection tube		289.00						
ame		long handlebars 6 cm / 2.4" higher grip position		25.00						
fra		headrest for meshseat adjustable in height and angle, with quick release lever		219.00						
		pelvic support belt for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted		349.00						
		chest support belt for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted		349.00						
		adjustable end stops allow exact positioning of the seat		29.00						
		rain cover for seats, ripstop nylon fabric, blue		39.00						
		drivetrain SHIMANO Nexus 8 Premium 8 speed, internal gear hub with twist shifter (basic specification)		0.00						
		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, SHIMANO Deore XT rear derailleur, MICROSHIFT / STURMEY ARCHER barend shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette 11-36 teeth, crankset 5.3" crank length and 32 teeth chainring, double sided chainwheel disc		269.00						
		drivetrain ROHLOFF Speedhub/14 14 speed internal gear hub, black, long twist shifter		2,470.00						
rin		E-drive SHIMANO STEPS E5000 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 Wh (BT-E8014, 2 A charger, push assist, maximum assistance speed: O 9 mph O 16mph		2,450.00						
drivetrain		E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-Ion battery 418 Wh (BT-EN804), push assist, only with 6.1" crank		6,180.00						
		E-drive NEODRIVES Z20 with MICROSHIFT10 up to 16mph, 10-speed shift MICROSHIFT XLE, Li-lon battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar; max. speed O 9 mph O 16 mph		4,450.00						
		big battery pack SHIMANO STEPS Li-lon 630 Wh, fast charger with 4 A		399.00						
		shorter / longer cranks O 115 mm / 4,5" O 155 mm / 6,1" instead of 135 mm / 5,3"		32.00						
		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to Marathon Plus 47 mm / 1.8"		59.00						
		disc brakes AVID BB7 mechanical, separate brake per front wheel, children levers (basic specification)		0.00						
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel		0.00						
		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable		249.00						
rakes		disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function, lever reach not adjustablefront brake lever: O left O right		219.00						
bra		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right		349.00						
		parking brake SHIMANO rear wheel V-Brake with thumblever		79.00						
		one-hand operation for brakes and drivetrain includes hydraulic coupled front brake, AVID BB7 disc brake with parking brake function rear, mounting the controls: O left O right		599.00						
Ge	Gekko fxs accessories Surcharges, additional special accessories on the "comfort and ability options" order form									
		lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C permanent		0.00						
accessories		lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC		49.00						
ассе		lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light		699.00						
		indicator lights system WingBling only in conjunction with electric drive		789.00						





×	Item	sugg. retail \$
×	rear rack 10 mm / 0.4" tube, black powder coating, max. load 25 kg / 55 lbs	0.00
_	mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black	0.00
	pedals with heelstrap and foot clamp left and right, size range: O 22 - 28 cm / 8 - 11" (basic specification) O 27 - 34 cm / 11 - 14"	0.00
	clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	0.00
	ErgoPedal single sided other side pedal with heelstrap and foot clamp, mounting side of ErgoPedal: O left O right size: O 7,9" - 11" O 10,6" - 13,4"	55.00
	ErgoPedal left and right size: O 7,9" - 11" O 10,6" - 13,4"	109.00
	ErgoPedal with safety release single sided incl. one SPD-pedal SHIMANO PD-A530, adjustable position, joint-friendly freedom of movement +/- 3 degrees, other side pedal with heelstrap and foot clamp, mounting side of ErgoPedal with safety release: O left O right size: O 7,9" - 11" O 10,6" - 13,4"	115.00
	ErgoPedal with safety release left and right adjustable position, joint-friendly freedom of movement '+/- 3 degrees, size: O 7,9" - 11" O 10,6" - 13,4"	229.00
	ErgoPedal with calf brace single sided other side pedal with heelstrap and foot clamp, mounting side of ErgoPedal: O left O right size: O 7,9" - 11" O 10,6" - 13,4"	299.00
	ErgoPedal with calf brace left and right size: O 7,9" - O 10,6" - 3,4"	599.00
	handrest with retaining strap comfortable hand support mounted on handlebar mounting side of handrest: O left O right	135.00
	handrests left and right with one retaining strap with one retaining strap, mounting side of retaining strap: O left O right	269.00
	handrests left and right comfortable hand support, mounted on handlebar, removable cushion	189.00
	walking aid mount single sided easy fixing and safety clip, mounting side: O left O right	129.00
	walking aid mounts left and right easy fixing and safety clip	258.00
	standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side, O left O right O pair	124.50
	companion bar for active steering and braking, incl. brake for companion, not compatible with standing-up aid left, limited folding functionality, installation on left hand side	439.00
	water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted	105.00
	rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	85.00
	rear mirror MIRRYCLE both sides barend mounting left and right	170.00
	rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right	109.00
	rear mirror B&M E both sides left and right knuckle mounting	218.00
	flag HP VELOTECHNIK double-sided print, with reflective strip	33.00
	universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted	69.00
	speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	39.00
	transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	135.00





E	PLOTECHNIK	Sekko[©]20				
[2	☑ Item	sug retail				
Sek	kko fx 20 foldable recumbent trike 20"/20" (GEF)	1 1 retain				
	Gekko fx 20 basic model under seat steering, STURMEY ARCHER 24 speed derailleur/hub gears, SHIMANO hydrauli	4,550.0				
ľ	disc brakes	4,330.0				
٦	Gekko fx 20 frameset foldable, with seat, handlebar, front hubs, chain guide setup	3,670.0				
Sek	ekko fx 20 options extra charge – drivetrain and brake options for complete bikes only					
	standard colour O magma red O deep blue	0.0				
H	single custom colour according to RAL-colour chart:(please specify)	239.0				
H	front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)	0.0				
H	front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION	239.0				
₹H	☐ length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm ☐ front boom quickadjust without chain compensation QR-levers	0.0				
	☐ front boom quickadjust without chain compensation QR-levers ☐ front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	289.0				
₹ -	headrest for meshseat adjustable in height and angle, with quick release lever	219.0				
È⊢	seat angle adapter to adjust the backrest in a more upright position, with quick release	129.0				
	☐ Gekko seat pad additional comfortable and breathable upholstered seat pad to attach to the seat, fastening with buckle					
	□ handrests left and right comfortable hand support, mounted on handlebar, removable cushion	189.0				
	adjustable end stops allow exact positioning of the seat	29.0				
	add-on bags for meshseat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag	89.0				
C	rain cover for seats, ripstop nylon fabric, blue	39.0				
1	drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear	0.6				
ľ	derailleur, STURMEY ARCHER 3 speed internal hub	0.0				
	drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	49.0				
	drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur and barend shifter MICROSHIFT XLE, STURMEY ARCHER 3-speed internal gear hub and bar end shifter	219.0				
l	drivetrain SRAM 30 30 speed, SRAM GX rear derailleur, MICROSHIFT front derailleur, SRAM SL-500 barend shifters	409.0				
1	drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter	2,430.0				
- 1 -	drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible	2,370.0				
	E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph. SRAM X4 8-speed rear derailleur. Li-lon battery 418 V	/h				
-	(BT-E8014, 2 A charger, push assist	2,080.0				
	E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist	2,450.0				
	E-drive SHIMANO STEPS EP5 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-Ion battery 418 Wh A charger, push assist	3,060.0				
l,	E-drive SHIMANO STEPS EP5 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 5 speed Di2 gear hub, Li-lon battery	418				
- 1 -	Wh, 2 A charger, push assist	3,520.0				
urivetralli	E-drive SHIMANO STEPS EP5 Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery Wh, 2 A charger, push assist	3,450.0				
	E-drive SHIMANO STEPS EP801 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-Ion batte with 418 Wh, charger 2 A, push assist	4,330.0				
	E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lon battery 418 Wh (BT-EN804), 2 A charger, push assist	5,570.0				
	E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Libattery 418 Wh (BT-EN804), push assist	6,180.0				
	E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear level SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lon battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar	4,570.0				
	E-drive NEODRIVES Z20 with PINION C1.12 up to 16 mph, hub motor, 12 speed PINION C1.12 bottom bracket gearbox, Li-Ion battery 576 Wh, push assist forward and backwards, not compatible with streamer, 4 A charger, display position: O above handlebar O side of handlebar	6,570.0				
	big battery pack SHIMANO STEPS Li-lon 630 Wh, fast charger with 4 A	399.0				
F	short cranks 155 mm / 6", recommended for riders under 175 cm / 68"	32.0				
F	tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/ or PINION)					





	×	Item				sugg. tail \$
Ge	kk	o fx 20 accessories Surcharges, additional special accessories on the "comfort and ability	y option	s" order fo	orm	
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)				0.00
		disc brakes AVID BB7 mechanical, separate brake per front wheel			8	85.00
		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable			24	49.00
kes	J	disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function			21	
brakes	٦	front brake lever: O left O right			21	19.00
	П	hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake			34	40.00
		function, rear disc brake, front brake lever: O left O right			34	49.00
		parking brake SHIMANO rear wheel V-Brake with thumblever			7	79.00
	J	one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake			E0	99.00
	_	with parking brake function, mounting the controls: O left O right			37	77.00
		light wire routing only twin wires routed through the frame for hub dynamo			12	29.00
	П	lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light			13	39.00
	_	B&M Toplight 2C permanent				,,.00
	П	lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M			25	59.00
		Toplight 2C DC				,,,,,
		lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC			35	59.00
		lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS			89	99.00
		ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light				
		indicator lights system WingBling only in conjunction with electric drive			78	89.00
		rear rack 10 mm / 0.4" tube, black powder coating, max. load 25 kg / 55 lbs			10	09.00
		side bag mount mounting for handlebar bags, fixed to the frame, maximum load 5 kg / 11 lbs, left and right, incl. ring			20	09.00
		clamp, unmounted, folding function limited, bike can no longer be pulled on wheels (bags not included)				
		mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black			+ + + + + + + + + + + + + + + + + + + +	89.00
		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes				19.00
		handrest with retaining strap comfortable hand support mounted on handlebar			13	35.00
Sa		mounting side of handrest: O left O right				
accessories		handrests left and right with one retaining strap with one retaining strap, mounting side of retaining strap: O left			26	69.00
cess		O right		1	.	22.22
ac	_	handrests left and right comfortable hand support, mounted on handlebar, removable cushion			18	89.00
		Aufstehhilfe Stütze mit Handgriffen für leichtes Ein- und Aussteigen, montiert, Preis pro Seite O links O rechts O beidseitig			12	24.50
					—	05.00
		water bottle set HP VELOTECHNIK 2 x 0.6 I PE-bottle with HP print, with bottle cages, mounted rear mirror MIRRYCLE with barend mounting, also computer mount O left O right		1		05.00 85.00
				1	+ + + + + + + + + + + + + + + + + + + +	
		rear mirror MIRRYCLE both sides barend mounting left and right rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right		1	+ + + + + + + + + + + + + + + + + + + +	70.00 09.00
		rear mirror B&M E both sides left and right knuckle mounting			+ + + + + + + + + + + + + + + + + + + +	18.00
		flag HP VELOTECHNIK double-sided print, with reflective strip				33.00
	_	universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø			+ + ,	,3.00
		0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted			6	69.00
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel			3	39.00
		air horn AIRZOUND XL about 30-115 dB, not mounted		<u> </u>	4	45.00
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)		<u> </u>	77	79.00
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric			13	35.00
		frame lock ABUS Granit with removable key, without chain, black			+	15.00
		chain for frame lock length 100 cm / 39.4"			3	39.00





	×	ltem		sugg.				
				retail \$				
G	ekk	to fx 26 foldable recumbent trike 20"/26" (GEL)						
		Gekko fx 26 basic model under seat steering, STURMEY ARCHER 24 speed derailleur/hub gears, SHIMANO hydraulic disc brakes		4,650.00				
		Gekko fx 26 frameset foldable, with seat, handlebar, front hubs, chain guide setup		3,770.00				
G								
Ge	Gekko fx 26 options extra charge – drivetrain and brake options for complete bikes only							
		standard colour O magma red O deep blue single custom colour according to RAL-colour chart: (please specify)		0.00				
	-	single custom colour according to RAL-colour chart: (please specify) front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)		239.00				
	\vdash	front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION		0.00 239.00				
		length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm		0.00				
seat		front boom quickadjust without chain compensation QR-levers		69.00				
	\vdash	front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers		289.00				
and	\vdash	headrest for meshseat adjustable in height and angle, with quick release lever		219.00				
rame		seat angle adapter to adjust the backrest in a more upright position, with quick release		129.00				
fra		Gekko seat pad additional comfortable and breathable upholstered seat pad to attach to the seat, fastening with buckles		199.00				
	\vdash	handrests left and right comfortable hand support, mounted on handlebar, removable cushion		189.00				
		adjustable end stops allow exact positioning of the seat		29.00				
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag		89.00				
	=	rain cover for seats, ripstop nylon fabric, blue		39.00				
	_	drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear		37.00				
		derailleur, STURMEY ARCHER 3 speed internal hub		0.00				
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black		49.00				
	_			47.00				
		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY ARCHER barend shifters, STURMEY ARCHER 3 speed internal hub		219.00				
		· ·		319.00				
		drivetrain SRAM 30 30 speed, SRAM GX rear derailleur, MICROSHIFT front derailleur, SRAM SL-500 barend shifters						
		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter		2,430.00				
	ш	drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible		2,370.00				
		E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lon battery 418 Wh (BT-E8014, 2 A charger, push assist		2,080.00				
		E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist		2,450.00				
		E-drive SHIMANO STEPS EP5 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lon battery 418 Wh, 2						
		A charger, push assist		3,060.00				
		E-drive SHIMANO STEPS EP5 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 5 speed Di2 gear hub, Li-lon battery 418						
		Wh, 2 A charger, push assist		3,520.00				
l _		E-drive SHIMANO STEPS EP5 Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418						
train		Wh, 2 A charger, push assist		3,450.00				
Š		E-drive SHIMANO STEPS EP801 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-Ion battery						
dri		with 418 Wh, charger 2 A, push assist		4,330.00				
		E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-Ion						
		battery 418 Wh (BT-EN804), charger 2 A, push assist, freeshift and autoshift function		4,450.00				
		E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq						
		internal stepless shifting, Li-Ion battery 418 Wh (BT-EN804), 2 A charger, push assist		5,570.00				
		E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lon						
		battery 418 Wh (BT-EN804), push assist		6,180.00				
		E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever						
		SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lon battery 576 Wh, push assist forward and backwards,		4,570.00				
		Display position: O above handlebar O side of handlebar		, , , , , , , , , , , , , , , , , , , ,				
		E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lon 576 Wh, push assist forward and						
		backwards, not compatible with streamer, display position: O above handlebar O side of handlebar		6,570.00				
		big battery pack SHIMANO STEPS Li-lon 630 Wh, fast charger with 4 A		399.00				
		chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)		49.00				
	-	short cranks 155 mm / 6", recommended for riders under 175 cm / 68"		32.00				
		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30						
		or PINION)		59.00				





	×	Item				sugg. retail \$
Ge	kk	to fx 26 accessories Surcharges, additional special accessories on the "comfort and abilit	y options	" order for	rm	
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)				0.00
		disc brakes AVID BB7 mechanical, separate brake per front wheel				85.00
l l		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable				249.00
brakes	П	disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function				219.00
bra	_	front brake lever: O left O right				217.00
		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake				349.00
		function, rear disc brake, front brake lever: O left O right				
		parking brake SHIMANO rear wheel V-Brake with thumblever				79.00
		one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake				599.00
		with parking brake function, mounting the controls: O left O right				
	ш	light wire routing only twin wires routed through the frame for hub dynamo				129.00
		lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light				139.00
		B&M Toplight 2C permanent				
		lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC				259.00
		lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC				359.00
		lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light				899.00
ŀ		indicator lights system WingBling only in conjunction with electric drive				789.00
ŀ	=	rear rack 10 mm / 0.4" tube, black powder coating, max. load 25 kg / 55 lbs				109.00
l		side bag mount mounting for handlebar bags, fixed to the frame, maximum load 5 kg / 11 lbs, left and right, incl. ring				
		clamp, unmounted, folding function limited, bike can no longer be pulled on wheels (bags not included)				209.00
l		mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black				389.00
		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes				119.00
		handrest with retaining strap comfortable hand support mounted on handlebar				135.00
	ш	mounting side of handrest: O left O right				135.00
accessories		handrests left and right with one retaining strap with one retaining strap, mounting side of retaining strap: O left O right				269.00
cces		handrests left and right comfortable hand support, mounted on handlebar, removable cushion				189.00
ă	_	standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side,				
		O left O right O pair				124.50
		water bottle set HP VELOTECHNIK 2 x 0.6 I PE-bottle with HP print, with bottle cages, mounted				105.00
		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right				85.00
		rear mirror MIRRYCLE both sides barend mounting left and right				170.00
		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right				109.00
		rear mirror B&M E both sides left and right knuckle mounting				218.00
		flag HP VELOTECHNIK double-sided print, with reflective strip				33.00
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted				69.00
l		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel		1		39.00
l	_	air horn AIRZOUND XL about 30-115 dB, not mounted				45.00
l	_	Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)				779.00
l	_	transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric				135.00
l		frame lock ABUS Granit with removable key, without chain, black				115.00
1		chain for frame lock length 100 cm / 39.4"				39.00

44





×	l Item		sugg.					
┸	1	DSION assumptions with from U.C. and because health life	retail \$					
Т	ekko US VERSION recumbent trike from US-warehouse, built kit							
	11	erformance model drivetrain SHIMANO 27 speed, rear derailleur SHIMANO, front derailleur MICROSHIFT, MICROSHIFT, hydraulic disc brakes SHIMANO XT, tires SCHWALBE Tryker / Marathon Racer	2,690.00					
	coupled mech	omfort model drivetrain SRAM GX 10 speed, rear derailleur SRAM GX, barend shifter SRAM SL, Avid BB7 anical disc brakes AVID BB7, tires SCHWALBE Tryker / Marathon Racer, headrest, handrest, seat angle ng brake, Gekko seat cushion, 2 piece handlebar with qr clamp for fast adjusting	3,090.00					
	STURMEY AR	ands-On-Cycle (HOC) hand drive in the colour: blue shade grey matt, drivetrain 24 speed, 3 speed CHER Tripleshift rear hub, 8 speed rear derailleur SRAM X4, twist shifters SRAM X4, hydraulic disc brakes C-MT200, tires SCHWALBE Tryker / Marathon Racer, parking brake	6,490.00					
×	standard co	our O lime green O deep blue	0.00					
		sport model drivetrain 24 speed, rear derailleur SRAM X4, front derailleur MICROSHIFT, twist shifters draulic disc brakes SHIMANO BR-MT200, tires SCHWALBE Road Cruiser	2,790.00					
×	standard co	our O magma red O deep blue	0.00					
		performance model drivetrain SHIMANO 27 speed, rear derailleur SHIMANO, front derailleur, barend shifter MICROSHIFT, hydraulic disc brakes SHIMANO XT, tires SCHWALBE Tryker / Marathon	2,990.00					
	coupled mech	comfort model drivetrain SRAM GX 10 speed, rear derailleur SRAM GX, barend shifter SRAM SL, Avid BB7 anical disc brakes AVID BB7, tires SCHWALBE Tryker / Marathon Racer, headrest, handrest, seat angle ng brake, Gekko seat cushion, 2 piece handlebar with qr clamp for fast adjusting	3,390.00					
	STURMEY AR	Hands-On-Cycle (HOC) hand drive in the colour: blue shade grey matt, drivetrain 24 speed, 3 speed ICHER Tripleshift rear hub, 8 speed rear derailleur SRAM X4, twist shifters SRAM X4, hydraulic disc brakes ICHT200, tires SCHWALBE Tryker / Marathon Racer, parking brake	6,790.00					
×	standard co	our O magma red O deep blue	0.00					
ek	kko US VERSION accessories unmounted							
	SIHPKNESK	headrest for meshseat adjustable in height and angle, with quick release lever	219.00					
	SIZUBV	seat angle adapter to adjust the backrest in a more upright position, with quick release	129.00					
	SIKIGEF	Gekko seat pad additional comfortably upholstered seat pad to attach to the normal seat, fastening with buckles, breathable upholstery (already included in comfort box)	199.00					
	TAEPPA	add-on bags for meshseat one pair mounted on the backrest, each 1.4 litres capacity, one water-repellent bag, one ventilated bag	89.00					
۔ ا		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	189.00					
	+	rain cover for seats, ripstop nylon fabric, blue	39.00					
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	135.00					
	BRPBS	parking brake SHIMANO rear wheel V-Brake with thumblever	79.00					
	LESHGE	side bag mount mounting for handlebar bags, maximum load 5 kg / 11 lbs, left and right, incl. ring clamp, unmounted, folding function limited, bike can no longer be pulled on wheels (bags not included)	209.00					
	GTKOGEF	rear rack 20" for Gekko fx 20, 10 mm / 0.4" tube, black powder coating, max. load 25 kg / 55 lbs	109.00					
	GTKOGEL	rear rack 26" for Gekko 26 and Gekko fx 26, 10 mm / 0.4" tube, black powder coating, max. load 25 kg / 55 lbs	109.00					
П	RSPBESK	rear mirror B&M E left wide view angle, easy to adjust, incl. mounting hardware	109.00					
_								





G	Gekko US VERSION accessories unmounted						
		RTZUSV	front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	289.00			
		TFSETEM	water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted	105.00			
		CHUHTB	universal mount for accessories, mounting in the handlebar end \emptyset 0.87" tube holder for accessories like phone holder / GPS devices / bell, max. load 0.88 lbs, unmounted	69.00			
ories		CHSMSET	speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	39.00			
cess		SBKO20S3	mudguard set HP Trikefender 20" for Gekko fx 20, front HP VELOTECHNIK Trikefender 60 mm / 2.4 " width, rear SKS 53 mm / 2.1 " with spoiler, black	389.00			
ac		SBKO26S3	mudguard set HP Trikefender 26" for Gekko 26 and Gekko fx 26, front HP VELOTECHNIK Trikefender 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black	389.00			
		SBHR2053S1	rear mudguard SKS 20" for HP VELOTECHNIK trikes, incl. mounting hardware	75.00			
		SBHR2653S1	rear mudguard SKS 26" for HP VELOTECHNIK trikes, incl. mounting hardware	75.00			
		WIHP	flag HP VELOTECHNIK double-sided print, with reflective strip	33.00			
E	VI+ SHIMANO STEPS						

with motor mounted on the boom, HP VELOTECHNIK external wiring harness and connected battery holder rail. Please make sure to check also the box for the desired battery and battery adapter kit! If equipped with a Bodylink seat a rear light mount BodyLink seat RLZUHL is required. The E-Kit is shippepd seperately, as well as the battery. The pre assembly service does not apply for the E-Kit it self. Only for retrofitting to HP VELOTECHNIK trikes, not for use on HP VELOTECHNIK bikes or other brands. Installation must be carried out by an HP Velotechnik dealer.

		HAEKS520	E-Kit SHIMANO STEPS E5000 for 20" SHIMANO STEPS E5000 motor, large display SC-E6100, control unit SW-E6000, battery charger 4A, up to 20 mph, headlight B&M IQ-XS, rear light B&M Toplight Flat battery, front boom	1,535.00
	_	HAEKS526	E-Kit SHIMANO STEPS E5000 for 26" SHIMANO STEPS E5000 motor, large display SC-E6100, control unit SW-E6000, battery charger 4A, up to 20 mph, headlight B&M IQ-XS, rear light B&M Toplight Flat battery, front boom	1,535.00
E-Kit	_		E-Kit SHIMANO STEPS EP801 Cargo for 20" SHIMANO STEPS EP801 Cargo motor, large display SC-EN610, control unit SW-EN600L, battery charger 4A, up to 20 mph, headlight B&M IQ-X, rear light B&M Toplight Flat battery, front boom	3,250.00
		HAEKS80126	E-Kit SHIMANO STEPS EP801 Cargo for 26" SHIMANO STEPS EP801 Cargo motor, large display SC-EN610, control unit SW-EN600L, battery charger 4A, up to 20 mph, headlight B&M IQ-X, rear light B&M Toplight Flat battery, front boom	3,250.00
		HAASGEFL	battery adapter kit HP VELOTECHNIK left standard on Gekko / fx 20 / fx 26, aluminium, black	199.00
		HAAKS84	SHIMANO STEPS battery for ShimanoE5000, 418 Wh	619.00
		HAAKS86	SHIMANO STEPS battery for Shimano first generation (E5000, E6100, E8000, EP8), 630 Wh	899.00
		HAAKS814U	SHIMANO STEPS 2 battery for Shimano second generation (EP801 Cargo), 418 Wh	619.00
		HAAKS816U	SHIMANO STEPS 2 battery for Shimano second generation (EP801 Cargo), 630 Wh	899.00





	×	Item		sugg. retail \$
Sc	or	pion recumbent trike 20"/26" (SCO2)		
	П	Scorpion basic model rear suspension, under seat steering, STURMEY ARCHER 24 speed derailleur/hub gears,		4,990.00
]	SHIMANO hydraulic disc brakes		4,770.00
		Scorpion frameset with suspension rear, seat, handlebar, front hubs, chain guide setup		4,110.00
Sc	or	pion options extra charge – drivetrain and brake options for complete bikes only		
		standard colour O peeka blue O anthracite grey metallic matt		0.00
		single custom colour according to RAL-colour chart: (please specify)		239.00
l		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:		349.00
ıme		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)		0.00
fra		front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION		239.00
		length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm		0.00
		front boom quickadjust without chain compensation QR-levers		69.00
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers		289.00
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags		0.00
		ErgoMesh HS meshseat (4.3" higher than EM seat)		0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)		0.00
	ш	ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)		0.00
		ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback independently adjustable		389.00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)		389.00
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)		389.00
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)		389.00
		BodyLink seat		219.00
at		BodyLink seat with brackets for small riders (1.6" to the front)		219.00
Se		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position		129.00
		long handlebars recommended for small riders, required for all high netseats (HS and HS XL)		25.00
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion		189.00
		Airflow seat cushion breathable fabric, sewn, for BodyLink seat		99.00
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle		175.00
		headrest for meshseat adjustable in height and angle, with quick release lever		219.00
		SeatWings hip support for BodyLink seat, carbon fiber, padded		359.00
		adjustable end stops allow exact positioning of the seat		29.00
		two adjustable end stops for ErgoMesh Premium seats only, added		58.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag		89.00
-	u	rain cover for seats, ripstop nylon fabric, blue	 	39.00
ĺ		rear shock DNM DV-22 (basic specification) O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 308 lbs		0.00
		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump		359.00
	Ē	drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear		
		derailleur, STURMEY ARCHER 3 speed internal hub		0.00
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black		49.00
rain		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY ARCHER barend shifters, STURMEY ARCHER 3 speed internal hub		219.00
drivetrain		drivetrain STURMEY ARCHER Tripleshift 30, SRAM GX crankset 32T 30 speed with barend shifters, rear derailleur MICROSHIFT XLE, SHIMANO XT 11–36 cassette, STURMEY ARCHER 3 speed internal gear hub		469.00
1		drivetrain SRAM 30 30 speed, SRAM GX rear derailleur, MICROSHIFT front derailleur, SRAM SL-500 barend shifters	 	319.00
1		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter	 	2,430.00
1		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible	 	2,370.00
_	_	1 0 . 5		2,3.3.00





Part		×	Item		sugg. retail \$
But Whit, 24 charger, push assist Edrive SHIMANO STEPS EPS SRAM X4 up to 20 mph, SHIMANO Nexus 8 speed D12 gear hub, Li-lon battery 418 Wh. 2 A charger, push assist Continued to the state of the					2,080.00
Actingree, push assists G-drive SHIMANO STEPS EPS Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 JA50.00 G-drive SHIMANO STEPS EPS Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 JA50.00 G-drive SHIMANO STEPS EPS Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 JA50.00 G-drive SHIMANO STEPS EPS Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 JA50.00 G-drive SHIMANO STEPS EP801 Cargo Crue Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 with 618-Nexus 9 mph assists G-drive SHIMANO STEPS EP801 Cargo Crue Di2 up to 20 mph, SHIMANO Crue Di2 10-speed derailleur, Li-lon London Himano STEPS EP801 Cargo Crue Di2 up to 20 mph, SHIMANO Crue Di2 10-speed derailleur, Li-lon London Himano STEPS EP801 Cargo Crue Di2 up to 20 mph, SHIMANO Crue Di2 10-speed derailleur, Li-lon London Himano STEPS EP801 Cargo Crue Di2 up to 20 mph, SHIMANO Crue Di2 10-speed derailleur, Li-lon London Himano STEPS EP801 Cargo Crue Di2 mph Himano Crue Di2 mph, EMPOLO Di4 bwith Automatiq D-drive SHIMANO STEPS EP801 Cargo Crue Di2 mph, British Di2 mph Himano Crue Di4 mph Himano					2,450.00
Section SHIMANO STEPS EPS Nexus 8 DIZ up to 20 mph, SHIMANO Nexus 8 speed DIZ gear hub, Li-lon battery 418 Wh. (24 Adrager, push assist with 418 Wh. (25 Adrager), push assist powers and adrabitifs function with 418 Wh. (25 Adrager), push assist powers 418 Wh. (26 Adrager), push assist forward and backwards. Display position. O above handlebstor O assis of handlebstor. O assist powers 418 Wh. (26 Adrager), push assist forward and backwards. Display position. O above handlebstor O assis of handlebstor. O assist powers 418 Wh. (26 Adrager), push assist forward and backwards. Display position. O above handlebstor O assist powers 418 Wh. (26 Adrager), push assist forward and backwards. Display position. O above handlebstor O assist powers 418 Wh. (26 Adrager), push assist forward and backwards. Display position. O above handlebstor O assist powers 418 Wh. (26 Adrager), push assist forward and backwards. Display position. O above handlebstor O assist powers 418 Wh. (26 Adrager), push assist forward and backwards. Display position. O above handlebstor O assist powers 418 Wh. (26 Adrager), push assist forward and backwards. Display position. O above handle					3,060.00
UNIL 24 charger, push assist 3,450,00 Charger push assist 2,470,00 Charger 24, push assist 4,330,00 Charger 24, push assist 4,330,00 Charger 25, push assist 4,330,00 Charger 26, push assist 4,330,00 Charger 26, push assist 4,330,00 Charger 26, push assist 4,450,00 Charger 26, push assist 6,450,00 Charger 26, push assist 6,450,00 Charger 27, push assist 6,450,00 Charger 28, push 6,450,00 Charger 28,					3,520.00
United 18 Win, Charger 2 A. push assist 4,330,00			Wh, 2 A charger, push assist		3,450.00
Legange States of 18 Wh. (ET-ENB09), charger: 2A, push assist. Freeshift and autochific function Edirive SHIMANO STEPS EPB01 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq Internal stepless shirting, Li-lon battery 418 Wh. (ET-ENB04), 2A charger, push assist 5,570.00 Edirive SHIMANO STEPS EPB01 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq Internal stepless shirting, Li-lon battery 418 Wh. (ET-ENB04), 2A charger, push assist Ed-drive NEODRIVES 220 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever SRAM 51-500, cassette SRAM, chainring set 3-speed black, Li-lon battery 576 Wh. push assist forward and backwards, Diplay position: O above handlebar Ed-drive NEODRIVES 220 with PINION C1.12 up to 20 mph, front gear box, Li-lon 576 Wh. push assist forward and backwards, not compatible with streamer, display position: O above handlebar Bedrive NEODRIVES 220 with PINION C1.12 up to 20 mph, front gear box, Li-lon 576 Wh. push assist forward and backwards, not compatible with streamer, display position: O above handlebar Bedrive NEODRIVES 220 bits STEPS Li-lon SWM, fast charger with A Indication, without power supply, battery must be inserted for use in main battery holder, battery adapter set, (restricts folding function) Indication, without power supply, battery must be inserted for use in main battery holder. Indicatory pack for NEODRIVES 220 Li-lon battery 576 Wh. battery adapter set, (restricts folding function) Indication, without power supply, battery must be inserted for use in main battery holder. Indicatory pack for NEODRIVES 220 Li-lon battery 576 Wh. battery adapter set, (restricts folding function) Indicatory pack for NEODRIVES 220 Li-lon battery 576 Wh. battery adapter set, cable exercise for convenient Indicatory pack for NEODRIVES 220 Li-lon battery 576 Wh. battery adapter set, cable exercise folding function) Indicatory pack for NEODRIVES 220 Li-lon battery 576 Wh. battery adapter set, (restricts folding function) In			with 418 Wh, charger 2 A, push assist		4,330.00
Internal stepless shiring, Li-lon battery 4 il Wh (BT-EN804), 2.4 charger, push assist E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lon battery 4 il Wh (BT-EN804), push assist E-drive NEODRIVES 220 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever push of the control of the manufacture of the control of t		□	battery 418 Wh (BT-EN804), charger 2 A, push assist, freeshift and autoshift function		4,450.00
B-drive NEODRIVES 220 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever SRAM SL.500, cassets SRAM, chaining see 3-speed black, Li-lon battery 576 Wh, push assist forward and backwards, Dilaphy position: O above handlebar O side of handlebar of side of handlebar O side of handle	etrain	□	internal stepless shifting, Li-Ion battery 418 Wh (BT-EN804), 2 A charger, push assist		5,570.00
SAMY SL-500, cassets SRAM, chainring set 3-speed black, Li-lon battery 576 Wh, push assist forward and backwards, push of the property of the	driv		battery 418 Wh (BT-EN804), push assist		6,180.00
backwards, not compatible with streamer, display position: O above handlebar O side of handlebar 5,570.00			SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lon battery 576 Wh, push assist forward and backwards,		4,570.00
2nd battery pack for SHIMANO STEPS Li-lon battery 630 Wh. battery holder, battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder 2nd battery pack for NEODRIVES Z20 Li-lon battery 570 Wh. battery dapter set, cable extension for convenient charge and reconnecting of additional battery, incl. mounting accessories (restricts folding function) 1,450.00 1,450.00 22.00 2 habit type and reconnecting of additional battery, incl. mounting accessories (restricts folding function) 22.00 22.00 2 habit type and for recommended for riders under 175 cm / 68° 22.00 22.00 23.00 24.		□			6,570.00
Innction), without power supply, battery must be inserted for use in main battery holder 1,380.00 Chattery pack for NEODRIVES 220 Li-ion battery 576 WM, battery adapter set, cable extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function) 1,450.00 Short cranks 155 mm / 6", recommended for riders under 175 cm / 68" 32.00 Chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options) 49.00 tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 or PINION) 59.00 disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) 0.00 disc brakes AVID BB7 mechanical, separate brake per front wheel (basic specification) 0.00 disc brakes AVID BB7 mechanical, separate brake per front wheel (basic specification) 219.00 disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function 219.00 front brake lever: O left O right 0.00 parking brake SHIMANO rear wheel V-Brake with thumblever 0.00 0.00 parking brake SHIMANO rear wheel V-Brake with thumblever 0.00 0.00 0.00 parking brake function, mounting the controls: O left O right 0.00 0.00 0.00 0.00 0.00 light wire routing only twin wires routed through the frame for hub dynamo 129.00 0.			big battery pack SHIMANO STEPS Li-lon 630 Wh, fast charger with 4 A		399.00
charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function) short cranks 155 mm / 6", recommended for riders under 175 cm / 68" chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options) tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM)30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO XT hydraulic, separate brake per front wheel (basic specification) disc brakes AVID BB7 coupled front brakes per front wheel, lever reach adjustable disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right parking brake SHIMANO rear wheel V-Brake with thumblever one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right proportion accessories Surcharges, additional special accessories on the "comfort and ability options" order form light wire routing only twin wires routed through the frame for hub dynamo lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M roplight 2C DC lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M roplight 2C DC lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS or RIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C DUs rear light					1,380.00
chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options) tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO XT hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO XT hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO XT hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO XT hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO XT hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO To Hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO ST hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO ST hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO ST hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO ST hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO ST hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO ST hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO ST hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO ST hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO ST hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO SP ST					1,450.00
tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO BT. hydraulic, separate brake per front wheel, lever reach adjustable disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right parking brake SHIMANO rear wheel V-Brake with thumblever one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right Scorpion accessories Surcharges, additional special accessories on the "comfort and ability options" order form light wire routing only twin wires routed through the frame for hub dynamo lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight-2C DC lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M lighting system B&M IQ-XS for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC lighting system B&M IQ-X for E-drive B&M IQ-X with stand light, daytime running light and brake light, SCHMIDTS or lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS or lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS or lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS			short cranks 155 mm / 6", recommended for riders under 175 cm / 68"		32.00
disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) 0.00 disc brakes AVID BB7 mechanical, separate brake per front wheel (basic specification) 0.00 disc brakes AVID BB7 mechanical, separate brake per front wheel 0.00 disc brakes AVID BB7 coupled front brakes per front wheel, lever reach adjustable 0.00 disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right 0.00 disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right 0.00 parking brake SHIMANO rear wheel V-Brake with thumblever 0.00 parking brake SHIMANO rear wheel V-Brake with thumblever 0.00 one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right 0.00 Scorpion accessories Surcharges, additional special accessories on the "comfort and ability options" order form 129.00 lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C DC 1.00 lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC 1.00 lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 0.00 lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS 0.00 ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C Dus rear light 0.00 ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C Dus rear light 0.00 ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C Dus rear light 0.00 ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C Dus rear light 0.00 ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100			chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)		49.00
disc brakes AVID BB7 mechanical, separate brake per front wheel disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable 249.00 disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable 249.00 disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right 79.00 parking brake SHIMANO rear wheel V-Brake with thumblever 79.00 one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right 599.00 Scorpion accessories Surcharges, additional special accessories on the "comfort and ability options" order form light wire routing only twin wires routed through the frame for hub dynamo 129.00 lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M 7 oplight 2C permanent 165.00 lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M 259.00 lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 359.00 lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS 899.00			-		59.00
disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable 249.00			disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)		0.00
disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right			disc brakes AVID BB7 mechanical, separate brake per front wheel		85.00
hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right parking brake SHIMANO rear wheel V-Brake with thumblever			disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable		249.00
function, rear disc brake, front brake lever: O left O right parking brake SHIMANO rear wheel V-Brake with thumblever	brakes				219.00
one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right Scorpion accessories Surcharges, additional special accessories on the "comfort and ability options" order form light wire routing only twin wires routed through the frame for hub dynamo 129.00		□			349.00
with parking brake function, mounting the controls: O left O right	\square		parking brake SHIMANO rear wheel V-Brake with thumblever		79.00
Scorpion accessories Surcharges, additional special accessories on the "comfort and ability options" order form Iight wire routing only twin wires routed through the frame for hub dynamo 129.00			one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake		F00 00
light wire routing only twin wires routed through the frame for hub dynamo 129.00	L	J	with parking brake function, mounting the controls: O left O right		599.00
light wire routing only twin wires routed through the frame for hub dynamo 129.00	Sc	orı	oion accessories Surcharges, additional special accessories on the "comfort and ability of	options" order form	
Ighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C permanent Ighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M	T	_			129.00
lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light			lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light		
lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light	ssories				259.00
lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light	cce		lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		359.00
□ indicator lights system WingBling only in conjunction with electric drive	e .				899.00
			indicator lights system WingBling only in conjunction with electric drive	 	789.00





	×	Item	sugg.
\vdash		1.14 (0.48 1.11 1.11 1.11 1.11 1.11 1.11 1.11 1	retail \$
		rear rack 14 mm / 0.6" tube, black powder coating, max. load 25 kg / 55 lbs	299.00
		top load rack additional luggage rack above the rear wheel, maximum load 10 kg / 22 lbs	239.00
		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted	209.00
		mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black	389.00
		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	119.00
		handrest with retaining strap comfortable hand support mounted on handlebar mounting side of handrest: O left O right	135.00
		handrests left and right with one retaining strap with one retaining strap, mounting side of retaining strap: O left O right	269.00
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	189.00
accessories		standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side, O left O right O pair	124.50
sso		water bottle set HP VELOTECHNIK 2 × 0.6 PE-bottle with HP print, with bottle cages, mounted	105.00
e ce		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	85.00
ı,		rear mirror MIRRYCLE both sides barend mounting left and right	170.00
		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right	109.00
		rear mirror B&M E both sides left and right knuckle mounting	218.00
		flag HP VELOTECHNIK double-sided print, with reflective strip	33.00
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted	69.00
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	39.00
		air horn AIRZOUND XL about 30-115 dB, not mounted	45.00
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)	779.00
		frame lock ABUS Granit with removable key, without chain, black	99.00
		chain for frame lock length 100 cm / 39.4"	39.00

49





	×	Item		sugg.
5.0	-	sion for 20 feldable recombent tribe 20"/20" (SCE2)		retail \$
3 C	or	pion fx 20 foldable recumbent trike 20"/20" (SCF2)		
		Scorpion fx 20 basic model foldable, rear suspension, under seat steering, STURMEY ARCHER 24 speed derailleur/hub gears, SHIMANO hydraulic disc brakes		5,790.00
	П	Scorpion fx frameset foldable, with suspension rear, seat, handlebar, front hubs, chain guide setup	 	4,910.00
22				4,710.00
3 C	-	pion fx options extra charge — drivetrain and brake options for complete bikes only standard colour O pearlorange O cool grey metallic		0.00
		single custom colour according to RAL-colour chart:		239.00
		double custom colour according to NAL-colour chart main frame:, front boom / swing arm:		349.00
frame		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)		
	_	front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION		0.00 239.00
	-	length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm		0.00
	-	front boom quickadjust without chain compensation QR-levers		69.00
	-	front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers		289.00
	-	ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags		0.00
		ErgoMesh HS meshseat (4.3" higher than EM seat)		0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)		0.00
		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)		0.00
	_	ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback		0.00
		independently adjustable		389.00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)		389.00
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)		389.00
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)		389.00
		BodyLink seat		219.00
		BodyLink seat with brackets for small riders (1.6" to the front)		219.00
seat		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position		129.00
•		long handlebars recommended for small riders, required for all high netseats (HS and HS XL)		25.00
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion		189.00
		Airflow seat cushion breathable fabric, sewn, for BodyLink seat		99.00
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle		175.00
		headrest for meshseat adjustable in height and angle, with quick release lever		219.00
		SeatWings hip support for BodyLink seat, carbon fiber, padded		359.00
		adjustable end stops allow exact positioning of the seat		29.00
		two adjustable end stops for ErgoMesh Premium seats only, added		58.00
		rain cover for seats, ripstop nylon fabric, blue		39.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag		89.00
		Microbag topbag for BodyLink seat, detachable as hip bag, 1 litre		55.00
		rear shock DNM DV-22 (basic specification) O soft: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 220 lbs O hard: 550 lbs/inch, up to 308 lbs		0.00
				359.00
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear		0.00
		derailleur, STURMEY ARCHER 3 speed internal hub	 	40.00
ain		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	 	49.00
drivetrain		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur and barend shifter MICROSHIFT XLE, STURMEY ARCHER 3-speed internal gear hub and bar end shifter		219.00
Þ		drivetrain SRAM 30 30 speed, SRAM GX rear derailleur, MICROSHIFT front derailleur, SRAM SL-500 barend shifters	 	409.00
		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter		2,430.00
		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible	1 1	2,370.00





Ve	=1	OTECHNIK S	orpic	20 °
	×	Item		sugg.
	П	E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lon battery 418 Wh (BT-E8014, 2 A charger, push assist		2,080.00
	۵	E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist		2,450.00
	۵	E-drive SHIMANO STEPS EP5 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lon battery 418 Wh, 2 A charger, push assist		3,060.00
	۵	E-drive SHIMANO STEPS EP5 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 5 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist		3,520.00
	۵	E-drive SHIMANO STEPS EP5 Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist		3,450.00
	۵	E-drive SHIMANO STEPS EP801 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-Ion battery with 418 Wh, charger 2 A, push assist		4,330.00
	۵	E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-Ion battery 418 Wh (BT-EN804), charger 2 A, push assist, freeshift and autoshift function		4,450.00
train	۵	E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lon battery 418 Wh (BT-EN804), 2 A charger, push assist		5,570.00
drivetrain	۵	E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lon battery 418 Wh (BT-EN804), push assist		6,180.00
	٥	E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-Ion battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar		4,570.00
	۵	E-drive NEODRIVES Z20 with PINION C1.12 up to 16 mph, hub motor, 12 speed PINION C1.12 bottom bracket gearbox, Li-lon battery 576 Wh, push assist forward and backwards, not compatible with streamer, 4 A charger, display position: O above handlebar O side of handlebar		6,570.00
		big battery pack SHIMANO STEPS Li-lon 630 Wh, fast charger with 4 A		399.00
	۵	2nd battery pack for SHIMANO STEPS Li-lon battery 630 Wh, battery holder, battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder		1,380.00
	۵	2nd battery pack for NEODRIVES Z20 Li-ion battery 576 Wh, battery adapter set, cable extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)		1,450.00
		short cranks 155 mm / 6", recommended for riders under 175 cm / 68"		32.00
		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 or PINION)		59.00
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)		0.00
		disc brakes AVID BB7 mechanical, separate brake per front wheel		85.00
S		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable		249.00
brakes		disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right		219.00
F	۵	hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right		349.00
		parking brake SHIMANO rear wheel V-Brake with thumblever		79.00
		one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake		599.00
Sc	or	with parking brake function, mounting the controls: O left O right pion fx accessories Surcharges, additional special accessories on the "comfort and abilit	y options" order form	
50	_	light wire routing only twin wires routed through the frame for hub dynamo	y options order form	129.00
	_	lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C permanent		139.00
accessories	o.	lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC		259.00
cce		lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		359.00
В	_	lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light		899.00
		indicator lights system WingBling only in conjunction with electric drive		789.00





-	la-m	sugg.
×	ltem	retail \$
	rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs	379.00
	lowrider rack 10mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg (requires installed rear rack)	185.00
	side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted	209.00
	mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black	389.00
	clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	119.00
	handrest with retaining strap comfortable hand support mounted on handlebar mounting side of handrest: O left O right	135.00
	handrests left and right with one retaining strap with one retaining strap, mounting side of retaining strap: O left O right	269.00
	handrests left and right comfortable hand support, mounted on handlebar, removable cushion	189.00
es	standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side, O left O right O pair	124.50
accessories	water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted	105.00
Ces: □	rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	85.00
ac	rear mirror MIRRYCLE both sides barend mounting left and right	170.00
	rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right	109.00
	rear mirror B&M E both sides left and right knuckle mounting	218.00
	flag HP VELOTECHNIK double-sided print, with reflective strip	33.00
	universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted	69.00
	speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	39.00
	air horn AIRZOUND XL about 30-115 dB, not mounted	45.00
	Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)	779.00
	transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	135.00
	frame lock ABUS Granit with removable key, without chain, black	99.00
	chain for frame lock length 100 cm / 39.4"	39.00



	×	Item		sugg. retail \$
Sc	or	pion fx 26 foldable recumbent trike 20"/26" (SCL)		
		Scorpion fx 26 basic model foldable, rear suspension, under seat steering, STURMEY ARCHER 24 speed derailleur/hub gears, SHIMANO hydraulic disc brakes	5	5,890.00
		Scorpion fx 26 frameset foldable, with suspension rear, seat, handlebar, front hubs, chain guide setup	5	5,010.00
Sc	or	pion fx 26 options extra charge – drivetrain and brake options for complete bikes only		
	_	standard colour O pearlorange O cool grey metallic		0.00
l		single custom colour according to RAL-colour chart: (please specify)		239.00
		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:		349.00
ne		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)		0.00
fram		front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION		239.00
l 1		length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm		0.00
		front boom quickadjust without chain compensation QR-levers		69.00
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers		289.00
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags		0.00
		ErgoMesh HS meshseat (4.3" higher than EM seat)		0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)		0.00
		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)		0.00
	۵	ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback independently adjustable		389.00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)		389.00
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)		389.00
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)		389.00
		BodyLink seat		219.00
		BodyLink seat with brackets for small riders (1.6" to the front)		219.00
eat		long handlebars recommended for small riders, required for all high netseats (HS and HS XL)		25.00
S		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position		129.00
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion		189.00
		Airflow seat cushion breathable fabric, sewn, for BodyLink seat		99.00
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle		175.00
		headrest for meshseat adjustable in height and angle, with quick release lever		219.00
		SeatWings hip support for BodyLink seat, carbon fiber, padded		359.00
		adjustable end stops allow exact positioning of the seat		29.00
		two adjustable end stops for ErgoMesh Premium seats only, added		58.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag		89.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag		89.00
L		rain cover for seats, ripstop nylon fabric, blue		39.00
		rear shock DNM DV-22 (basic specification)		0.00
	_	O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 285lbs		0.00
		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump		359.00
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear		0.00
	_	derailleur, STURMEY ARCHER 3 speed internal hub		0.00
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black		49.00
train	۵	drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY ARCHER barend shifters, STURMEY ARCHER 3 speed internal hub		219.00
drivetrain	۵	drivetrain STURMEY ARCHER Tripleshift 30, SRAM GX crankset 32T 30 speed with barend shifters, rear derailleur MICROSHIFT XLE, SHIMANO XT 11–36 cassette, STURMEY ARCHER 3 speed internal gear hub		469.00
1		drivetrain SRAM 30 30 speed, SRAM GX rear derailleur, MICROSHIFT front derailleur, SRAM SL-500 barend shifters		319.00
		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter		2,430.00
1		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible		2,370.00
	_	·		





	×	Item		sugg. retail \$
		E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lon battery 418 Wh (BT-E8014, 2 A charger, push assist		2,080.00
		E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-Ion battery 418 Wh, 2 A charger, push assist		2,450.00
		E-drive SHIMANO STEPS EP5 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lon battery 418 Wh, 2 A charger, push assist		3,060.00
		E-drive SHIMANO STEPS EP5 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 5 speed Di2 gear hub, Li-Ion battery 418 Wh, 2 A charger, push assist		3,520.00
		E-drive SHIMANO STEPS EP5 Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist		3,450.00
		E-drive SHIMANO STEPS EP801 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery with 418 Wh, charger 2 A, push assist		4,330.00
		E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-Ion battery 418 Wh (BT-EN804), charger 2 A, push assist, freeshift and autoshift function		4,450.00
drivetrain		E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-Ion battery 418 Wh (BT-EN804), 2 A charger, push assist		5,570.00
drive		E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-Ion battery 418 Wh (BT-EN804), push assist		6,180.00
		E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lon battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar		4,570.00
		E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lon 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar		6,570.00
		big battery pack SHIMANO STEPS Li-Ion 630 Wh, fast charger with 4 A		399.00
		2nd battery pack for SHIMANO STEPS Li-Ion battery 630 Wh, battery holder, battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder		1,380.00
		2nd battery pack for NEODRIVES Z20 Li-ion battery 576 Wh, battery adapter set, cable extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)		1,450.00
		short cranks 155 mm / 6", recommended for riders under 175 cm / 68"		32.00
		chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)		49.00
		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 or PINION)		59.00
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)		0.00
		disc brakes AVID BB7 mechanical, separate brake per front wheel		85.00
		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable		249.00
brakes		disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right		219.00
		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right		349.00
		parking brake SHIMANO rear wheel V-Brake with thumblever		79.00
		one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right		599.00
Sc	orı	pion fx 26 accessories Surcharges, additional special accessories on the "comfort and a	bility options" order	form
		light wire routing only twin wires routed through the frame for hub dynamo		129.00
		lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C permanent		165.00
accessories		lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC		259.00
cce		lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		359.00
ā		lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light		899.00
		indicator lights system WingBling only in conjunction with electric drive		789.00
			<u> </u>	<u> </u>





FI	OTECHNIK SE	orpion [©] 26
×	Item	sugg. retail \$
	rear rack 14 mm / 0.6" tube, black powder coating, max. load 25 kg / 55 lbs	299.00
	top load rack additional luggage rack above the rear wheel, maximum load 10 kg / 22 lbs	239.00
	lowrider rack 10mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg (requires installed rear rack)	185.00
	side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted	209.00
	mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black	389.00
	clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	119.00
	handrest with retaining strap comfortable hand support mounted on handlebar mounting side of handrest: O left O right	135.00
	handrests left and right with one retaining strap with one retaining strap, mounting side of retaining strap: O left O right	269.00
	handrests left and right comfortable hand support, mounted on handlebar, removable cushion	189.00
0 0 0	standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side, O left O right O pair	124.50
	water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted	105.00
	rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	85.00
	rear mirror MIRRYCLE both sides barend mounting left and right	170.00
	rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right	109.00
	rear mirror B&M E both sides left and right knuckle mounting	218.00
	flag HP VELOTECHNIK double-sided print, with reflective strip	33.00
	universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted	69.00
	speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	39.00
	air horn AIRZOUND XL about 30-115 dB, not mounted	45.00
	Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)	779.00
	transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	135.00
	frame lock ABUS Granit with removable key, without chain, black	99.00
	chain for frame lock length 100 cm / 39.4"	39.00





	×	Item		sugg.
•				retail \$
C	or	oion fs 20 foldable full suspension trike 20"/20" (SFS)		
		Scorpion fs 20 basic model foldable, rear and front suspension, under deat steering, STURMEY ARCHER 24 speed		7,090.00
	_	derailleur/hub gears, SHIMANO hydraulic disc brakes		
		Scorpion fs 20 frameset foldable, with suspension front and rear, seat, handlebar, front hubs, chain guide setup		6,210.00
SC	orı	oion fs 20 options extra charge – drivetrain and brake options for complete bikes only		
		standard colour O colza yellow RAL1021 O blue shade grey matt	 	0.00
	_	single custom colour according to RAL-colour chart: (please specify)	 	239.00
	_	double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	 	349.00
rame		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)		0.00
Ĕ		front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION	 	239.00
		length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm		0.00
		front boom quickadjust without chain compensation QR-levers		69.00
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers		289.00
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags		0.00
		ErgoMesh HS meshseat (4.3" higher than EM seat)		0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)		0.00
		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)		0.00
Į		ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback		389.00
		independently adjustable		
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)		389.00
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)		389.00
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)		389.00
		BodyLink seat		219.00
ب		BodyLink seat with brackets for small riders (1.6" to the front)		219.00
seat		long handlebars recommended for small riders, required for all high netseats (HS and HS XL)		25.00
S		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position		129.00
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion		189.00
		Airflow seat cushion breathable fabric, sewn, for BodyLink seat		99.00
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle		175.00
		headrest for meshseat adjustable in height and angle, with quick release lever		219.00
		SeatWings hip support for BodyLink seat, carbon fiber, padded		359.00
		adjustable end stops allow exact positioning of the seat		29.00
		two adjustable end stops for ErgoMesh Premium seats only, added		58.00
		rain cover for seats, ripstop nylon fabric, blue		39.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag		89.00
		Microbag topbag for BodyLink seat, detachable as hip bag, I litre		55.00
اء		rear shock DNM DV-22 (basic specification)		0.00
sion		O soft: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 225 lbs O hard: 550 lbs/inch, up to 285 lbs		****
suspen		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump		359.00
sns		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar		0.00
		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar		42.00
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear		0.00
		derailleur, STURMEY ARCHER 3 speed internal hub		
ٳڲ		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	\longleftarrow	49.00
rivetraii		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur and barend shifter MICROSHIFT XLE,		219.00
		STURMEY ARCHER 3-speed internal gear hub and bar end shifter		
٥		drivetrain SRAM 30 30 speed, SRAM GX rear derailleur, MICROSHIFT front derailleur, SRAM SL-500 barend shifters		409.00
		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter		2,430.00
Ţ		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible		2,370.00





	'EI	DIECHNIK S	21 72	oion ^f	20	: 20
	×	Item			sugg. retail \$	u (s
		E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lon battery 418 Wh (BT-E8014, 2 A charger, push assist			2,080.00	rpic
	□	E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-Ion battery 418 Wh, 2 A charger, push assist			2,450.00	Sco
	□	E-drive SHIMANO STEPS EP5 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lon battery 418 Wh, 2 A charger, push assist			3,060.00	
	□	E-drive SHIMANO STEPS EP5 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 5 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist			3,520.00	
	□	E-drive SHIMANO STEPS EP5 Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist			3,450.00	
	□	E-drive SHIMANO STEPS EP801 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-Ion battery with 418 Wh, charger 2 A, push assist			4,330.00	
	۵	E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lon battery 418 Wh (BT-EN804), charger 2 A, push assist, freeshift and autoshift function			4,450.00	
drivetrain	۵	E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lon battery 418 Wh (BT-EN804), 2 A charger, push assist			5,570.00	
drive	□	E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lon battery 418 Wh (BT-EN804), push assist			6,180.00	20
		E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-Ion battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar			4,570.00	ion fs
	٥	E-drive NEODRIVES Z20 with PINION C1.12 up to 16 mph, hub motor, 12 speed PINION C1.12 bottom bracket gearbox, Li-lon battery 576 Wh, push assist forward and backwards, not compatible with streamer, 4 A charger, display position: O above handlebar O side of handlebar			6,570.00	Scorp
		big battery pack SHIMANO STEPS Li-lon 630 Wh, fast charger with 4 A			399.00	
	۵	2nd battery pack for SHIMANO STEPS Li-lon battery 630 Wh, battery holder, battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder			1,380.00	
		2nd battery pack for NEODRIVES Z20 Li-ion battery 576 Wh, battery adapter set, cable extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)			1,450.00	
	<u> </u>	short cranks 155 mm / 6", recommended for riders under 175 cm / 68" tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 or PINION)			32.00 59.00	
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)			0.00	
		disc brakes AVID BB7 mechanical, separate brake per front wheel			85.00	
		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable			249.00	
brakes		disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function			219.00	
bra		front brake lever: O left O right			217.00	0
	۵	hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right			349.00	fs 2
		parking brake SHIMANO rear wheel V-Brake with thumblever			79.00	on
		one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right			599.00	corpion
Sc	or	pion fs 20 accessories Surcharges, additional special accessories on the "comfort and al	oility options'	' order form		00
	_	light wire routing only twin wires routed through the frame for hub dynamo			129.00	Š
	۵	lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C permanent			139.00	
	П	lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC			259.00	
ries		lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC			359.00	
accessories	۵	lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light			899.00	
4		indicator lights system WingBling only in conjunction with electric drive			789.00	
ĺ		rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs			379.00	
		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted			209.00	
	-	mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black			389.00	
		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes			119.00	





	<	Scorpion 20	VELOTEC	HNIK
	×	Item		su; retai
		handrest with retaining strap comfortable hand support mounted on handlebar mounting side of handrest: O left O right		135
		handrests left and right with one retaining strap with one retaining strap, mounting side of retaining strap: O left O right		269
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion		189
		standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side, O left O right O pair		194
l		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted		10
		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right		8
es		rear mirror MIRRYCLE both sides barend mounting left and right		17
accessories		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right		10
ces		rear mirror B&M E both sides left and right knuckle mounting		21
ас		flag HP VELOTECHNIK double-sided print, with reflective strip		3
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted		6
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel		3
		trailer hitch WEBER with HP VELOTECHNIK adapter, max. vertical load 6,5 kg / 14 lbs, max trailer load 40kg / 88lbs		21
		air horn AIRZOUND XL about 30-115 dB, not mounted		4
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)		77
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric		13
		frame lock ABUS Granit with removable key, without chain, black		9
		chain for frame lock length 100 cm / 39.4"		3





	×	Item				sugg. retail \$
Sc	ori	oion fs 20 SE special edition trike 20" / 20" (KRSFSV / KRESFSV)	<u> </u>			recuii ș
variants		Scorpion fs 20 Special Edition color: Blue shade grey matt drivetrain STURMEY ARCHER Tripleshift 30 gear with kombined 3 speed gear hub and 10 speed MICROSHIFT XLE rear derailleur, hydraulic disc brakes SHIMANO BR-MT200, battery light system B&M Eyro with 2C, luggage rack, air shock ROCK SHOX Monarch, parking brake, tires SCHWALBE Marathon Plus, mudguards, mirror B&M E, pennant				8,390.00
ra		Scorpion fs 20 Special Edition Pedelec color: colza yellow RAL 1021 drivetrain SHIMANO STEPS EP801 Cargo with electric CUES Di2 shift 10 speed, battery with 630 Wh, hydraulic disc brakes SHIMANO XT, light system B&M IQ-X with 2C, luggage rack, air shock ROCK SHOX Monarch, parking brake, tires SCHWALBE Marathon Plus, mudguards, mirror B&M E, pennant				13,340.00
Sc	or	pion fs 20 SE selection seat				
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags				0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)				0.00
seat		ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback independently adjustable				389.00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)				389.00
Sc	or	pion fs 20 SE accessories Surcharges, unmounted, additional special accessories on th	e "comfort	and abilit	y options'	' order foi
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers				289.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag, added				89.00
		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position, added				129.00
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle				175.00
		adjustable end stops allow exact positioning of the seat				29.00
		two adjustable end stops for ErgoMesh Premium seats only, added				58.00
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion				189.00
		rain cover for seats, ripstop nylon fabric, blue				39.00
		Streamer not for SE Pedelec, clear front fairing, with quickmount system				779.00
hör		air horn AIRZOUND XL about 30-115 dB, not mounted				45.00
Zubehör		frame lock ABUS Granit with removable key, without chain, black				99.00
Z		chain for frame lock length 100 cm / 39.4"				39.00
		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes				119.00
		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted				105.00
		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, added				209.00
		universal mount for accessories Mounting on the barend shifter, \emptyset 22,2 mm / 0.87" tube holder for accessories like phone holder / GPS devices / bell, max. load 400 grams / 0,88 lbs, unmounted				69.00
		rear mirror B&M E both sides left and right knuckle mounting		_		109.00
		trailer hitch WEBER with HP VELOTECHNIK adapter, max. vertical load 6,5 kg / 14 lbs, max trailer load 40kg / 88lbs				219.00
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel				39.00
	_	transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric				135.00





	×	Item	sugg. retail \$
Sc	orı	pion fs 26 foldable full suspension trike 20"/26" (SFL)	•
		Scorpion fs 26 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes	7,190.00
		Scorpion fs 26 frameset foldable, with suspension front and rear, seat, handlebar, front hubs, chain guide setup	6,310.00
Sc	orı	pion fs 26 options extra charge – drivetrain and brake options for complete bikes only	
		standard colour O pure orange matt RAL2004 / black O cool grey metallic / black	0.00
		single custom colour according to RAL-colour chart: (please specify)	239.00
		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	349.00
ne		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)	0.00
frame		front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION	239.00
		length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm	0.00
		front boom quickadjust without chain compensation QR-levers	69.00
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	289.00
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00
		ErgoMesh HS meshseat (4.3" higher than EM seat)	0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0.00
		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)	0.00
		ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback independently adjustable	389.00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	389.00
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)	389.00
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)	389.00
		BodyLink seat	219.00
at		BodyLink seat with brackets for small riders (1.6" to the front)	219.00
se		long handlebars recommended for small riders, required for all high netseats (HS and HS XL)	25.00
		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position	129.00
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	189.00
		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	99.00
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	175.00
		headrest for meshseat adjustable in height and angle, with quick release lever	219.00
		SeatWings hip support for BodyLink seat, carbon fiber, padded	359.00
		adjustable end stops allow exact positioning of the seat	29.00
		two adjustable end stops for ErgoMesh Premium seats only, added	58.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag	89.00
		rain cover for seats, ripstop nylon fabric, blue	39.00
Ē		rear shock DNM DV-22 (basic specification)	0.00
ension		O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 308 lbs	
		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	359.00
dsns	0 (front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar	0.00
		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar	42.00
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur, STURMEY ARCHER 3 speed internal hub	0.00
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	49.00
	J	drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY	47.00
drivetrain		ARCHER barend shifters, STURMEY ARCHER 3 speed internal hub	219.00
ive		drivetrain STURMEY ARCHER Tripleshift 30, SRAM GX crankset 32T 30 speed with barend shifters, rear	.,,
Þ		derailleur MICROSHIFT XLE, SHIMANO XT 11–36 cassette, STURMEY ARCHER 3 speed internal gear hub	469.00
		drivetrain SRAM 30 30 speed, SRAM GX rear derailleur, MICROSHIFT front derailleur, SRAM SL-500 barend shifters	319.00
		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter	2,430.00
		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible	2,370.00





299.00

239.00

209.00

389.00

119.00

rear rack 14 mm / 0.6" tube, black powder coating, max. load 25 kg / 55 lbs

top load rack additional luggage rack above the rear wheel, maximum load 10 kg / 22 lbs

mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black

clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes

side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted





				sugg.
	×	Item		55
				retail \$
		handrest with retaining strap comfortable hand support mounted on handlebar		135.00
		mounting side of handrest: O left O right		
		handrests left and right with one retaining strap with one retaining strap, mounting side of retaining strap: O left		269.00
		O right		207.00
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion		189.00
	_	standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side,		104 50
		O left O right O pair		194.50
		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted		105.00
		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right		85.00
accessories		rear mirror MIRRYCLE both sides barend mounting left and right		170.00
SSO		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right		109.00
3008		rear mirror B&M E both sides left and right knuckle mounting		218.00
		flag HP VELOTECHNIK double-sided print, with reflective strip		33.00
	_	universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø		(0.00
		0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted		69.00
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel		39.00
		air horn AIRZOUND XL about 30-115 dB, not mounted		45.00
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)		779.00
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric		135.00
		frame lock ABUS Granit with removable key, without chain, black		99.00
		chain for frame lock length 100 cm / 39.4"		39.00





_				_	
	×	Item			sugg. retail \$
Sc	or	pion fs 26 SE special edition trike 20" / 26" (KRSFLV / KRESFLV)			
variants		Scorpion fs 26 Special Edition color: pure orange matt RAL2004 / black drivetrain SRAM 30 gear, hydraulic disc brakes SHIMANO BR-MT200, battery light system B&M Eyro with 2C, luggage rack, air shock ROCK SHOX Monarch, parking brake, tires SCHWALBE Marathon Plus, mudguards, mirror, pennant			8,410.00
	0	Scorpion fs 26 Special Edition Pedelec color: pure orange matt RAL2004 / black drivetrain SHIMANO STEPS EP801 Cargo with electric CUES Di2 shift 10 speed, battery with 630 Wh, hydraulic disc brakes SHIMANO XT, light system B&M IQ-X with 2C, luggage rack, air shock ROCK SHOX Monarch, parking brake, tires SCHWALBE Marathon Plus, mudguards, mirror, pennant			13,410.00
Sc	or	pion fs 26 SE selection seat			
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags			0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)			0.00
seat		ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback independently adjustable			389.00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)			389.00
Sc	or	pion fs 26 SE accessories Surcharges, unmounted, additional special accessories on the	e "comfor	t and abilit	y options" order for
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers			289.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag, added			89.00
		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position, added			129.00
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle			175.00
		adjustable end stops allow exact positioning of the seat			29.00
		two adjustable end stops for ErgoMesh Premium seats only, added			58.00
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion			189.00
		rain cover for seats, ripstop nylon fabric, blue			39.00
ör		Streamer not for SE Pedelec, clear front fairing, with quickmount system			779.00
Zubehör		air horn AIRZOUND XL about 30-115 dB, not mounted			45.00
Zul	0 (frame lock ABUS Granit with removable key, without chain, black			99.00
		chain for frame lock length 100 cm / 39.4"			39.00
		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes			119.00
		water bottle set HP VELOTECHNIK 2 x 0.6 I PE-bottle with HP print, with bottle cages, mounted side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted			105.00
	_	rear mirror B&M E both sides left and right knuckle mounting			109.00
	_	universal mount for accessories Mounting on the barend shifter, Ø 22,2 mm / 0.87" tube holder for accessories like			107.00
		phone holder / GPS devices / bell, max. load 400 grams / 0,88 lbs, unmounted			69.00
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel			39.00
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric			135.00





	×	Item		retail \$
Sc	orı	pion fs 26 Enduro basic model foldable full suspension trike 20"/26" (SFN)		
		Scorpion fs 26 Enduro STURMEY ARCHER Tripleshift, MICROSHIFT XLE 30 speed with barend shifters, SRAM GX crankset, SHIMANO hydraulic disc brakes, SCHWALBE Smart Sam tires		7,430.00
Sc	or	oion fs 26 Enduro options extra charge – drivetrain and brake options for complete b	ikes only	
		standard colour green metallic / black		0.00
		single custom colour according to RAL-colour chart: (please specify)		239.00
		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:		349.00
frame		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)		0.00
fra		front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION		239.00
		length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm		0.00
		front boom quickadjust without chain compensation QR-levers		69.00
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers		289.00
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags		0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)		0.00
		ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback independently adjustable		389.00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)		389.00
		BodyLink seat		219.00
		BodyLink seat with brackets for small riders (I.6" to the front)		219.00
ţ		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position		129.00
seat		handrests left and right comfortable hand support, mounted on handlebar, removable cushion		189.00
		Airflow seat cushion breathable fabric, sewn, for BodyLink seat		99.00
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle		175.00
		headrest for meshseat adjustable in height and angle, with quick release lever		219.00
		SeatWings hip support for BodyLink seat, carbon fiber, padded		359.00
		adjustable end stops allow exact positioning of the seat		29.00
		two adjustable end stops for ErgoMesh Premium seats only, added		58.00
		rain cover for seats, ripstop nylon fabric, blue		39.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag		89.00
_		rear shock DNM DV-22 (basic specification)		0.00
suspension		O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 308 lbs		
per		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump		359.00
sns		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar		0.00
		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar		42.00
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur, STURMEY ARCHER 3 speed internal hub		0.00
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black		49.00
drivetrain		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY ARCHER barend shifters, STURMEY ARCHER 3 speed internal hub		219.00
drive		drivetrain STURMEY ARCHER Tripleshift 30, SRAM GX crankset 32T 30 speed with barend shifters, rear derailleur MICROSHIFT XLE, SHIMANO XT 11–36 cassette, STURMEY ARCHER 3 speed internal gear hub		469.00
		drivetrain SRAM 30 30 speed, SRAM GX rear derailleur, MICROSHIFT front derailleur, SRAM SL-500 barend shifters		319.00
		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter		2,430.00
		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible		2,370.00





T		
×	Item Item	sugg. retail \$
	E-drive SHIMANO STEPS EP5 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lon battery 418 Wh, 2 A charger, push assist	3,060.00
	E-drive SHIMANO STEPS EP5 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 5 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist	3,520.00
	E-drive SHIMANO STEPS EP5 Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist	3,450.00
	E-drive SHIMANO STEPS EP801 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery	4,330.00
	E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lon	4,450.00
	battery 418 Wh (BT-EN804), charger 2 A, push assist, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-Ion battery 418 Wh (BT-EN804), 2 A charger, push assist	5,570.00
urivect alli	E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lon battery 418 Wh (BT-EN804), push assist	6,180.00
	E-drive NEODRIVES Z20 and drivetrain SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lon battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar	4,570.00
	E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lon 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar	6,570.00
	big battery pack SHIMANO STEPS Li-Ion 630 Wh, fast charger with 4 A	399.00
	2nd battery pack for SHIMANO STEPS Li-lon battery 630 Wh, battery holder, battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder	1,380.00
	2nd battery pack for NEODRIVES Z20 Li-ion battery 576 Wh, battery adapter set, cable extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)	1,450.00
	short cranks 155 mm / 6", recommended for riders under 175 cm / 68"	32.00
	chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)	49.00
co	rpion fs 26 Enduro accessories Surcharges, additional special accessories on the "comfort and ability options" o	rder form
$\overline{}$	disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	0.00
	disc brakes AVID BB7 mechanical, separate brake per front wheel	85.00
	disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable	249.00
Drakes	disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right	219.00
	hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right	349.00
	parking brake SHIMANO rear wheel V-Brake with thumblever	79.00
_	-i'	
	one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right	599.00
	one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake	599.00 129.00
	one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right light wire routing only twin wires routed through the frame for hub dynamo lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light	
	one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right light wire routing only twin wires routed through the frame for hub dynamo lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light	129.00
	one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right light wire routing only twin wires routed through the frame for hub dynamo lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight2C permanent lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M	129.00
	one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right light wire routing only twin wires routed through the frame for hub dynamo lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight2C permanent lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC	129.00 165.00 259.00
	one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right light wire routing only twin wires routed through the frame for hub dynamo lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight2C permanent lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light	129.00 165.00 259.00 359.00
ccessories	one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right light wire routing only twin wires routed through the frame for hub dynamo lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight2C permanent lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC lighting system B&M IQ-X for E-drive B&M IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light Indicator lights system WingBling only in conjunction with electric drive	129.00 165.00 259.00 359.00 899.00
accessories	one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right light wire routing only twin wires routed through the frame for hub dynamo lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight2C permanent lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light Indicator lights system WingBling only in conjunction with electric drive	129.00 165.00 259.00 359.00 899.00 789.00 299.00
accessories	one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right light wire routing only twin wires routed through the frame for hub dynamo lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight2C permanent lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light lindicator lights system WingBling only in conjunction with electric drive rear rack 14 mm / 0.6" tube, black powder coating, max. load 25 kg / 55 lbs top load rack additional luggage rack above the rear wheel, maximum load 10 kg / 22 lbs	129.00 165.00 259.00 359.00 899.00 789.00 299.00
	one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right Ilight wire routing only twin wires routed through the frame for hub dynamo Ilighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight2C permanent Ilighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC Ilighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC Ilighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light Indicator lights system WingBling only in conjunction with electric drive Irear rack 14 mm / 0.6" tube, black powder coating, max. load 25 kg / 55 lbs Itop load rack additional luggage rack above the rear wheel, maximum load 10 kg / 22 lbs Iside bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted Indicator III lbs, pair, unmounted Indi	129.00 165.00 259.00 359.00 899.00





	×	Item	sugg. retail \$
		handrest with retaining strap comfortable hand support mounted on handlebar mounting side of handrest: O left O right	135.00
		handrests left and right with one retaining strap with one retaining strap, mounting side of retaining strap: O left O right	269.00
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	189.00
		standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side, O left O right O pair	194.50
		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted	105.00
] پر ا		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	85.00
accessories		rear mirror MIRRYCLE both sides barend mounting left and right	170.00
sso		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right	109.00
acce		rear mirror B&M E both sides left and right knuckle mounting	218.00
"		flag HP VELOTECHNIK double-sided print, with reflective strip	33.00
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, \emptyset 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted	69.00
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	39.00
		air horn AIRZOUND XL about 30-115 dB, not mounted	45.00
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)	779.00
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	135.00
		frame lock ABUS Granit with removable key, without chain, black	99.00
		chain for frame lock length 100 cm / 39.4"	39.00





	×	Item		sugg. retail \$
Sc	or	pion plus 20 foldable full suspension trike 20"/20" (SPS)		
	П	Scorpion plus 20 basic model foldable, rear and front suspension, under seat steering, STURMEY ARCHER 24 speed		7,650.00
		derailleur/hub gears, SHIMANO hydraulic disc brakes		7,030.00
		Scorpion plus 20 frameset foldable, with suspension front and rear, seat, handlebar, front hubs, chain guide setup		6,770.00
Sc	or	pion plus 20 options extra charge – drivetrain and brake options for complete bikes o	only	
		standard colour O cool grey metallic O magma red / black		0.00
		single custom colour according to RAL-colour chart: (please specify)		239.00
		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:		349.00
frame		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)		0.00
fra		front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION		239.00
		length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm		0.00
		front boom quickadjust without chain compensation QR-levers		69.00
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers		289.00
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags		0.00
		ErgoMesh HS meshseat (4.3" higher than EM seat)		0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)		0.00
		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)		0.00
		ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback		389.00
		independently adjustable		202.00
	l _	ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)		389.00
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)		389.00
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)		389.00
		BodyLink seat		219.00
aţ		BodyLink seat with brackets for small riders (1.6" to the front)		219.00
sea	_	long handlebars recommended for small riders, required for all high netseats (HS and HS XL)		25.00
		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position		129.00
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion		189.00
		Airflow seat cushion breathable fabric, sewn, for BodyLink seat		99.00
	l _	headrest for BodyLink seat flexible, with cushion, adjustable in height and angle headrest for meshseat adjustable in height and angle, with quick release lever		175.00
				219.00
		SeatWings hip support for BodyLink seat, carbon fiber, padded adjustable end stops allow exact positioning of the seat		359.00 29.00
		two adjustable end stops for ErgoMesh Premium seats only, added		58.00
		rain cover for seats, ripstop nylon fabric, blue		39.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag		89.00
		Microbag topbag for BodyLink seat, detachable as hip bag, 1 litre	 	55.00
H	H	rear shock DNM DV-22 (basic specification)	 	33.00
5		O soft: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 220 lbs O hard: 550 lbs/inch, up to 330 lbs		0.00
ensi		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump		359.00
suspensio	_	front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar		0.00
S		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar		42.00
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear		12.00
		derailleur, STURMEY ARCHER 3 speed internal hub		0.00
_		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black		49.00
iraii		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur and barend shifter MICROSHIFT XLE,	1 1 1	
drivetrain		STURMEY ARCHER 3-speed internal gear hub and bar end shifter		219.00
ģ		drivetrain SRAM 30 30 speed, SRAM GX rear derailleur, MICROSHIFT front derailleur, SRAM SL-500 barend shifters		409.00
		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter		2,430.00
L		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible		2,370.00





(BT	drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lon battery 418 Wh		
	F-E8014, 2 A charger, push assist		2,080.00
	drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-Ion battery 3 Wh, 2 A charger, push assist		2,450.00
	drive SHIMANO STEPS EP5 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lon battery 418 Wh, 2 charger, push assist		3,060.00
	Arive SHIMANO STEPS EP5 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 5 speed Di2 gear hub, Li-Ion battery 418 n, 2 A charger, push assist		3,520.00
	drive SHIMANO STEPS EP5 Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-Ion battery 418 n, 2 A charger, push assist		3,450.00
	drive SHIMANO STEPS EP801 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery h 418 Wh, charger 2 A, push assist		4,330.00
	drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-Ion tery 418 Wh (BT-EN804), charger 2 A, push assist, freeshift and autoshift function		4,450.00
I·≣ I ∐II	drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq ernal stepless shifting, Li-Ion battery 418 Wh (BT-EN804), 2 A charger, push assist		5,570.00
patt	drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-Ion tery 418 Wh (BT-EN804), push assist		6,180.00
☐ SRA	drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever AM SL-500, cassette SRAM, chainring set 3-speed black, Li-Ion battery 576 Wh, push assist forward and backwards, uplay position: O above handlebar O side of handlebar		4,570.00
☐ gear	drive NEODRIVES Z20 with PINION C1.12 up to 16 mph, hub motor, 12 speed PINION C1.12 bottom bracket rbox, Li-lon battery 576 Wh, push assist forward and backwards, not compatible with streamer, 4 A charger, display sition: O above handlebar O side of handlebar		6,570.00
☐ big	battery pack SHIMANO STEPS Li-lon 630 Wh, fast charger with 4 A		399.00
1 1 🗆 1	d battery pack for SHIMANO STEPS Li-Ion battery 630 Wh, battery holder, battery adapter set, (restricts folding ction), without power supply, battery must be inserted for use in main battery holder		1,380.00
	d battery pack for NEODRIVES Z20 Li-ion battery 576 Wh, battery adapter set, cable extension for convenient rging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)		1,450.00
sho	ort cranks 155 mm / 6", recommended for riders under 175 cm / 68"		32.00
	e exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 PINION)		59.00
dise	c brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)		0.00
I I —	c brakes AVID BB7 mechanical, separate brake per front wheel		85.00
· ·	c brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable		249.00
I ★ I □ I	c brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function		219.00
hyd	nt brake lever: O left O right draulic disc brakes RIDEREYER coupled hydraulic, coupled front brakes with one-hand operation and parking brake		349.00
I ——	ction, rear disc brake, front brake lever: O left O right		70.00
-	rking brake SHIMANO rear wheel V-Brake with thumblever		79.00
	e-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake h parking brake function, mounting the controls: O left O right		599.00
-	on plus 20 accessories Surcharges, additional special accessories on the "comfort and	d ability options" ord	ler form
	ht wire routing only twin wires routed through the frame for hub dynamo	a ability options of	129.00
ligh	hting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light M Toplight 2C permanent		139.00
	nting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M plight 2C DC		259.00
s □ ligh	nting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		359.00
	hting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS AIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light		899.00
ğ 🗆 ind	licator lights system WingBling only in conjunction with electric drive		789.00
☐ rea	ar rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs		379.00
low	wrider rack 10mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg (requires installed rear rack)		185.00
side	e bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted		209.00
☐ mu	adguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black		389.00
☐ clip	pless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes		119.00





	×	ltem	sugg. retail \$
		handrest with retaining strap comfortable hand support mounted on handlebar mounting side of handrest: O left O right	135.00
		handrests left and right with one retaining strap with one retaining strap, mounting side of retaining strap: O left O right	269.00
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	189.00
		standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side, O left O right O pair	194.50
1 [water bottle set HP VELOTECHNIK 2 × 0.6 PE-bottle with HP print, with bottle cages, mounted	105.00
<u>"</u>		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	85.00
Ţ.		rear mirror MIRRYCLE both sides barend mounting left and right	170.00
accessories		rear mirror B&M E wide view angle, easy to adjust, mounted to handlebar O left O right	109.00
Š		rear mirror B&M E both sides left and right, mounted to handlebar	218.00
"[flag HP VELOTECHNIK double-sided print, with reflective strip	33.00
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, \emptyset 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted	69.00
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	39.00
		air horn AIRZOUND XL about 30-115 dB, not mounted	45.00
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)	779.00
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	135.00
		frame lock ABUS Granit with removable key, without chain, black	99.00
Ш		chain for frame lock length 100 cm / 39.4"	39.00





	×	Item				sugg. retail \$
Sc	or	pion plus 20 SE special edition trike 20" / 20" (KRESPSV)		•	1	1
	×	Scorpion plus 20 Special Edition Pedelec color: magma red / black - drivetrain SHIMANO STEPS EP5 with NEXUS Di2 5-speed electric internal gear hub - battery with 630 Wh - front suspension hard - long handlebar - disc brakes SHIMANO XT - light system B&M IQ-X with 2C - rear rack - air damper ROCK SHOX Monarch - parking brake - tyres SCHWALBE Marathon Plus - mudguards, mirror, flag				12,990.00
Sc	or	pion plus 20 SE selection seat				
seat		ErgoMesh HS meshseat (4.3" higher than EM seat) ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat) ErgoMesh Premium HS meshseat (4.3" higher than EM Premium) ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)				0.00 0.00 389.00 389.00
Sc	or	pion plus 20 SE accessories Surcharges, unmounted, additional special accessories on	the "com	fort and al	oility optio	
						289.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag, added		.	-	89.00
	-	seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position, added				129.00
	-	headrest for BodyLink seat flexible, with cushion, adjustable in height and angle adjustable end stops allow exact positioning of the seat				175.00 29.00
		two adjustable end stops for ErgoMesh Premium seats only, added				58.00
	Ē	rain cover for seats, ripstop nylon fabric, blue				39.00
	_	air horn AIRZOUND XL about 30-115 dB, not mounted				45.00
	=	frame lock ABUS Granit with removable key, without chain, black				99.00
		chain for frame lock length 100 cm / 39.4"				39.00
		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes				119.00
		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted				105.00
Zubehör	٥	handrest with retaining strap comfortable hand support mounted on handlebar mounting side of handrest: O left O right				135.00
~		handrests left and right with one retaining strap with one retaining strap, mounting side of retaining strap: O left				269.00
		O right				
	_ _	O right handrests left and right comfortable hand support, mounted on handlebar, removable cushion				189.00
						189.00
	۵	handrests left and right comfortable hand support, mounted on handlebar, removable cushion standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side,				189.00 194.50 209.00
	0	handrests left and right comfortable hand support, mounted on handlebar, removable cushion standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side, O left O right O pair				194.50
	0 0	handrests left and right comfortable hand support, mounted on handlebar, removable cushion standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side, O left O right O pair side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted rear mirror B&M E wide view angle, easy to adjust, mounted to handlebar O left O right				194.50 209.00 109.00
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side, O left O right O pair side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted rear mirror B&M E wide view angle, easy to adjust, mounted to handlebar O left O right				194.50 209.00 109.00 218.00
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side, O left O right O pair side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted rear mirror B&M E wide view angle, easy to adjust, mounted to handlebar O left O right rear mirror B&M E both sides left and right, mounted to handlebar universal mount for accessories Mounting on the handlebar end, Ø 22,2 mm / 0.87" tube holder for accessories like				194.50





	×	Item		sugg. retail \$
Sc	orı	pion plus 26 foldable full suspension trike 20"/26" (SPL)		
		Scorpion plus 26 basic model foldable, rear and front suspension, under seat steering, STURMEY ARCHER 24 speed		7,750.00
		derailleur/hub gears, SHIMANO hydraulic disc brakes		ŕ
ш	<u>u</u>	Scorpion plus 26 frameset foldable, with suspension front and rear, seat, handlebar, front hubs, chain guide setup		6,870.00
Sc	or	pion plus 26 options extra charge – drivetrain and brake options for complete bikes o	nly	
		standard colour O cool grey metallic O magma red / black		0.00
		single custom colour according to RAL-colour chart: (please specify)		239.00
۵		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:		349.00
E E		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)		0.00
fra		front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION		239.00
		length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm		0.00
		front boom quickadjust without chain compensation QR-levers		69.00
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers		289.00
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags		0.00
		ErgoMesh HS meshseat (4.3" higher than EM seat)		0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)		0.00
		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)		0.00
		ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback independently adjustable		389.00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)		389.00
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)		389.00
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)		389.00
		BodyLink seat		219.00
at		BodyLink seat with brackets for small riders (1.6" to the front)		219.00
se		long handlebars recommended for small riders, required for all high netseats (HS and HS XL)		25.00
		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position		129.00
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion		189.00
		Airflow seat cushion breathable fabric, sewn, for BodyLink seat		99.00
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle		175.00
		headrest for meshseat adjustable in height and angle, with quick release lever		219.00
		SeatWings hip support for BodyLink seat, carbon fiber, padded		359.00
		adjustable end stops allow exact positioning of the seat		29.00
		two adjustable end stops for ErgoMesh Premium seats only, added		58.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag		89.00
		rain cover for seats, ripstop nylon fabric, blue		39.00
	_	rear shock DNM DV-22 (basic specification)		0.00
nsion		O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 330 lbs		0.00
		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump		359.00
suspe		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar		0.00
,		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar		42.00
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear		0.00
		derailleur, STURMEY ARCHER 3 speed internal hub		0.00
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black		49.00
rain		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY ARCHER barend shifters, STURMEY ARCHER 3 speed internal hub		219.00
drivetrain		drivetrain STURMEY ARCHER Tripleshift 30, SRAM GX crankset 32T 30 speed with barend shifters, rear derailleur MICROSHIFT XLE, SHIMANO XT I I –36 cassette, STURMEY ARCHER 3 speed internal gear hub		469.00
		drivetrain SRAM 30 30 speed, SRAM GX rear derailleur, MICROSHIFT front derailleur, SRAM SL-500 barend shifters	 	319.00
		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter	 	2,430.00
		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible	 	2,370.00
				,





E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lon battery 418 Wh (BT-E8014, 2 A charger, push assist E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist E-drive SHIMANO STEPS EP5 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lon battery 418 Wh, 2 A charger, push assist E-drive SHIMANO STEPS EP5 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 5 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist E-drive SHIMANO STEPS EP5 Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist E-drive SHIMANO STEPS EP801 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lon battery 418 Wh (BT-EN804), charger 2 A, push assist, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lon battery 418 Wh (BT-EN804), 2 A charger, push assist E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lon battery 418 Wh (BT-EN804), push assist E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lon battery 576 Wh, push assist forward and backwards,	7 retail \$ 2,080.00 2,450.00 3,060.00 3,520.00 4,330.00 4,450.00 5,570.00 6,180.00 4,570.00
E-drive SHIMANO STEPS EP5 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist E-drive SHIMANO STEPS EP5 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lon battery 418 Wh, 2 A charger, push assist E-drive SHIMANO STEPS EP5 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 5 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist E-drive SHIMANO STEPS EP5 Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist E-drive SHIMANO STEPS EP801 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger 2 A, push assist E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lon battery 418 Wh (BT-EN804), charger 2 A, push assist, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lon battery 418 Wh (BT-EN804), 2 A charger, push assist E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lon battery 418 Wh (BT-EN804), push assist E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever	2,450.00 3,060.00 3,520.00 3,450.00 4,330.00 4,450.00 5,570.00
418 Wh, 2 A charger, push assist E-drive SHIMANO STEPS EP5 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lon battery 418 Wh, 2 A charger, push assist E-drive SHIMANO STEPS EP5 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 5 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist E-drive SHIMANO STEPS EP5 Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist E-drive SHIMANO STEPS EP801 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery with 418 Wh, charger 2 A, push assist E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lon battery 418 Wh (BT-EN804), charger 2 A, push assist, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lon battery 418 Wh (BT-EN804), 2 A charger, push assist E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lon battery 418 Wh (BT-EN804), push assist E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever	3,060.00 3,520.00 3,450.00 4,330.00 4,450.00 5,570.00 6,180.00
A charger, push assist E-drive SHIMANO STEPS EP5 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 5 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist E-drive SHIMANO STEPS EP5 Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist E-drive SHIMANO STEPS EP801 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery with 418 Wh, charger 2 A, push assist E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lon battery 418 Wh (BT-EN804), charger 2 A, push assist, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lon battery 418 Wh (BT-EN804), 2 A charger, push assist E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lon battery 418 Wh (BT-EN804), push assist E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever	3,520.00 3,450.00 4,330.00 4,450.00 5,570.00 6,180.00
Wh, 2 A charger, push assist E-drive SHIMANO STEPS EP5 Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist E-drive SHIMANO STEPS EP801 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery with 418 Wh, charger 2 A, push assist E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lon battery 418 Wh (BT-EN804), charger 2 A, push assist, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lon battery 418 Wh (BT-EN804), 2 A charger, push assist E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lon battery 418 Wh (BT-EN804), push assist E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever	3,450.00 4,330.00 4,450.00 5,570.00 6,180.00
Wh. 2 A charger, push assist E-drive SHIMANO STEPS EP801 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery with 418 Wh, charger 2 A, push assist E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lon battery 418 Wh (BT-EN804), charger 2 A, push assist, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lon battery 418 Wh (BT-EN804), 2 A charger, push assist E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lon battery 418 Wh (BT-EN804), push assist E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever	4,330.00 4,450.00 5,570.00 6,180.00
with 418 Wh, charger 2 A, push assist E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lon battery 418 Wh (BT-EN804), charger 2 A, push assist, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lon battery 418 Wh (BT-EN804), 2 A charger, push assist E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lon battery 418 Wh (BT-EN804), push assist E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever	4,450.00 5,570.00 6,180.00
battery 418 Wh (BT-EN804), charger 2 A, push assist, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lon battery 418 Wh (BT-EN804), 2 A charger, push assist E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lon battery 418 Wh (BT-EN804), push assist E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever	5,570.00
internal stepless shifting, Li-Ion battery 418 Wh (BT-EN804), 2 A charger, push assist E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-Ion battery 418 Wh (BT-EN804), push assist E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever	6,180.00
E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever	
1 1 1	4,570.00
Display position: O above handlebar O side of handlebar	
E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lon 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar	6,570.00
☐ big battery pack SHIMANO STEPS Li-lon 630 Wh, fast charger with 4 A	399.00
2nd battery pack for SHIMANO STEPS Li-lon battery 630 Wh, battery holder, battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder	1,380.00
2nd battery pack for NEODRIVES Z20 Li-ion battery 576 Wh, battery adapter set, cable extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)	1,450.00
short cranks 155 mm / 6", recommended for riders under 175 cm / 68"	32.00
☐ chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)	49.00
tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 or PINION)	59.00
disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	0.00
disc brakes AVID BB7 mechanical, separate brake per front wheel	85.00
disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable	249.00
disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right	219.00
hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right	349.00
parking brake SHIMANO rear wheel V-Brake with thumblever	79.00
one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake	599.00
with parking brake function, mounting the controls: O left O right	
Scorpion plus 26 accessories Surcharges, additional special accessories on the "comfort and ability options" o	
light wire routing only twin wires routed through the frame for hub dynamo	129.00
lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C permanent	165.00
lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC	259.00
lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC	359.00
lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light	899.00
indicator lights system WingBling only in conjunction with electric drive	789.00





_			
	×	Item	sugg. retail \$
П		rear rack 14 mm / 0.6" tube, black powder coating, max. load 25 kg / 55 lbs	299.00
		top load rack additional luggage rack above the rear wheel, maximum load 10 kg / 22 lbs	239.00
		lowrider rack 10mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg (requires installed rear rack)	185.00
		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted	209.00
		mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black	389.00
		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	119.00
		handrest with retaining strap comfortable hand support mounted on handlebar mounting side of handrest: O left O right	135.00
	_	handrests left and right with one retaining strap with one retaining strap, mounting side of retaining strap: O left O right	269.00
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	189.00
accessories		standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side, O left O right O pair	194.50
SSO		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted	105.00
CCe		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	85.00
10		rear mirror MIRRYCLE both sides barend mounting left and right	170.00
		rear mirror B&M E wide view angle, easy to adjust, mounted to handlebar O left O right	109.00
		rear mirror B&M E both sides left and right, mounted to handlebar	218.00
		flag HP VELOTECHNIK double-sided print, with reflective strip	33.00
	۵	universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted	69.00
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	39.00
		air horn AIRZOUND XL about 30-115 dB, not mounted	45.00
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)	779.00
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	135.00
		frame lock ABUS Granit with removable key, without chain, black	99.00
		chain for frame lock length 100 cm / 39.4"	39.00





	×	Item				sugg. retail \$
Sc	orp	oion plus 26 SE special edition trike 20" / 26" (KRESPLV)				
	X	Scorpion plus 26 Special Edition electric color: magma red / black - drivetrain SHIMANO STEPS EPS with electric internal gear hub NEXUS Di2 5 speed - battery with 630 Wh - front suspension hard - handlebar long - hydraulic disc brakes SHIMANO XT - lighting system B&M IQ-X - rear rack - ROCK SHOX Monarch air damper - parking brake - tyres SCHWALBE Marathon Plus - mudguards, mirror, flag				12,990.00
Sc	orp	pion plus 26 SE selection seat				
		ErgoMesh HS meshseat (4.3" higher than EM seat)				0.00
seat		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)				0.00
S		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium) ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)				389.00
Sc	_		the "comf	art and ab	ility optio	389.00
30		pion plus 26 SE accessories Surcharges, unmounted, additional special accessories on front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	the comi	ort and ab	шту орио	289.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag, added				89.00
	_	seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position, added				129.00
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle				175.00
		adjustable end stops allow exact positioning of the seat				29.00
	-	two adjustable end stops for ErgoMesh Premium seats only, added				58.00
		rain cover for seats, ripstop nylon fabric, blue				39.00
	-	air horn AIRZOUND XL about 30-115 dB, not mounted				45.00
	-	frame lock ABUS Granit with removable key, without chain, black				99.00
	-	chain for frame lock length 100 cm / 39.4"				39.00
	-	clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes				119.00
	_	handrest with retaining strap comfortable hand support mounted on handlebar	40.40	42.04	47.00	
ehö	ш	mounting side of handrest: O left O right	60.48	63.84	67.20	119.00
Zubehör		handrests left and right with one retaining strap with one retaining strap, mounting side of retaining strap: O left O right	110.70	116.85	123.00	209.00
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	84.15	88.83	93.50	159.00
		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted	42.30	44.65	47.00	79.90
		standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side, O left O right O pair	78.30	82.65	87.00	149.50
		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted				209.00
		rear mirror B&M E wide view angle, easy to adjust, mounted to handlebar O left O right				109.00
		rear mirror B&M E both sides left and right, mounted to handlebar				218.00
		universal mount for accessories Mounting on the handlebar end, Ø 22,2 mm / 0.87" tube holder for accessories like phone holder / GPS devices / bell, max. load 400 grams / 0.88 lbs, unmounted				69.00
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel				39.00
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric				135.00





	×	Item	sugg. retail \$
Sp	ee	dmachine S-Pedelec recumbent 20"/26" (SPE)	
	×	Speedmachine S-Pedelec basic model up to 28 mph (45 km/h), class L1e, full suspension Front and rear suspension, above seat steering, Neodrives Z20RS hub motor, SHIMANO 30-speed, SCHWALBE Marathon Plus tyres, MAGURA hydraulic disc brakes, B&M lighting system, pannier rack, kickstand, B&M mirror left The boom on the Speedmachine is typically shortened by 3.15"	11,990.00
Sr	ee	dmachine S-Pedelec accessories & options extra charge	
-	_	standard colour O silvergrey O carmine red RAL3002	0.00
4)		single custom colour according to RAL-colour chart: (please specify)	239.00
frame		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	349.00
Ŧ,		front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION	239.00
		length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm	0.00
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0.00
	۵	ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback independently adjustable	389.00
		BodyLink seat	219.00
		BodyLink seat with brackets for small riders (1.6" to the front)	219.00
seat		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	99.00
s		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	175.00
		headrest for meshseat adjustable in height and angle, with quick release lever	219.00
		adjustable end stops allow exact positioning of the seat	29.00
		two adjustable end stops for ErgoMesh Premium seats only, added	58.00
		rain cover for seats, ripstop nylon fabric, blue	39.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	89.00
		Microbag topbag for BodyLink seat, detachable as hip bag, I litre	55.00
٦	I_{D}	rear shock DNM DV-22 (basic specification)	0.00
sioi	-	O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 285lbs	0.00
suspension		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	359.00
sns	×	suspension fork CONCEPT 2" suspension travel, steerer suspension system, adjustable	0.00
		hard spring for suspension fork for loads over 220 lbs, pre-installed	39.00
	×	above seat steering (ASS) with serobar direct (basic specification)	0.00
۽	□	E-drive NEODRIVES Z20RS and MICROSHIFT XLE30 up to 28 mph, 30 speed, rear derailleur SHIMANO XT, shifter SHIMANO XT, cassette SHIMANO XT, chainring set 3-speed black, Li-Ion battery 627 Wh, push assist	0.00
drivetrain		E-drive NEODRIVES Z20RS and PINION C1.12 hub motor, 12-speed PINION bottom bracket gearbox, Li-lon battery with 627 Wh, charger 4 A, push assist	2,160.00
ē		short cranks 155 mm / 6", recommended for riders under 175 cm / 68"	32.00
	×	tires SCHWALBE Marathon Plus 47mm / 1.8", very good puncture protection	0.00
	×	disc brake MAGURA MT5e hydraulic	0.00
	×	lighting system e-drive Z20RS B&M IQ-XE / horn B&M IQ-XE up to 150 Lux, with B&M horn	0.00
	×	rear rack 12 mm / 0.5" tube, black powder coating, max. load 25 kg / 55 lbs	0.00
		lowrider rack 10 mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg	199.00
ör		mudguards SKS 20" / 26" with spoiler, rear 53 mm / 2.1", black, stainless steel stays, mounted	199.00
Zubehö	×	kickstand PLETSCHER Esge Zoom mounted on the rear swingarm, black	0.00
Σľ		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	119.00
1		water bottle set HP VELOTECHNIK 2 x 0.6 I PE-bottle with HP print, with bottle cages, mounted	105.00
1	×	rear mirror B&M E left wide view angle, easy to adjust, incl. mounting hardware	0.00
		rear mirror B&M E both sides left and right, mounted to handlebar	59.00





	×	Item	retail \$
Sco	orp	pion fs 26 S-Pedelec foldable full suspension trike 20"/26" (SFE)	
	×	Scorpion fs 26 S-Pedelec up to 28 mph (45 km/h), class L1e, full suspension, foldable Front and rear suspension, under seat steering, Neodrives Z20RS hub motor, SRAM 30-speed, SCHWALBE Marathon Plus tyres, coupled hydraulic disc brakes, SHIMANO parking brake, B&M lighting system, pannier rack, B&M mirror left, AXA frame lock	13,590.00
Sco	orp	pion fs 26 S-Pedelec options Surcharges	
		standard colour O pure orange matt RAL2004 / black O cool grey metallic / black	0.00
		single custom colour according to RAL-colour chart: (please specify)	239.00
ē		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	349.00
frame		front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION	239.00
٦		length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm	0.00
		front boom quickadjust without chain compensation QR-levers	69.00
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	289.00
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0.00
		ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback independently adjustable	389.00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	389.00
		BodyLink seat	219.00
		long handlebars 6 cm / 2.4" higher grip position	25.00
seat		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	189.00
se		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	99.00
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	175.00
		headrest for meshseat adjustable in height and angle, with quick release lever	219.00
L		SeatWings hip support for BodyLink seat, carbon fiber, padded	359.00
		adjustable end stops allow exact positioning of the seat	29.00
L		two adjustable end stops for ErgoMesh Premium seats only, added	58.00
- 1		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	89.00
		rain cover for seats, ripstop nylon fabric, blue	39.00
_		rear shock DNM DV-22 (basic specification)	0.00
isio		O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 308 lbs	
۾ ج		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	359.00
		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar	0.00
		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar	42.00
		E-drive NEODRIVES Z20RS and SRAM 30 up to 28 mph, 30 speed, rear derailleur SRAM GX, bar end shifter SRAM	0.00
	_	SL-500, cassette SRAM, chainring set 3-speed black, Li-Ion battery 627 Wh, push assist, display position: O above handlebar O side of handlebar	0.00
ig.		E-drive NEODRIVES Z20RS and PINION C1.12 up to 28 mph, 12 speed PINION front gear box, Li-Ion 627 Wh, charger with 4A, not compatible with streamer,	2,160.00
etr	_	display position: O above handlebar O side of handlebar	2,100.00
냚		2nd battery pack for NEODRIVES Z20RS Li-lon 627 Wh incl. adapter, mounting hardware, incl. mounting accessories	
brakes / drivetrain		(restricts folding function)	2,120.00
bra	×	tires SCHWALBE Marathon Plus 47mm / 1.8", very good puncture protection	0.00
		short cranks 155 mm / 6", recommended for riders under 175 cm / 68"	32.00
	×	hydraulic disc brakes coupled hydraulic, coupled front brakes with one-hand operation, right lever, rear disc brake hydraulic, left lever	0.00
	×	parking brake SHIMANO rear wheel V-Brake with thumblever	0.00





[×	Item	sugg. retail \$			
Sco	orp	pion fs 26 S-Pedelec accessories Surcharges	i ettii y			
_	_	lighting system e-drive Z20RS B&M IQ-XE / horn B&M IQ-XE up to 150 Lux, with B&M horn	0.00			
(indicator lights system WingBling Front and rear indicators, mounted on the front boom and luggage rack, indicator switch mounted on the handlebar end or handlebar end shifter. Not compatible with Streamer.	789.00			
[×	rear rack 14 mm / 0.5" tube, black, for panniers max. load 12,5 kg / 27,5 lbs each side	0.00			
[top load rack additional luggage rack above the rear wheel, maximum load 10 kg / 22 lbs	239.00			
[side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted	209.00			
[×	rear mirror B&M E incl. bearings and O-rings	0.00			
		rear mirror B&M E both sides knuckle mounting right	109.00			
accessories		mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black	389.00			
SSS		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	119.00			
i i		water bottle set HP VELOTECHNIK 2×0.6 PE-bottle with HP print, with bottle cages, mounted	105.00			
		flag HP VELOTECHNIK double-sided print, with reflective strip	33.00			
Ţ		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted	69.00			
Ī		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	39.00			
Ţ		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION)	779.00			
Ī		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	135.00			
[×	frame lock ABUS Granit with removable key, without chain, black	0.00			
Ū		chain for frame lock length 100 cm / 39.4"	39.00			



parking brake SHIMANO rear wheel V-Brake with thumblever



0.00

	×	Item		sugg. retail \$
G	-kk	to fx 26 Hands-On-Cycle hand drive (GELH)		retan y
5		, , ,		
	×	Gekko fx 26 basic model foldable, under seat steering, STURMEY ARCHER 24 speed derailleur/hub gears, SHIMANO BR- MT200 hydraulic disc brakes, SHIMANO parking brake, tyres SCHWALBE Tryker		4,650.00
		standard colour O magma red O deep blue		0.00
		single custom colour according to RAL-colour chart: (please specify)		239.00
Er	nclos	ction of hand drive and options sed drive, height adjustable, length adjustable, adjustable leg rest, optional fully integrated headlight, parking brak colour: blue shade grey matt, restricts folding	e, width adjustable hand c	rank with 175 mm / 7"
	×	standard colour HOC unit blue shade grey matt	<u> </u>	0.00
		Hands-On-Cycle with drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters, SRAM X4 rear		0.00
		derailleur, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34		3,420.00
		Hands-On-Cycle with drivetrain ROHLOFF Speedhub/14 14 speed, black, twist shifter		6,130.00
НОС		Hands-On-Cycle with E-drive NEODRIVES Z20 and drivetrain SHIMANO/MICROSHIFT 10 up to 20 mph, hub motor, 10 speed, rear derailleur MICROSHIFT XLE, XT Triggershifter, cassette SHIMANO XT, Li-lon battery 576 Wh, push assist		7,750.00
		Footplate HOC for placing the feet, incl. fastening strap, mounted on the leg rest		355.00
		calf brace HOC Legs can be secured, adjustable angle, restraint straps with quick-entry function, lower leg fixation adjustable to leg length and leg position, mounted on the leg rest		169.00
G	ekk	to fx 26 Hands-On-Cycle options extra charge		
		headrest for meshseat adjustable in height and angle, with quick release lever		219.00
		seat angle adapter to adjust the backrest in a more upright position, with quick release		129.00
		Gekko seat pad additional comfortable and breathable upholstered seat pad to attach to the seat, fastening with buckles		199.00
		adjustable end stops allow exact positioning of the seat		29.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag		89.00
at		pelvic support belt for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted		349.00
seat		pelvic support belt XL for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, recommended for XL seats and tall people, not mounted		349.00
		chest support belt for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted		349.00
		chest support belt XL for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, recommended for XL seats and tall people, not mounted		349.00
		rain cover for seats, ripstop nylon fabric, blue		39.00
		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to Marathon Plus 47 mm / 1.8"		59.00
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)		0.00
Se		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable		249.00
brakes		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation right side and		349.00



	×	ltem	sugg.
Ш			retail \$
acc	ces	ssories Gekko fx 26 Hands-On-Cycle extra charge	
		lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C permanent	139.00
ı		lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC	259.00
		lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC	359.00
		lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light	899.00
es		indicator lights system WingBling HOC only in combination with electric drive, operable from the handlebar	859.00
ssori		rear rack 10 mm / 0.4" tube, black powder coating, max. load 25 kg / 55 lbs	109.00
ces		mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black	389.00
acce		water bottle set HP VELOTECHNIK 2×0.6 PE-bottle with HP print, with bottle cages, mounted	105.00
Ī		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right	109.00
Ī		flag HP VELOTECHNIK double-sided print, with reflective strip	33.00
Ī		air horn AIRZOUND XL about 30-115 dB, not mounted	45.00
Ī		frame lock ABUS Granit with removable key, without chain, black	115.00
Ī		chain for frame lock length 100 cm / 39.4"	39.00
Ī		walking aid mount single sided easy fixing and safety clip, mounting side: O left O right	129.00
		walking aid mounts left and right easy fixing and safety clip	258.00





	×	Item		sugg. retail \$
Sc	or	pion fs 20 Hands-On-Cycle hand drive (SFSH)		
	×	Scorpion fs 20 basic model foldable, rear and front suspension, under seat steering, STURMEY ARCHER 24 speed derailleur/hub gears, SHIMANO BR-MT200 hydraulic disc brakes, SHIMANO parking brake, tyres SCHWALBE Tryker		7,090.00
		standard colour O colza yellow RAL1021 O blue shade grey matt		0.00
		single custom colour according to RAL-colour chart: (please specify)		239.00
L		double custom colour according to RAL-colour chart main frame:, swing arm:		349.00
Er	nclos	ction of hand drive and options ded drive, height adjustable, length adjustable, adjustable leg rest, optional fully integrated headlight, parking brak colour: blue shade grey matt, restricts folding	e, width adjustable hand	
	×	standard colour HOC unit blue shade grey matt		0.00
	□	Hands-On-Cycle with drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters, SRAM X4 rear derailleur, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34		3,420.00
		Hands-On-Cycle with drivetrain ROHLOFF Speedhub/14 14 speed, black, twist shifter		6,130.00
НОС	٥	Hands-On-Cycle with E-drive NEODRIVES Z20 and drivetrain SHIMANO/MICROSHIFT 10 up to 20 mph, hub motor, 10 speed, rear derailleur MICROSHIFT XLE, XT Triggershifter, cassette SHIMANO XT, Li-Ion battery 576 Wh, push assist		7,750.00
		Footplate HOC for placing the feet, incl. fastening strap, mounted on the leg rest		355.00
		calf brace HOC Legs can be secured, adjustable angle, restraint straps with quick-entry function, lower leg fixation adjustable to leg length and leg position, mounted on the leg rest		169.00
Sc	or	pion fs 20 Hands-On-Cycle options extra charge		
	_	ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags		0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)		0.00
	□	ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback independently adjustable		389.00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)		389.00
		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position		129.00
		headrest for meshseat adjustable in height and angle, with quick release lever		219.00
		adjustable end stops allow exact positioning of the seat		29.00
seat		two adjustable end stops for ErgoMesh Premium seats only, added		58.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag		89.00
		pelvic support belt for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted		349.00
	□	pelvic support belt XL for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, recommended for XL seats and tall people, not mounted		349.00
		chest support belt for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted		349.00
	۵	chest support belt XL for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, recommended for XL seats and tall people, not mounted		349.00
		rain cover for seats, ripstop nylon fabric, blue		39.00
_		rear shock DNM DV-22 (basic specification)		0.00
suspension		O soft: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 225 lbs O hard: 550 lbs/inch, up to 285 lbs		
sper		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump		359.00
sns		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar		0.00
-		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar 2nd battery pack for NEODRIVES Z20 Li-ion battery 576 Wh, battery adapter set, cable extension for convenient		42.00
		charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)		1,450.00
_		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to Marathon Plus 47 mm / 1.8"		59.00
Ī		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	 	0.00
brakes		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation right side and		249.00 349.00
ľ		parking brake function, rear disc brake		
L	스	parking brake SHIMANO rear wheel V-Brake with thumblever	I I I	0.00



	_		 	
¥	×	Item		sugg. retail \$
acco	.es	ssories Scorpion fs 20 Hands-On-Cycle hand drive extra charge		
C	\Box	lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C permanent		139.00
[\Box	lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC		259.00
L	اد	lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC	1	359.00
С	\Box	lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light		899.00
		indicator lights system WingBling HOC only in combination with electric drive, operable from the handlebar	1	859.00
sories		rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs		379.00
esso		mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black		389.00
		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted		105.00
"[-		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right		109.00
		flag HP VELOTECHNIK double-sided print, with reflective strip		33.00
		air horn AIRZOUND XL about 30-115 dB, not mounted		45.00
		trailer hitch WEBER with HP VELOTECHNIK adapter, max. vertical load 6,5 kg / 14 lbs, max trailer load 40kg / 88lbs		219.00
		frame lock ABUS Granit with removable key, without chain, black		99.00
		chain for frame lock length 100 cm / 39.4"		39.00
Г		walking aid mount single sided easy fixing and safety clip, mounting side: O left O right		129.00
, <u>l</u> c		walking aid mounts left and right easy fixing and safety clip		258.00





	×	Item		sugg. retail \$
Sc	or	pion plus 20 Hands-On-Cycle hand drive (SPSH)		
	×	Scorpion plus 20 basic model foldable, rear and front suspension, under seat steering, STURMEY ARCHER 24 speed derailleur/hub gears, SHIMANO BR-MT200 hydraulic disc brakes, SHIMANO parking brake, tyres SCHWALBE Tryker, seat angle adapter		7,650.00
		standard colour O cool grey metallic O magma red / black		0.00
		single custom colour according to RAL-colour chart: (please specify)		239.00
		double custom colour according to RAL-colour chart main frame:, swing arm:		349.00
Er	nclos	ction of hand drive and options sed drive, height adjustable, length adjustable, adjustable leg rest, optional fully integrated headlight, parking brak colour: blue shade grey matt, restricts folding	e, width adjustable hand	crank with 175 mm / 7"
	×	standard colour HOC unit blue shade grey matt		0.00
	□	Hands-On-Cycle with drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters, SRAM X4 rear derailleur, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34		3,420.00
		Hands-On-Cycle with drivetrain ROHLOFF Speedhub/14 14 speed, black, twist shifter		6,130.00
НОС	٥	Hands-On-Cycle with E-drive NEODRIVES Z20 and drivetrain SHIMANO/MICROSHIFT 10 up to 20 mph, hub motor, 10 speed, rear derailleur MICROSHIFT XLE, XT Triggershifter, cassette SHIMANO XT, Li-lon battery 576 Wh, push assist		7,750.00
		Footplate HOC for placing the feet, incl. fastening strap, mounted on the leg rest		355.00
	П	calf brace HOC Legs can be secured, adjustable angle, restraint straps with quick-entry function, lower leg fixation adjustable to leg length and leg position, mounted on the leg rest		169.00
Sc	or	pion plus 20 Hands-On-Cycle options extra charge		
		ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback independently adjustable		389.00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)		389.00
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)		389.00
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)		389.00
	×	seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position		0.00
		headrest for meshseat adjustable in height and angle, with quick release lever		219.00
		adjustable end stops allow exact positioning of the seat		29.00
seat		two adjustable end stops for ErgoMesh Premium seats only, added		58.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag		89.00
		pelvic support belt for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted		349.00
	ロ	pelvic support belt XL for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, recommended for XL seats and tall people, not mounted		349.00
		chest support belt for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted		349.00
	□	chest support belt XL for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, recommended for XL seats and tall people, not mounted		349.00
		rain cover for seats, ripstop nylon fabric, blue		39.00
suspension		rear shock DNM DV-22 (basic specification) O soft: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 225 lbs O hard: 550 lbs/inch, up to 285 lbs		0.00
)en		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump		359.00
Isns		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar		0.00
		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar		42.00
	۵	2nd battery pack for NEODRIVES Z20 Li-ion battery 576 Wh, battery adapter set, cable extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)		1,450.00
		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to Marathon Plus 47 mm / 1.8"		59.00
1		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)		0.00
es		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable		249.00
brakes	□	hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation right side and parking brake function, rear disc brake		349.00
1	IVI	parking brake SHIMANO rear wheel V-Brake with thumblever		0.00



×	Item		sugg. retail \$			
CCE	essories Scorpion plus 20 Hands-On-Cycle extra charge		TCtan ψ			
	, , ,					
	lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C permanent		139.00			
	lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC					
	lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		359.00			
	Iighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light					
۔ ا	indicator lights system WingBling only in conjunction with electric drive		789.00			
ssories	rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs	379.00				
	lowrider rack 10mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg (requires installed rear rack)		185.00			
<u>ت</u>	mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black		389.00			
<u> </u>	water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted		105.00			
	rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right		109.00			
	flag HP VELOTECHNIK double-sided print, with reflective strip		33.00			
	air horn AIRZOUND XL about 30-115 dB, not mounted		45.00			
	frame lock ABUS Granit with removable key, without chain, black		99.00			
	chain for frame lock length 100 cm / 39.4"		39.00			
	walking aid mount single sided easy fixing and safety clip, mounting side: O left O right		129.00			
	walking aid mounts left and right easy fixing and safety clip		258.00			





	×	Item		sugg.					
				retail \$					
Sc	or	pion plus 26 Hands-On-Cycle hand drive (SPLH)							
	×	Scorpion plus 26 basic model foldable, rear and front suspension, under seat steering, STURMEY ARCHER 24 speed derailleur/hub gears, SHIMANO BR-MT200 hydraulic disc brakes, SHIMANO parking brake, tyres SCHWALBE Tryker, seat angle adapter		7,750.00					
		standard colour O cool grey metallic O magma red / black		0.00					
		single custom colour according to RAL-colour chart: (please specify)		239.00					
		double custom colour according to RAL-colour chart main frame:, swing arm:		349.00					
Er	Selection of hand drive and options Enclosed drive, height adjustable, length adjustable, adjustable leg rest, optional fully integrated headlight, parking brake, width adjustable hand crank with 175 mm / 7" length, colour: blue shade grey matt, restricts folding								
Г	×	standard colour HOC unit blue shade grey matt		0.00					
		Hands-On-Cycle with drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters, SRAM X4 rear							
		derailleur, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette I I-34		3,420.00					
		Hands-On-Cycle with drivetrain ROHLOFF Speedhub/14 14 speed, black, twist shifter		6,130.00					
НОС	٥	Hands-On-Cycle with E-drive NEODRIVES Z20 and drivetrain SHIMANO/MICROSHIFT 10 up to 20 mph, hub motor, 10 speed, rear derailleur MICROSHIFT XLE, XT Triggershifter, cassette SHIMANO XT, Li-lon battery 576 Wh, push assist		7,750.00					
		Footplate HOC for placing the feet, incl. fastening strap, mounted on the leg rest		355.00					
		calf brace HOC Legs can be secured, adjustable angle, restraint straps with quick-entry function, lower leg fixation		169.00					
C-		adjustable to leg length and leg position, mounted on the leg rest							
30	or	pion plus 26 Hands-On-Cycle options extra charge	T T						
		ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback independently adjustable		389.00					
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)		389.00					
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)		389.00					
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)		389.00					
	×	seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position		0.00					
		headrest for meshseat adjustable in height and angle, with quick release lever		219.00					
		adjustable end stops allow exact positioning of the seat		29.00					
seat		two adjustable end stops for ErgoMesh Premium seats only, added		58.00					
5		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag		89.00					
		pelvic support belt for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted		349.00					
	۵	pelvic support belt XL for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, recommended for XL seats and tall people, not mounted		349.00					
		chest support belt for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted		349.00					
	 -	chest support belt XL for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, recommended		349.00					
		for XL seats and tall people, not mounted							
		rain cover for seats, ripstop nylon fabric, blue		39.00					
suspension		rear shock DNM DV-22 (basic specification)		0.00					
	L	O soft: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 225 lbs O hard: 550 lbs/inch, up to 285 lbs		350.00					
		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar		359.00					
		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar		0.00 42.00					
	0	2nd battery pack for NEODRIVES Z20 Li-ion battery 576 Wh, battery adapter set, cable extension for convenient		1,450.00					
		charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)		·					
_		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to Marathon Plus 47 mm / 1.8"		59.00					
brakes		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)		0.00					
		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable		249.00					
		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation right side and parking brake function, rear disc brake		349.00					
	×	parking brake SHIMANO rear wheel V-Brake with thumblever		0.00					



	X	Item		sugg. retail \$				
acc	ces	sories Scorpion plus 26 Hands-On-Cycle extra charge						
		lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C permanent		139.00				
		lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC		259.00				
		lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		359.00				
		lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light		899.00				
		indicator lights system WingBling only in conjunction with electric drive		789.00				
ories		rear rack 14 mm / 0.6" tube, black powder coating, max. load 25 kg / 55 lbs		299.00				
sori		top load rack additional luggage rack above the rear wheel, maximum load 10 kg / 22 lbs		239.00				
cess		lowrider rack 10mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg (requires installed rear rack)		185.00				
ac		mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black		389.00				
		water bottle set HP VELOTECHNIK 2×0.6 I PE-bottle with HP print, with bottle cages, mounted		105.00				
L		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right		109.00				
L		flag HP VELOTECHNIK double-sided print, with reflective strip		33.00				
		air horn AIRZOUND XL about 30-115 dB, not mounted		45.00				
		frame lock ABUS Granit with removable key, without chain, black		99.00				
		chain for frame lock length 100 cm / 39.4"		39.00				
		walking aid mount single sided easy fixing and safety clip, mounting side: O left O right		129.00				
		walking aid mounts left and right easy fixing and safety clip		258.00				



comfort and ability options

	×	Item	sugg. retail \$							
СО	comfort and ability options for HP VELOTECHNIK trikes (cannot be ordered with frame kits)									
standing-up		standing-up aid for HP VELOTECHNIK trikes with front suspension (SFS, SFL, SFN, SFE, SPS, SPL) except Delta tx, support with grip for easy entry and exit from the trike, mounted on the frame. price per side, O left O right O pair	194.50							
standi		standing-up aid for HP VELOTECHNIK trikes without front suspension (GEF, GEL, GEN, SCO2, SCL, SCF2) except Delta tx, support with grip for easy entry and exit from the trike, mounted to the knuckle, price per side, O left O right O pair	124.50							
		pedal with heelstrap and foot clamp single sided easy entry and positive grip, adjustable length, standard pedal on the other side, mounting side of pedal with heelstrap and foot clamp: O left O right size range: O 8.7" - II" O 10.6" - 13.4"	119.00							
		pedals with heelstrap and foot clamp left and right easy entry and positive grip, adjustable length, size range: O8-II" OII-I4"	239.00							
		ErgoPedal single sided (not for SFE) adjustable position, easy entry straps, leg fixation adjustable in length and position, other side standard pedal, mounting side of ErgoPedal: O left O right size: O 7,9" - 11" O 10,6" - 13,4"	179.00							
t-pedals		ErgoPedal left and right (for all trike models except SFE) adjustable position, easy entry straps, size: O 7,9" - 11" O 10,6" - 13,4"	359.00							
ergo- and comfort-pedals		ErgoPedal with safety release single sided (for all trike models except SFE) incl. one SPD-pedal SHIMANO PD-A530, adjustable position, joint-friendly freedom of movement +/-3 degrees, easy entry straps, other side standard pedal, higher safety due to adjustable release force, mounting side of safety pedal: O left O right size: O 7,9" - 11" O 10,6" - 13,4"	235.00							
erg		ErgoPedal with safety release left and right (not for SFE) adjustable position, joint-friendly freedom of movement +/-3 degrees, easy entry straps, higher safety due to adjustable release force, size: 7,9 - 11" O 10,6 - 13,4"	469.00							
		ErgoPedal with calf brace single sided (for all trike models except SFE) adjustable position, easy entry straps, leg fixation adjustable in length and position, other side standard pedal, mounting side of ErgoPedal: O left O right size: O 7,9" - 11" O 10,6" - 13,4"	369.00							
		ErgoPedal with calf brace left and right (for all trike models except SFE) adjustable position, easy entry straps, leg fixation adjustable in length and position, size: O 7,9" - II" O 10,6" - 13,4"	739.00							
walking		walking aid mount single sided easy fixing and safety clip, mounting side: O left O right	129.00							
wal		walking aid mounts left and right easy fixing and safety clip	258.00							
		pelvic support belt for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted	349.00							
belt		chest support belt for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted	349.00							
support b		pelvic support belt XL for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, recommended for XL seats and tall people, not mounted	349.00							
ns		chest support belt XL for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, recommended for XL seats and tall people, not mounted	349.00							
handrest		handrest with retaining strap (for all trike models except SFE and Delta tx) comfortable hand support mounted on handlebar mounting side: O left O right	135.00							
hanc		handrests left and right with one retaining strap (for all trike models except SFE and Delta tx) comfortable hand support, mounting side of retaining strap: O left O right	269.00							

This order refers to an order of the following complete bike (please check):

🗆 Delta tx (DET) 🗅 Gekko fx 20 (GEF) 🗅 Gekko fx 26 (GEL) 🗅 Gekko 6x 26 (GEN) 🗅 Scorpion 2 (SCO2) 🗅 Scorpion fx 20 (SCF2) 🗅 Scorpion fx 20 (SCF2)

□ Scorpion fs 26 (SFL) □ Scorpion fs 26 End. (SFN) □ Scorpion fs 26 S-Ped. (SFE) □ Scorpion plus 20 (SPS) □ Scorpion plus 26 (SPL) □ Hands-on-Cycle (HOC)

company / customer no.:

name, date & signature:



Parts from US-warehouse

-	_			
	×	Item		su reta
HP	۷ د	elotechni	k Premium Parts - shipment from US-warehouse	
		SBKO26S3	mudguard set HP Trikefender 20" / 26" fits Gekko fx 26, Scorpion 2, black, front and rear incl. mounting hardware	389
mudguard		SBKOSFS	mudguard set HP Trikefender 20" fs fits Scorpion fs 20 / plus 20, black, front and rear incl. mounting hardware	389
gpnm		SBKOSFL	mudguard set HP Trikefender 20" / 26" fs fits Scorpion fs 26 / fs 26 S-Pedelec / plus 26, black, front and rear incl. mounting hardware	389
Ţ		SBHR2053SI	rear mudguard SKS 20" for HP VELOTECHNIK trikes, incl. mounting hardware	75
_ [SBHR2653S1	rear mudguard SKS 26" for HP VELOTECHNIK trikes, incl. mounting hardware	75
tle		TFSETGHP	water bottle set HP VELOTECHNIK for BodyLink fits Grasshopper/fx, Streetmachine Gte, Scorpion, 2×0.6 l PE-bottle, bottle cages and mounting hardware	105
water bottle		TFSETSCF	water bottle set HP VELOTECHNIK for BodyLink fits Scorpion fx / fs 20 / fs 26 , 2×0.6 PE-bottle, bottle cages and mounting hardware	105
wa		TFSETEM	$\label{eq:water bottle set HP VELOTECHNIK for ErgoMesh and Gekkos~2 \times 0.6 \ \text{I PE-bottle, bottle cages and mounting hardware}$	105
		RSPBESK	rear mirror B&M E, left fits Gekko fxs / fx 20 / fx 26, Scorpion / 2 / fx / fx2	109
õ		RSPBESKR	rear mirror B&M E, right fits Gekko fxs / fx 20 / fx 26, Scorpion / 2 / fx / fx2	109
mirror		RSPBEK	rear mirror B&M E, left fits Scorpion fs 20 / fs 26 / fs 26 Enduro / fs 26 S-Pedelec	109
		RSPBEKR	rear mirror B&M E, right fits Scorpion fs 20 / fs 26 / fs 26 Enduro / fs 26 S-Pedelec	109
trike		RSPBEPLK	rear mirror B&M E, left fits Scorpion plus 20 / plus 26	109
Ī		RSPBEPRK	rear mirror B&M E, right fits Scorpion plus 20 / plus 26	109
	۵	LESHEM	side bag mount only for Ergomesh seats on tricycles, mounting for handlebar bags, attached to the seat, maximum load I I lbs, left and right, unmounted	209
		LESHEM	side bag mount for Gekko $26 / \text{ fx } 20 / \text{ fx } 26$ mounting for handlebar bags, fixed to the frame, maximum load 11 lbs, left and right, unmounted, folding function limited, bike can no longer be pulled on wheels	209
rack		GTKOTL	top load rack additional luggage rack above the rear wheel, maximum load 22 lbs, not suitable for side panniers, only for Scorpion models with 26" wheel	239
Ē		GTKOGEF	rear rack 0.4" tube, black, max. load 55 lbs, fits Gekko fxs / fx 20	109
ſ		GTKOGEL	rear rack 0.4" tube, black, max. load 55 lbs, fits Gekko fx 26	109
Ţ		GTKOSCO	rear rack 0.5" / 0.4" tube, black, max. load 55 lbs, fits Scorpion / fs 20	379
ľ		GTKOSFL	rear rack 0.6" tube, black, max. load 55lbs, for panniers only, fits Scorpion 2 / fs 26 / fs 26 Enduro	299
ľ		GTKOSPS	rear rack 0.5" / 0.4" tube, black, max. load 55 lbs, fits Scorpion plus 20	379
ľ		GTKOSPL	rear rack 0.6" tube, black, max. load 55 lbs, for panniers only, fits Scorpion plus 26	299
		GHEM	walking aid mount for ErgoMesh seat one walking aid, easy fixing and safety clip, suits clamping diameter 20 – 30 mm (up to 2 walking aids mounts per bike)	129
ability		LEAAHSETL	standing-up aid left for HP VELOTECHNIK trikes without front suspension (GEF, GEL, GEN, SCO2, SCF2) except Delta tx, support with grip for easy entry and exit from the trike, mounted to the knuckle	124
and		LEAAHSETR	standing-up aid right for HP VELOTECHNIK trikes without front suspension (GEF, GEL, GEN, SCO2, SCF2) except Delta tx, support with grip for easy entry and exit from the trike, mounted to the knuckle	124
comfort		LEAAHSET2L	standing-up aid left for HP VELOTECHNIK trikes with front suspension (SFS, SFL, SFN, SFE, SPS, SPL) except Delta tx, support with grip for easy entry and exit from the trike, mounted on the frame	194
		LEAAHSET2R	standing-up aid right for HP VELOTECHNIK trikes with front suspension (SFS, SFL, SFN, SFE, SPS, SPL) except Delta tx, support with grip for easy entry and exit from the trike, mounted on the frame	194
Ļ	_		handrests left and right, comfortable hand support, adjustable	189
ļ	_		headrest for meshseat adjustable in angle and height, with quick release lever	219
e part	T	SIHPKSV TAEPPA	headrest for BodyLink seat adjustable in angle and height add-on bags for all mesh seats except GES, I pair of bags, mounts to the backrest, I bag water repellent, I	89
spare			bag ventilated, capacity approx. 0.3 gal. per bag	
s pc	-	SIZUBV	seat angle adapter for ErgoMesh Premium, to adjust the backrest in a more upright position	129
e and		SIZUAPKO	adjustable end stops allow exact positioning of the seat	29
seat accessorie	_	SIKIGEF	seat pad for Gekko 26 / fx20 / fx26, additional comfortable upholstered seat pad to attach to the normal seat, fastening with buckles, breathable upholstery	199
acc	_	SIZURS	rain cover for seat Ripstop nylon fabric, blue	39
eat		RLZUHL	rear light mount BodyLink seat with flag holder	59
ŭ		SSM5X88K	quick release skewer for lower seat connection M5 \times 88	29
ſ		SSM5X122K	quick release skewer for middle seat connection M5 x 122 (not for Grasshopper fx)	29
_ [SSM5X112	quick release skewer for upper seat connection M5 x 112, black, replaces M6 x 115 (not for Gekkos)	18
tool		WZSL	track adjustment tool for HP VELOTECHNIK trikes for easy aligning of the front wheel	239
	_		assembly mount for HP VELOTECHNIK Gekko for holding complete bikes or framekits in a repair	

Parts from US-warehouse



Section		×	Item				sugg. retail \$			
CHUHTY Bite phone holder / GPS devices / hell, max. load 0.88 bs. unmounted CHUHTY Bite phone holder / GPS devices / hell, max. load 0.88 bs. unmounted CHUHTY Bite phone holder / GPS devices / hell, max. load 0.88 bs. unmounted CHUHTY Bite phone holder / GPS devices / hell, max. load 0.88 bs. unmounted CHUHTY Bite phone holder / GPS devices / hell, max. load 0.88 bs. unmounted CHUHTY	HF	HP Velotechnik Premium Parts - shipment from US-warehouse								
CPULPTY Size phone holder / OFS devices / bell max. (oak 0.88 lbs. unmounted CPU C			СНИНТВ				69.00			
MIRPS Right PYELOTECHNIK double-aided print, with reflexive strop Transport cover for folded trike models suitable for all trikes in folded state, Nylon fabric Transport cover for folded trike models suitable for all trikes in folded state, Nylon fabric Richard Ri	snoe		CHUHTV				69.00			
WHIPF Alg HP VELOTECHNIK double-aided print, with reflective storp TASHSCE ramport cover for folded trike models suitable for all tribles in folded state, Nylon fabric BMPS parking brake set SHIMANO rear wheel ViSitable with dismblewer and cardiever sockel bott PASHSCE	cellan		RTZUSV				289.00			
TASHSCF Parapaper cover for folded trike models suitable for all trikes in folded stace, Nylon fabric	mis		CHSMSET	speedometer mount for trikes for computers or GPS-devices, incl. sensor bracket for front wheel			16.00			
BRPBS parking brake set SHIMANO rear wheel V-Brake with thumblever and cantilever sockel bolt			WIHP	flag HP VELOTECHNIK double-sided print, with reflective strip			33.00			
CLUSPY HP VELOTECHNIK idler incl. bearings and O-rings 270071 HP VELOTECHNIK or-ring fins KLRSPM idler (see above), 2 pcs. needed 270075 HP VELOTECHNIK Or-ring fins KLRSPM idler (see above), 2 pcs. needed 270075 HP VELOTECHNIK derailleur hanger for all models except Spirit HP VELOTECHNIK for usupernion struts servicekt most frequently needed spare parts. 2 mibber struth bearings, 2 support discs, 2 shock boots black and 2 blus. 2 upper and 2 lower sealing rings, 2 damping strips soft and 2 hart, 2 sellon sheess, 2 bottom elastomers, 2 end stop, 2 end stop, 2 end stop stretchings, 2 stand bearings, 10 elastomers hard and 10 soft, 2 headester covers, 2 spacer bushings, 3 preload adjusters. Proceedings, 2 stand bearings, 10 elastomers hard and 10 soft, 2 headester covers, 2 spacer bushings, 3 preload adjusters. Proceedings, 2 stand bearings, 10 elastomers hard and 10 soft, 2 headester covers, 2 spacer bushings, 3 preload adjusters. Proceedings, 2 stand bearings, 10 elastomers hard and 10 soft, 2 headester covers, 2 spacer bushings, 3 preload adjusters. Proceedings, 2 stand bearings, 10 elastomers hard and 10 soft, 2 headester covers, 2 spacer bushings, 3 preload adjusters. Proceedings, 2 stand bearings, 10 elastomers hard and 10 soft, 2 headester, 2 spacer bushings, 3 preload adjusters. Proceedings, 2 stand bearings, 10 elastomers hard and 10 soft, 2 headester, 2 spacer bushings, 3 preload adjusters. Proceedings, 2 stand bearings, 10 elastomers hard and 10 soft, 2 headester, 2 spacer bushings, 3 preload adjusters, and 2 stand bearings, 3 stand bearings, 3 stand bearings, 3 stand bearings, 10 elastomers hard and 10 soft, 2 headester, 3 stand bearings, 10 elastomers hard and 10 soft, 2 headester, 3 stand bearings, 10 elastomers, 10 e		_		transport cover for folded trike models suitable for all trikes in folded state, Nylon fabric			135.00			
Z70071	Ш	_		parking brake set SHIMANO rear wheel V-Brake with thumblever and cantilever sockel bolt			79.00			
Z20195 HP VELOTECHNIK deraileur hanger for all models oxcept Spirit LTFBSER			KLRSPM	HP VELOTECHNIK idler incl. bearings and O-rings			45.00			
HP VELOTECHNIK front suspension struts servicekit most frequently needed spare parts. 2 rubber struts bearings. 2 support discs, 2 shock boots black and 2 blus, 2 upper and 2 lower sealing rings, 2 damping strays soft and 2 hart, 2 tellon bearings. 10 slastomers hard and 10 soft, 2 headset covers, 2 spacer bushings, 2 preload adjusters.			Z70071	HP VELOTECHNIK O-ring fits KLRSPM idler (see above), 2 pcs. needed			1.50			
TFBSER STUT bearings, 2 support discs, 2 shock boots black and 2 blue, 2 upper and 2 lower sealing rings, 2 damping strips oft and 2 harr, 2 reflon sheets, 2 boctom elastromers, 2 end stop, 2 end stop, 3 end stop streetchings, 2 axial bearings, 10 elastromers had and 10 soft, 2 headest covers, 2 spacer bushings, 2 prebad adjusters.	l l		Z20195	HP VELOTECHNIK deraileur hanger for all models except Spirit			14.00			
TFBSER STUT bearings, 2 support discs, 2 shock boots black and 2 blue, 2 upper and 2 lower sealing rings, 2 damping strips oft and 2 harr, 2 reflon sheets, 2 boctom elastromers, 2 end stop, 2 end stop, 3 end stop streetchings, 2 axial bearings, 10 elastromers had and 10 soft, 2 headest covers, 2 spacer bushings, 2 prebad adjusters.	art			HP VELOTECHNIK front suspension struts servicekit most frequently needed spare parts 2 rubber						
Comparison Com	ė	_								
FGZUPESFS2 hard coil spring for front suspension struts, above 198 lbs, yellow GZUSTHB HV PELOTECHNIK bracket for anti-roll bar with bushing FGZUSTHB HV PELOTECHNIK bracket for anti-roll bar with bushing FGZUSTHB HV PELOTECHNIK bracket for anti-roll bar with bushing FGZUSTHB HV PELOTECHNIK bracket for anti-roll bar with bushing FGZUSTHB HV PELOTECHNIK bracket for anti-roll bar with bushing FGZUSTHB HV PELOTECHNIK bracket for anti-roll bar with bushing FGZUSTHB HV PELOTECHNIK bracket for anti-roll bar with bushing FGZUSTHB HV PELOTECHNIK bracket for anti-roll bar with bushing FGZUSTHB HV PELOTECHNIK bracket for anti-roll bar with bushing FGZUSTHB HV PELOTECHNIK bracket for anti-roll bar with bushing FGZUSTHB HV PELOTECHNIK bracket for a Bodylink seat a rear light mount BodyLink seat RLZUHL is required. The E-Kit is shipped seperately, well as the battery, and battery adapter kit! If equipped with a Bodylink seat a rear light mount BodyLink seat RLZUHL is required. The E-Kit is shipped seperately, well as the battery and battery adapter kit! If equipped with a Bodylink seat a rear light mount BodyLink seat RLZUHL is required. The E-Kit is shipped seperately, well as the battery and battery adapter kit! If equipped with a Bodylink seat a rear light mount BodyLink seat RLZUHL is required. The E-Kit is shipped seperately, well as the battery and battery adapter kit! If equipped with a Bodylink seat a rear light mount BodyLink seat RLZUHL is required. The E-Kit is shipped seperately, well as the battery and battery adapter kit! If equipped with a Bodylink seat a rear light seath Toplight Flat battery for Shimano second generation (E900. E400.	spa	ш	LTFBSER				199.00			
E-Kit SHIMANO STEPS for retrofitting Gekko or Scorpion trikes with motor mounted on the boom, HP VELOTECHNIK external wiring harness and connected battery holder rail. Please make sure to check also the box for desired battery and battery adapter kit! He quipped with a Bodylink seat a rear light mount BodyLink seat RLZUHL is required. The E-Kit is shipped seperately, well as the battery. The pre assembly service does not apply for the E-Kit it self. Only for retrofitting to HP VELOTECHNIK trikes, not for use on HP VELOTEC bikes or other brands. Installation must be carried out by an HP Velotechnik dealer. HAEKS520 HAEKS520 E-Kit SHIMANO STEPS E5000 for 20" SHIMANO STEPS E5000 motor, large display SC-E6100, control unit SW-E6000, battery charger 4A, up to 20 mph, headlight B&M IQ-XS, rear light B&M Toplight Flat battery, front boom HAEKS526 HAEKS520 E-Kit SHIMANO STEPS E5000 for 20" SHIMANO STEPS E5000 motor, large display SC-E6100, control unit SW-E6000, battery charger 4A, up to 20 mph, headlight B&M IQ-XS, rear light B&M Toplight Flat battery, front boom HAEKS52120 EN610, control unit SW-EN600L, battery charger 4A, up to 20 mph, headlight B&M IQ-XS, rear light B&M Toplight Flat battery, front boom HAEKS50120 EN610, control unit SW-EN600L, battery charger 4A, up to 20 mph, headlight B&M IQ-X, rear light B&M Toplight Flat battery, front boom HAEKS60126 En810 Control unit SW-EN600L, battery charger 4A, up to 20 mph, headlight B&M IQ-X, rear light B&M Toplight Flat battery, front boom HAEKS6126 HAEKS6126 En810 Control unit SW-EN600L, battery charger 4A, up to 20 mph, headlight B&M IQ-X, rear light B&M				bearings, 10 elastomers hard and 10 soft, 2 headset covers, 2 spacer bushings, 2 preload adjusters.						
### SHIMANO STEPS for retrofitting Gekko or Scorpion trikes with motor mounted on the boom, HP VELOTECHNIK external wiring harness and connected battery holder rail. Please make sure to check also the box for desired battery and battery adapter kit! If equipped with a Bodylink seat a rear light mount BodyLink seat RLZUHL is required. The E-Kit is shippeped seperately, well as the battery. The pre assembly service does not apply for the E-Kit it self. Only for retrofitting to HP VELOTECHNIK trikes, not for use on HP VELOTEC bikes or other brands. Installation must be carried out by an HP Velotechnik dealer. HAEKS520			FGZUFESFS2	hard coil spring for front suspension struts, above 198 lbs, yellow			15.90			
with motor mounted on the boom, HP VELOTECHNIK external wiring harness and connected battery holder rail. Please make sure to check also the box for desired battery and battery adapter kit! If equipped with a Bodylink seat a rear light mount BodyLink seat RLZUHL is required. The E-Kit is shippeped seperately, well as the battery. The pre assembly service does not apply for the E-Kit it self. Only for retrofitting to HP VELOTECHNIK trikes, not for use on HP VELOTEC bikes or other brands. Installation must be carried out by an HP Velotechnik dealer. HAEKS520 HAEK			FGZUSTHB	HP VELOTECHNIK bracket for anti-roll bar with bushing			25.00			
with motor mounted on the boom, HP VELOTECHNIK external wiring harness and connected battery holder rail. Please make sure to check also the box for desired battery and battery adapter kit! If equipped with a Bodylink seat a rear light mount BodyLink seat RLZUHL is required. The E-Kit is shippeped seperately, well as the battery. The pre assembly service does not apply for the E-Kit it self. Only for retrofitting to HP VELOTECHNIK trikes, not for use on HP VELOTEC bikes or other brands. Installation must be carried out by an HP Velotechnik dealer. HAEKS520 HAEK	E-I	Kit	SHIMAN	O STEPS for retrofitting Gekko or Scorpion trikes						
desired battery and battery adapter kit! If equipped with a Bodylink seat a rear light mount BodyLink seat RLZUHL is required. The E-Kit is shippepd seperately, well as the battery. The pre assembly service does not apply for the E-Kit it self. Only for retrofitting to HP VELOTECHNIK trikes, not for use on HP VELOTEC bikes or other brands. Installation must be carried out by an HP Velotechnik dealer. HAEKSS20					ease make sı	ure to check	also the box for the			
well as the battery. The pre assembly service does not apply for the E-Kit it self. Only for retroficting to HP VELOTECHNIK trikes, not for use on HP VELOTEC bikes or other brands. Installation must be carried out by an HP Velotechnik dealer. HAEK5520				· · · · · · · · · · · · · · · · · · ·						
bikes or other brands. Installation must be carried out by an HP Velotechnik dealer. Comparison of the brands E-Kit SHIMANO STEPS E5000 for 20" SHIMANO STEPS E5000 motor, large display SC-E6100, control unit SW-E6000, battery charger 4A, up to 20 mph, headlight B&M IQ-XS, rear light B&M Toplight Flat battery, front boom HAEKS520										
HAEKSS20 HAEKSS20 E-Kit SHIMANO STEPS E5000 for 20" SHIMANO STEPS E5000 motor, large display SC-E6100, control unit SW-E6000, battery charger 4A, up to 20 mph, headlight B&M IQ-XS, rear light B&M Toplight Flat battery, front boom					,					
HAEKS520 Unit SW-E6000, battery charger 4A, up to 20 mph, headlight B&M IQ-XS, rear light B&M Toplight Flat battery, front boom				·						
HAEKS526		□ на	HAEKS520	unit SW-E6000, battery charger 4A, up to 20 mph, headlight B&M IQ-XS, rear light B&M Toplight Flat			1,535.00			
HAEKS80120 EN610, control unit SW-EN600L, battery charger 4A, up to 20 mph, headlight B&M Q-X, rear light B&M Toplight Flat battery, front boom	Cit		HAEKS526	unit SW-E6000, battery charger 4A, up to 20 mph, headlight B&M IQ-XS, rear light B&M Toplight Flat			1,535.00			
HAEKS80126 EN610, control unit SW-EN600L, battery charger 4A, up to 20 mph, headlight B&M IQ-X, rear light B&M Toplight Flat battery, front boom HAAKS84 SHIMANO STEPS battery for Shimano first generation (E5000, E6100, E8000, EP8), 418 Wh HAAKS86 SHIMANO STEPS battery for Shimano first generation (E5000, E6100, E8000, EP8), 630 Wh HAAKS814U SHIMANO STEPS 2 battery for Shimano second generation (EP801 Cargo), 418 Wh HAAKS816U SHIMANO STEPS 2 battery for Shimano second generation (EP801 Cargo), 630 Wh HAAKS816U SHIMANO STEPS 2 battery for Shimano second generation (EP801 Cargo), 630 Wh HAAKS8COL battery adapter kit HP VELOTECHNIK left standard on Scorpion / fx / fx 2, for 2nd battery on Scorpion fs 20 / plus 20 / plus 26, aluminium, black HAASSCOR battery adapter kit HP VELOTECHNIK right standard on Scorpion 2 / fs 26 / fs 26 Enduro, aluminium, black HAASSFLL battery adapter kit HP VELOTECHNIK left for 2nd battery on Scorpion 2 / fs 26 / fs 26 Endruo, aluminium, black HAASSEFL battery adapter kit HP VELOTECHNIK left standard on Gekko / fx 20 / fx 26, aluminium, black HAASSEFL battery adapter kit HP VELOTECHNIK left standard on Gekko / fx 20 / fx 26, aluminium, black HAASSEFL battery adapter kit HP VELOTECHNIK left standard on Gekko / fx 20 / fx 26, aluminium, black HAASSEFL battery adapter kit HP VELOTECHNIK left standard on Gekko / fx 20 / fx 26, aluminium, black HAASSEFL battery adapter kit HP VELOTECHNIK left standard on Gekko / fx 20 / fx 26, aluminium, black HAASSEFL battery adapter kit HP VELOTECHNIK left standard on Gekko / fx 20 / fx 26, aluminium, black	E-k		HAEKS80120	EN610, control unit SW-EN600L, battery charger 4A, up to 20 mph, headlight B&M IQ-X, rear light B&M			3,250.00			
HAAKS86 SHIMANO STEPS battery for Shimano first generation (E5000, E6100, E8000, EP8), 630 Wh HAAKS814U SHIMANO STEPS 2 battery for Shimano second generation (EP801 Cargo), 418 Wh HAAKS816U SHIMANO STEPS 2 battery for Shimano second generation (EP801 Cargo), 630 Wh HAASSCOL battery adapter kit HP VELOTECHNIK left standard on Scorpion / fx / fx 2, for 2nd battery on Scorpion fs 20 / plus 20 / plus 20, plus 20, plus 20, plus 20 / p			HAEKS80126	EN610, control unit SW-EN600L, battery charger 4A, up to 20 mph, headlight B&M IQ-X, rear light B&M			3,250.00			
HAAKS816U SHIMANO STEPS 2 battery for Shimano second generation (EP801 Cargo), 630 Wh HAASSCOL HAASSCOL battery adapter kit HP VELOTECHNIK left standard on Scorpion / fx / fx 2, for 2nd battery on Scorpion fs 20 / plus 20 / plus 26, aluminium, black			HAAKS84	SHIMANO STEPS battery for Shimano first generation (E5000, E6100, E8000, EP8), 418 Wh			619.00			
HAAKS816U SHIMANO STEPS 2 battery for Shimano second generation (EP801 Cargo), 630 Wh HAASSCOL HAASSCOL battery adapter kit HP VELOTECHNIK left standard on Scorpion / fx / fx 2, for 2nd battery on Scorpion fs 20 / plus 20 / plus 26, aluminium, black	ter)		HAAKS86	SHIMANO STEPS battery for Shimano first generation (E5000, E6100, E8000, EP8), 630 Wh			899.00			
HAAKS816U SHIMANO STEPS 2 battery for Shimano second generation (EP801 Cargo), 630 Wh HAASSCOL HAASSCOL battery adapter kit HP VELOTECHNIK left standard on Scorpion / fx / fx 2, for 2nd battery on Scorpion fs 20 / plus 20 / plus 26, aluminium, black	bat		HAAKS814U	SHIMANO STEPS 2 battery for Shimano second generation (EP801 Cargo), 418 Wh			619.00			
HAASSCOL Scorpion fs 20 / plus 26, aluminium, black HAASSCOR HAASSCOR HAASSCOR HAASSCOR HAASSFLR HAASSFLR HAASSFLR HAASSFLR HAASSFLR HAASSFLR HAASSFLL HAASSFLL			HAAKS816U	SHIMANO STEPS 2 battery for Shimano second generation (EP801 Cargo), 630 Wh			899.00			
HAASSCOR battery on Scorpion / fx / fx 2, aluminium, black HAASSFLR battery adapter kit HP VELOTECHNIK right standard on Scorpion 2 / fs 26 / fs 26 Enduro, aluminium, black			HAASSCOL	, ,			199.00			
□ HAASGEFL battery adapter kit HP VELOTECHNIK left standard on Gekko / fx 20 / fx 26, aluminium, black	pter		HAASSCOR				199.00			
□ HAASGEFL battery adapter kit HP VELOTECHNIK left standard on Gekko / fx 20 / fx 26, aluminium, black	ry ada		HAASSFLR				199.00			
	batte			battery adapter kit HP VELOTECHNIK left for 2nd battery on Scoprion 2 / fs 26 / fs 26 Endruo,			199.00			
			HAASGEFL	battery adapter kit HP VELOTECHNIK left standard on Gekko / fx 20 / fx 26, aluminium, black			199.00			
		-		battery adapter kit HP VELOTECHNIK left standard on Gekko fxs, aluminium, black			199.00			

All prices in US\$. The MSRP includes duties and shipping, excluding applicable sales tax. This form is valid for US customers only. Our general terms and conditions shall apply for all orders. Please see the 2025/26 HP VELOTECHNIK trade price list for details.

General Terms and Conditions of Business of HP Velotechnik GmbH & Co. KG

I. Conclusion of contract/transfer of rights and obligations of the buyer

- (1) The Buyer's order for the goods shall be decaned to be a hinding offer to enter into a contract. United softenwise strated in the order, the Scientishal be entitled to accept this contractual offers with a towerweeks of its notifier. Acceptance may be departed either in working (e.g. by order confirmation) or by delivery of the goods to the Buyer. However, the aeller is obliged to inform the buyer immediately if he does not accept the order.
- (2) Transfers of the buyer's rights and obligations under the purchase contract require the sellor's consent in text form,

This does not apply to a monetary claim of the buyer against the cellen

The prior consent of the Seller shall not be required for other claims of the Buyer against the Seller if the Seller has no interest worthy of protection in an exclusion of assignment or if the legionate interests of the Buyer in the assignability of the right outweigh the interest of the Seller worthy of protection in an exclusion of assignment.

II. Prices / Payment

- (1) The prices quoted include packaging costs and the statutory value-added tast however, delivery and shipping costs are only included in the prices quoted if a separate agreement has been made in this respect.
- (2) If the Buyer is in default of payment, the Seller shall be entided to charge interest at a nate of 5 percentage points above the base rate of the European Central Bank (ECB) from that thre privaries. In this respect, the Seller reserves the right to prove higher damages.
- (5) The purchase price and the prices for ancillary services shall be due and payable within 8 days from the dace of the invoice and delively or acceptance of the goods. However, the seller shall be entitled at any time also within the framework of an engoing business relationship, to make a delivery in whole or in part only against advance payment. The seller shall declare a corresponding recervation at the atest with the older confirmation.
- (4) The buyer may only offset claims of the seller if the counterclaim of the buyer is undisputed on a legally binding title exists. This does not apply to counter cause of the buyer arising from the same purchase contract. He may only assert a right of retention haddless it is based on claims from the same contractual relationship.

III. Delivery and Delay in Delivery

- () Delivery dates and delivery behoods which have not been expressly designated as 6 nding shall be deemed to have been any ead without obligation. 3 nding delivery dates and delivery periods must be agreed in writing. Delivery periods shall commence upon condustion of the contract.
- (2) The boyer may request the sellent a deliver six weeks after a non-binding delivery date or a non-binding delivery period has been exceeded. The sellen shall be in default upon receipt of the request.

If the payer is entitled to compensation for damage caused by delay, this shall be limited to a maximum of 5% of the agreed purchase price in the event of slight negligence on the part of dresseller.

(3) If the Eugenalso wishes to withdraw from the contract and/or claim damages in lieu of performance, he must set the seilar a reasonable deadling for delivery after expiry of the relevant describing in accordance with cause 2 of this section. If the bayer has a claim for damages instead of performance, the claim shall be limited to a maximum of 25% of the agreed purchase price in the event of slight negligence. If the bayer is a legal entity under public law, a special fund under public law or an entrepreneur who is acting in the exercise of his commercial or independent professional activity when concluding the commact dains for damages in lieu of performance are excluded in the event of slight negligence.

- If, while the 5eller is in default, delivery becomes impossible by chance, the Seller shall be liable with the initiations of liability agreed above. The seller shall not be liable if the danage would also have occurred in the event of timely delively.
- (4) If a binding delivery date or a binding delivery period is exceeded, the seller shall be in default as spon as the delivery date or the delivery period is exceeded. The rights of the bayer shall then be determined in accordance with disuse 2, sentence 3 and classe 3 of this section.
- (5) The limitations and exclusions of liability in this section shall not apply to damage caused by a grossly negligent or intentional breach of abligations by the seller, its legal representative or its vicatious agent, or in the event of injury to life limb or health.
- (6) Force majeure on operational disruptions occurring as the Seller's or its suppliers' premises which compared y prevent the Seller, through no fault of its own, from delivering the object of purchase on the agreed date on within the agreed period shall change the dates and periods specified in clauses to 4 of this section by the duration of the disruptions to performance studed by these circumstances. If such disruptions lead to a delay in combannance of more than four months, both the suger and the saller may withdraw from the compact. Other rights of withdrawal remain unalteeted by this.
- (7) Changes in design or form, deviations in do our and changes in the scope of delivery on the pair of the manufacturer shall remain reserved during the delivery period, provided that the changes or deviations are reasonable for the huyer, taking into account the interests of the seller. Insolar as the seller or the manufacturer uses signs or numbers to designate the order or the ordered object of aucthose, no rights can be derived from this along.

IV. Acceptance

- (1) The trayer shall be abliged to accept the object of purchase within 14 days of receipt of the natice of availability. In the event of non-acceptance, the selections exercise his sorthopy rights.
- (2) If the sell or datms damages, these shall amount to 10% of the purchase prine. The amount of damages shall be higher or lower if the seller proves higher damages or the buyer proves that lower damages or no damages at all have been incurred.

V. Retention of Title

(1) The object of purchase shall remain the property of the coller until the claims or which the seller is entitled on the bas's of the contract of sale have been seeded.

If the huyer is a legal entiry under public law, a special hund under public law or an entrepreneur who is acting in the exercise of his commerce lice independent prodestional activity when concluding the nontract, the retention of title shall also apply to cause if the soller against the buyer arising from the engeing business relationship until sendement of claims due to the soller in connection with the purchase.

At the higher's request, the sellor shall be obliged to waive the reservation of title if the buyer has fulfilled a liclaims in connection with the object of purchase in an economistishly mainer and adequate security exists for the remaining claims from the current business relationship.

- (2) If the buyer does not pay the due purchase price and prices for ancillary services or does not pay them in accordance with the contract, the seller may withdraw from the contract and/or, In the event of a culpable breach of duty by the buyer, claim dainages inspect of performance if he has unsuccessfully set the buyer a neasonable dead he for performance, unless the setting of a deadline is dispensable in accordance with the statutory provisions, if the sellen is entitled to claim damages instead of performance and if he takes back the object of purchase, the seller and the buyer agree that the seller shall remunerate the usual sales value of the object of purchase at the time of taking back. At the request of the buyer, which can only be expressed immediately after the object of purchase has been taken back, a publicly appointed and sworn expert will determine the normal sales value at the buyer's discretion. The buyer shall bear the necessary costs. of taking back and realising the object of purchase. The realisation costs shall amount to 5 % of the normal sales value without proof. They shall be set higher or lower if the seller proves higher costs or the buyer proves that lower costs or no costs at all were incurred.
- (3) As long at the recention of title exists, the boyer may neither dispose of the object of purchase non contractually grant third parties use thereof.

VI. Liability for Defects in Quality and Title

(1) Claims of the buyor for material defects and defects of title shall become structe-harmed in accordance with the sortatory provisions two years after delivery of the object of purchase.

Notwithstanding this, a limitation period of one year shall apply if the buyer is a logal entity under public law, a special hard under public law or an engreeneous who is acting in the exercise of his commercial or independent professional activity when concluding the contract.

- (7) The shortening of the statute of limitations in chaise 1, sentence 7 shall not apply to damage caused by a grossly negligent or intentional herach of obligations by the seller, his legal representative on his vicarious agent, or in the event of injury to life limit or health.
- (3) If the Seller is liable under the statutory provisions for damage caused by slight negligence, the Seller's liability shall be limited:

Liability shall only exist in the event of a breach of material contractual obligations, such as those which the purchase contract specifically intends to impose on the seller according to its content and purpose on the fulliment of which makes the proper performance of the purchase contract possible in the first place and on the observance of which the buyer regularly relies and may rely. This liability is limited to the typical damage for escessible at the time of conclusion of the contract.

The personal liability of the legal representatives, vicanous agents and employees of the seller for damage caused by them through slight negligence is excluded.

Clause 2 of this section shall apply accordingly to the aforementioned imitation of lab hay and the aforementioned exclusion of liability.

- (4) Irrespective of any faul, on the part of the Seller, any liability on the part of the Seller in the event of fraudulent concealment of a defect from the assumption of a guarantee or a proper ement risk and in accordance with the Product Liability Actisha Frencis northered.
- (5) If a defect is to be remedied, the following shall apply:
- a) The buyer must assert claims for rectification of defects with the seller. In the case of verhal notification of claims, the larger must be provided with a confirmation of receipt of the notification in text form.
- b) The soller may also choose to have the defens remifted by a specialise company to be named by him. This shall be named so the buyer by the seller. Any costs arising from this shall be dome.

- by the seller. The payer shall inform the seller immediately if the first rectification of the defect by the specialist company commissioned was unauccessful.
- c) The boyer may assert canns for material defects based on the purchase contract for the parts installed to remedy the defect until the expiry of the limitation period of the object of purchase.
- d) Replaced parts shall become the property of the selle-
- (6) If the duyer is a consumer within the meaning of section 3 German Civil Code (BGB), the provisions of this section shall not apply to material defects and defects of title in goods with digital elements, but the southway provisions shall apply to the digital elements.

VII. Liability for other claims

- (1) The securory limitation periods shall apply to other claims of the boyen which are not negatived in section VI 'Liability foldefects in quality and defects of title'.
- (2) Liability for delay in delivery is conclusively regulated in Section III "Delivery and Delay in Delivery". For other claims for damages against the sellent die provisions in section VI. "Liability for defects in quality and defects of title", sections 3 and 4 shall apply accordingly.
- (3) If the buyer is a consumer within the meaning of section 13 of the German Civil Code (5GB) and the subject matter of the contract also includes the provision of digital content or digital services, whereby the object of purchase on also fulfill is function without these digital produces, the statutery previsions of sections 317 to see, of the German Civil Code (8GB) shall apply to this digital content or digital services.

VIII. Place of Jurisdiction

- (1) The explusive place of jurisdiction for all present and future claims arising from the posiness relationship with merchants, including obtains arising from bills of explange and cheques, shall be the Seller's registered office.
- (2) The same place of jurisdiction shall apply if the buyer does not have a general place of jurisdiction in Germany, moves his place of residence or habitual abode one of Germany after conclusion of the contract or his place of residence or habitual abode is not known as the direction sciency in registrophywise, in the event of claims by the Seller against the Buyer, the Buyer's place of residence shall be the place of jurisdiction.

IX. CRIF Clause

(1) For the purpose of credit assessment, CRIF GribH, I copoldstraße 244, 80807. Millindier, Germany, will make available the address and credit eventhiness data stored in its database relating to the buyer, including data determined on the basis of mathematical-statistical methods, provided that we have creditly demonstrated our legitimate interest.

X. Notice pursuant to section 36 Consumer Dispute Settlement Act (VSBG)

(1) The Seller will not participate in any dispute resolution proceedings before a consumer arbitration board within the meaning of the VSBG and is not obliged to do so.

Version June 2022

HP Velotechnik GmbH & Co. KG, Kapellenstrasse 49, 65830 Kriftel, Germany