



Speedmachine, Grasshopper fx and Streetmachine Gte – Fast and Comfortable Recumbent Bikes from HP VELOTECHNIK. Recline in Style!





## New bike? Recline in style!

*Fast and comfortable, recumbent bikes from HP VELOTECHNIK promise a joyous ride for extensive tours, fast excursions or on the way to work.*

**Browsing this complete catalogue** of our two-wheel recumbents, you will easily find your personal favorite. The team of expert engineers at HP VELOTECHNIK has developed three models with a wide range of applications: sporty with the *Speedmachine*, flexible for commuting with the foldable *Grasshopper fx* or ready for your bikepacking adventure on the *Streetmachine Gte*.

**Bicycles from HP VELOTECHNIK** are as unique as their owners. Our modular system gives you full choice. On the following pages, we will explain the special characteristics of each of our recumbents. We design them to satisfy your expectations of your personal dream bike, and we are passionate about helping you realize that dream.

**Your new recumbent bike is hand-built to order** by dedicated technicians in HP VELOTECHNIK's workshop in Kriftel near Frankfurt, Germany. Information on optional features can be found not only in this catalog but also by using the online recumbent configurator at [www.hpvelotechnik.com](http://www.hpvelotechnik.com). For competent advice and extensive test rides, your HP VELOTECHNIK dealer looks forward to your visit!

### Find out what makes your HP VELOTECHNIK recumbent unique:

The chassis – No Squat technology Page 9

Pure ergonomics – comfortable seats from HP VELOTECHNIK: *ErgoMesh*, *ErgoMesh Premium* and *BodyLink* Pages 28 to 33

Recumbent adventurers: Au déTour du Monde, Agence Future, Tom Richter, Michel Leisner Pages 34 to 37

Selected component options, accessories and weather protection *Streamer* Pages 38 to 43

Driving forward: All gearings at a glance Pages 44 | 45

E-bikes: The ease of riding – the basics of electric drives Pages 46 to 47

All options and prices Pages 48 | 49

### Speedmachine



**Speedmachine** – Lower. Faster. Further.  
A joy ride you can take every day!

- Low seat height for outstanding aerodynamics, also ideal for smaller persons
- Sporty steering geometry
- High pedal position above the seat for outstanding performance and aerodynamics
- 26" rear wheel for smooth running
- Rack with platform for 2 large bags up to 25 kg (55 lbs) plus lowrider option for 2 large bags up to 25 kg
- Comfortable suspension, optionally with integral suspension system in the steerer tube





Grasshopper<sup>fx</sup>



**Grasshopper fx** – small package, great ride.  
The foldable trekking recumbent

- Medium seat height for good aerodynamics, also ideal for smaller persons
- Agile, manoeuvrable steering geometry
- Raised pedal position above the seat for efficient performance
- Compact 20" rear wheel
- Rack with platform for 2 large bags up to 25 kg (55 lbs) plus lowrider option for 2 large bags up to 25 kg
- Comfortable full suspension
- Foldable in 60 seconds without tools

p. 12

Streetmachine<sup>Gte</sup>



**Streetmachine Gte** – the comfortable touring bike

- Very high seating position for outstanding visibility with very good driving dynamics
- Steering geometry for smooth straight-running
- Slightly raised pedal position above the seat for good performance and easy ascent
- 26" rear wheel for smooth running
- Rack with platform for 2 large bags up to 25 kg (55 lbs) plus lowrider option for 2 large bags up to 25 kg
- Comfortable full suspension

p. 20



## Recline in style ...

... and take a seat in one of our recumbents. What you'll feel is a piece of the future in motion. Many experts predict that the bicycle will be one of the true "game changers" of in the evolution of mobility. Given the wide range of possibilities offered by electric bikes, it's easy to see why. Development is advancing rapidly. The numbers speak for themselves: in Germany, significantly more e-bikes are now sold than traditional bicycles without motors — clear evidence of how irresistible these once-ridiculed machines have become.

If you'd like to experience just how enjoyable modern mobility can be, browse this catalog at your leisure and explore the Grasshopper fx, the Speedmachine, and the Streetmachine Gte. Discover sophisticated engineering, refined ergonomics, and countless thoughtful details that turn your recumbent seat into your favorite place to be. Take, for example, the completely redesigned Streamer 2.0 fairing. It folds forward easily for convenient entry. Once you're seated and close it again, you'll immediately settle into a perfectly relaxed riding position with a continuous panoramic view of the landscape—the very experience that makes recumbent cycling so unique.

Curious? Then give it a try. Contact your dealer today to arrange a test ride. Your specialist dealer will also be happy to guide you through component choices and help you find the setup that suits you best.

Can you already feel the breeze?

Yours, Daniel Pulvermüller and Paul Hollants





**Your latest passion?**  
***Getting up to speed!***





*Speedmachine*







In the  
mood for  
speed?

## Speedmachine: A joy ride you can take every day

**Lower, faster, further:** The *Speedmachine* is more agile, more efficient and more comfortable than you would ever have thought possible. It's an ergonomic machine dedicated to absolute speed.

**You have probably never ridden** a bike this fast or this comfortable. In fact you probably assumed that gain meant pain. But the *Speedmachine* rewrites the rules. By combining a super-oversized aluminum frame, a full suspension ride and a totally ergonomic riding position with perhaps the smallest frontal area on the planet, we have created a machine to give you incredible performance along with total comfort.

**Remember, at racing speeds** it's not the weight that slows you down, it's the effort of pushing through the atmosphere. On the *Speedmachine* your body is an arrow, cutting through the air with ease and giving you a seriously unfair advantage. And in this riding position your entire body is supported, so that your weight is distributed over the largest possible area.

**Of course,** you have to leave behind some companions you were familiar with in the old days when riding an upright bike: saddle pain, numb wrists or a tense neck are a thing of the past with the *Speedmachine*. No pressure points! Recall miles of looking down on the small stretch of tarmac right ahead of your front wheel? Now start enjoying the beauty of the entire landscape with the panoramic view from your recumbent seat!

*„Well thought out, comfortable, fast – the Speedmachine is a successful mixture of exercise machine and touring bike.*

*The bike can be accelerated dynamically, moved through bends with pleasure and braked excellently.“* tour magazine

**Our suspension system is fully integrated** into the frame design, it is fully tunable for performance and works completely independently of your pedaling force.

**We call this No Squat,** and it is a system that has been perfected over thousands of miles of extreme roads by our team of test riders. What it means is, if you accelerate uphill, you accelerate. And because it isolates you completely from the road, your energy goes entirely into forward motion. It works, so that you don't have to.

**We haven't neglected** the accessories either. We can offer an integrated luggage rack, proper mudguards and the best lighting system you can buy. Our *BodyLink* or *ErgoMesh* seats ensure the perfect fit.

**Ready for some extra speed?** Call your HP VELOTECHNIK dealer to arrange a test ride today!



*Speedmachine*



**Look ahead:** push the limits of cycling with the *Speedmachine*. The perfect machine for the cyclist who wants to reach new levels of speed and comfort. Our medium short wheelbase design provides excellent handling and comfort characteristics.

**Efficient, fast and comfortable,** the *Speedmachine* comes with superb options: integral steering tube suspension, adjustable ergonomic seat, suspended rear rack, powerful disc brakes, ... and yes, even built-in *Fahrvergnügen*!

**Recline in style.** Lean back in the airy *ErgoMesh* seat, in the flexible *ErgoMesh Premium* seat or in the adjustable *BodyLink* hard shell seat. Read on pages 28 to 33 how beneficial they all are for your bottom, your spinal discs, and your family planning.





**The *Speedmachine* with  
touring equipment:  
Ready for your next  
epic ride?**



**Great design is also about the details.** Taking into account thousands of miles of customer experience, we have developed the *Speedmachine* as an elegant sports bike that combines the dynamics of a racing bike with the everyday suitability of a touring bike, perfect for fast extended tours with luggage.



*Speedmachine*









## The full story on riding comfort: Suspension technology to enjoy

The *Speedmachine* with its integrated suspension design excels when heavily loaded. The stable lowrider rack for large panniers under the seat, the steering geometry optimized for high running smoothness and the efficient aerodynamics of the low seating position make this bike a sporty traveling companion. Particularly important on long-distance tours with luggage: the certainty that a comfortable, reliable suspension technology offers the absolutely best in handling, performance and driving dynamics.



The HP VELOTECHNIK No-Squat technology represents optimized chassis design. The engineers designed the frame and suspension to combine outstanding comfort with the efficient transmission of pedaling forces to the road. The key to this is the agile, adjustable suspension and the avoidance of any adverse effects from the drive unit in the chassis.

HP VELOTECHNIK's refined suspension system treats you to relaxing comfort. It increases safety by improving control and road holding. And the best part: You save energy – an effective suspension lets you go faster! All unsprung jolts convert part of the propulsion energy into an upward or downward movement of the bike and rider; a loss never to be recovered. On the full-suspension HP VELOTECHNIK recumbents on the other hand, only the wheels follow the contours of the rocky road. Even riding along dirt tracks becomes a pleasure!

**Important:** The quality of a recumbent's suspension becomes particularly clear when carrying a great deal of luggage or riding on hills. Compare the suspension technology of the vehicles in which you are interested under different ride conditions: Paved streets, undulating roads, and dirt tracks. Load the luggage rack (and the lowrider if available) with heavy bags and check the suspension when riding on hills in low gears. It will quickly become apparent if your pedaling force is converted into undesired pogo instead of powerful propulsion.

The rear suspension utilizes HP VELOTECHNIK's No-Squat suspension concept: The combination of an exceptionally stiff rear frame with the sophisticated positioning of the single swingarm pivot, the large, double ball-bearing-mounted chain roller effectively prevents drive forces from affecting the suspension and avoids unpleasant pedal kickback.



The large HP VELOTECHNIK chain roller with a weight of just 88 g (3.1 oz) maintains the chain at the distance from the swingarm pivot specified by the designer so as to avoid any troublesome suspension rocking. The chain roller is made from durable, fiber-reinforced, high-strength plastic. It rotates with ease around two sealed, individually replaceable cartridge bearings. The roller has a middle bar on which the chain rests, like on a chainwheel, and which guides the chain quietly through its movements.

Whereas a well-designed suspension should react sensitively to even slight bumps on the road, the frame and swingarm bearing must be built as rigidly as possible so that you can precisely control and dynamically accelerate the bike. The rear swingarm pivots with durable maintenance-free bearings on a precision-machined axle. The elegant triangular design of the rear swingarm creates a slender, robust framework to which the shock unit is connected with a harmonious flow of force. You can choose from either a steel spring or an air shock unit, both tried-and-tested in the MTB sector. Their spring stiffness and oil damping rate have been finely tuned by our expert engineers.

HP VELOTECHNIK recommends setting the suspension that your chassis compresses about a third of the total available suspension travel when you get on. This ensures that there is enough negative suspension travel for rapid de-compression in the event of sudden potholes and the total suspension travel is comfortably used in the event of harsh impacts without any hard jolts.

**Why does a chassis** with efficient suspension design need any damping at all? Mainly, to quickly stop oscillation caused by bumps on the road so that the chassis is quickly ready for the next bump. Furthermore: The dynamic forces change depending on where the center of gravity is, which is determined by the size and weight of the rider and luggage. A further influence: If a rider works hard and moves his/her upper body unevenly, the suspension can be subjected to additional forces. As a recumbent rider, you benefit from a further physical advantage over the conventional upright cyclists: In the laid back position, and thus place few downward forces on the suspension.

The engineers at HP VELOTECHNIK determine the chassis geometry and the optimum position of the drive chain specifically for each model.

**What do you feel?** Impressive comfort and 100 percent performance thanks to maximum power transmission.



The core element: Shock unit with hydraulic oil damping for the rear wheel swingarm. By rotating the spring, you can precisely adjust the suspension preload without the need for any tools in order to adapt the chassis to your payload and riding style. Several easily replaceable steel springs can be used to adapt the bike to the rider's weight.



On request, your recumbent can be equipped with an lightweight Air shock system. This enables you to infinitely select the spring stiffness over a large range using shock pump that comes with your bike. The hydraulic oil damping can be adjusted to the temperature and ride conditions. A lockout lever is also integrated.








# Speedmachine



Alternatives for the cockpit: The Tiller steering handlebars combine a relaxed arm position with good aerodynamics. The hands lie loosely in front of the chest.



Comfortable ergo-bars under the seat for relaxed arms and wrists. Large steering angle through indirect steering. Maintenance-free bearings with sealed industrial bearings and self-lubricating rod ends.

## Technical Data

| Seat                        | Height                       | Angle  |
|-----------------------------|------------------------------|--------|
| - BodyLink .....            | 48 cm (19")                  | 37–45° |
| - ErgoMesh .....            | 51 cm (20")                  | 37–45° |
| - ErgoMesh Premium ..       | 51 cm (20")                  | 32–46° |
| Pedal axel height ...       | 69–72 cm / 27" – 28"         |        |
| Suspension travel (f/r) ... | 5 cm (opt.) / 8 cm / 2" / 3" |        |
| Wheel size (f/r) ...        | 20" / 26"                    |        |
| Tire width max. ...         | 5 cm / 2"                    |        |
| Wheelbase .....             | 117 cm / 46"                 |        |
| Length .....                | 180–210 cm / 71" – 83"       |        |
| Height .....                | 92 cm / 36"                  |        |
| Handle bar width ..         | 60 cm / 24"                  |        |
| Weight (with pedals) ..     | from 13,5 kg / 30 lbs        |        |
| Payload .....               | max. 130 kg / 287 lbs        |        |
| Frame .....                 | Aluminum 7005 T6             |        |
| Powder coating .....        | Silver grey or               |        |
| (anti corrosion coat        | Carmines red or              |        |
| + colored- + clear coat)    | custom color                 |        |
| Rider height (ca.) ...      | 1,62–2,00m / 5'3" – 6'6"     |        |
| Warranty on frame ..        | 10 years                     |        |

Plenty of space for your luggage and it is all fully suspended. The result: fast suspension action and minimized vibration stress for your equipment. The rear rack is a rigid construction made from 12 mm (1/2") alloy tubing, perfect choice for carrying your panniers. Well integrated: A protection for your taillight and a flag holder.

HP VELOTECHNIK's seat systems create an ergonomic connection. You have a choice between three systems: The highly flexible *ErgoMesh Premium* with its revolutionary versatility, the classic airy *ErgoMesh* seat, or the *BodyLink* hard shell seat as a sporty alternative.

The *Aero* handlebars ensure a sporty, stretched arm position and optimum aerodynamics. Plenty of space between handlebars and upper body for easy boarding. Large steering angle and precise curve control.

Protection for the chain and your trousers; the drivetrain is almost completely covered. Our special low friction chain tubes guarantee an efficient power transmission and silent action.

A great benefit for dynamic sprints: the stiff frame directly transmits your leg power to the road.



Ideal for heavy loads: Additional lowrider rack for two rear wheel panniers under the seat. Good handling due to low centre of gravity.

Due to the low centre of gravity and the well balanced weight distribution the *Speedmachine* handles fine even when braking hard. The disc brakes offer great stopping power, allowing for a fast yet safely controllable downhill ride. Safety plus: No more rim wear.

You can attach trailers (single or multi-track) up to 40 kg. (88 lbs). Perfect for children's transport or the very big tour.

The adjustable suspension ensures maximum comfort. Our *No-Squat* design effectively prevents unwanted compression due to drive influences and unpleasant pedal rebound. You can accelerate powerfully – even on the mountain. On request we mount an ultra-light *Air shock* element. The spring rate can be adjusted to the payload with a shock pump. Equipped with adjustable hydraulic rebound damping and lockable compression damping, it excels in our tests.

Minimum weight combined with great torsional stiffness: Our optional suspension fork is equipped with an integral suspension system in the steerer tube. Due to the fork's compact design, the chain can run closely to the frame and smoothly above the front wheel. Sharp turns are easy without interfering with the chain.





Take a **ride**  
on the **green** side

A tour with the *Grasshopper fx* unfolds pure driving pleasure.



Grasshopper<sup>fx</sup>



**Time for refreshing new perspectives.** The *Grasshopper fx* brings action into the bike world. For a long time cycling primarily meant one thing: hump up and step down. The *Grasshopper fx* accelerates forward, suspends downwards – and folds to the side.

**You do not want to miss out.** Who likes riding upright against the wind, anyway? Your *Grasshopper fx* glides smoothly like an arrow on the street. Off-road the 110 mm suspension travel handles roughnesses with ease. Meanwhile, You enjoy panoramic views.

**Everyday life was yesterday.** The *Grasshopper fx* turns the ride to work into a fun tour. As you drive into the green you will finally see blue skies again. Take a deep breath. Fancy a leap forward?



# A Grasshopper fx – just as exciting as your new love. Ready for the change?

small package,  
great ride!




## True size shows up even in little ones.

The seat is removable by quick release and can be stowed in the optional protective cover with carrying straps. The frame folds to the side and is secured with quick release straps.

## Dimensions folded:

96x50x70 cm with under seat steering  
or Aerobars (38"x20"x28")

96x60x70 cm with tiller steering  
(38"x24"x28")



## Increasing safety:

The robust folding hinge has a safety bolt which has to be additionally unlocked against spring pressure after releasing the quick release lever.

60  
seconds  
till your next ride



**Tempting!** This fancy machine invites you to ride it. Take a seat; you immediately feel comfortable. Rest your feet easily on the pedals. A firm push and you accelerate surprisingly fast. It is not like anything you have experienced before, but after a few minutes you are getting the hang of it and you begin to feel confident and in control. Now you test its agility. You notice how relaxed you are and how smooth the road feels. You realize how free of strain your body feels and begin to appreciate the wide screen panorama view while riding – laid-back and absolutely enjoying it.

**A space-saving miracle.** With its two smooth running 20" wheels, the *Grasshopper fx* is also the most compact model in our two-wheel product portfolio. Fully unfolded, the *Grasshopper fx* has a length of 1.60 m – shorter than your old upright bike! The medium seat height of 54 cm makes the *Grasshopper fx* perfect for smaller drivers. You have a good overview in traffic and can put your feet down safely at traffic lights. And if you need a bit of support, you can order an electrical power assist system to help you along.

**Your *Grasshopper fx* indulges you** with comfort. The full suspension also increases riding safety, as control and traction are improved. To find the perfect position, choose from three seats: *BodyLink*, *ErgoMesh* or *ErgoMesh XL* – all are individually adjustable.

**You have everything** under control with the three steering systems that we have developed for the *Grasshopper fx*. The most relaxed way to place your hands is the under seat steering at hip level. For the Above seat steering you can choose between the Aero handlebar with a forward arm position and the Tiller handlebar. This enables an almost equally streamlined sitting position with a relaxed arm position. It can be folded forward to get off the vehicle easily.

**It is the details** that enhance the experience. Take time to get to know our comprehensive range of accessories. Your HP VELOTECHNIK dealer will be happy to help. The *Grasshopper fx* looks forward to your test ride!

## Technical Data

|                                   |                                                                                                        |
|-----------------------------------|--------------------------------------------------------------------------------------------------------|
| Seat height <i>BodyLink</i> ..... | 54 cm / 21"                                                                                            |
| Seat height <i>ErgoMesh</i> ..... | 57 cm / 22"                                                                                            |
| Pedal axle height ...             | 65 – 69 cm / 26" – 27"                                                                                 |
| Suspension travel (f / r) ...     | 63 / 110 mm / 2.5" / 4.3"                                                                              |
| Seat angle .....                  | 39° – 47°                                                                                              |
| Wheel size .....                  | 20" (ISO 406) f / r                                                                                    |
| Tire width max. ..                | 5 cm / 2"                                                                                              |
| Wheelbase .....                   | 109 cm / 43"                                                                                           |
| Length .....                      | 160 – 189 cm / 63" – 74"                                                                               |
| Height .....                      | 98 – 105 cm / 39" – 41"                                                                                |
| Handle bar width ..               | 56 cm / 22"                                                                                            |
| Weight (incl. pedals) ..          | from 15,4 kg / from 34 lbs                                                                             |
| Max. payload .....                | max. 130 kg / 287 lbs                                                                                  |
| Frame material .....              | Aluminum 7005 T6                                                                                       |
| Swingarm bearing ..               | maintenance free                                                                                       |
| Powder coating ..                 | Magic green or<br>(anti-corrosion coat + Blue shade grey<br>colored coat + clear coat) or custom color |
| Rider height .....                | ca. 1,58 – 2,00 m / 5'2" – 6'6"                                                                        |
| Warranty on frame. .              | 10 years                                                                                               |



Grasshopper<sup>fx</sup>









Your luggage also rides fully suspended: strap your gear to our robust rear rack made of 10 mm tube. The low side bars keep your bags secure up to a weight limit of 25 kg. The rack also gives features protection for your rear light and a mount for your safety flag.

On request your Grasshopper fx can be equipped with an ultra-light Air shock element. Practical: The suspension characteristic can be adjusted to the payload simply with a shock pump. Equipped with an adjustable hydraulic rebound damping and lockable compression stage, it convinces with the best response.

HP VELOTECHNIK's seat systems create an ergonomic connection. You have a choice between three systems. First, there is the highly flexible ErgoMesh Premium with its revolutionary versatility, then the classic airy ErgoMesh seat with an ergonomic cushioning that provides extra lateral support when cornering, and a practical seat pocket integrated into the backrest of the seat. For extra safety both seats are equipped with reflective stripes on the sides. Alternatively, you can choose our comfortable BodyLink seat. It fits your body like a glove. All seats fit onto the same frame mounts and can be removed from the bike within 15 seconds by quick release levers.

Above seat steering for best possible aerodynamics. All operating elements are thus in view as usual. You have the choice between the Aero handlebars with a sporty, forward-facing arm position (Fig. p. 14) or the rear-facing, inclination-adjustable Tiller handlebar (Fig. p. 13). Alternative comfortable ergonomic handlebars under the seat. Wrists and neck muscles are relieved. Length and angle adjustable. The handlebars located far back allow even smaller riders to place both feet securely on the ground. The large steering angle due to the indirect steering makes the Grasshopper fx very manoeuvrable. Maintenance-free bearings with sealed industrial bearings and self-lubricating rod ends. Whether Aero, Tiller or under seat handlebars: You always have your Grasshopper fx perfectly under control.

Protection for chain and trousers; the drive train is almost completely covered. Our special low friction chain tubes guarantee an efficient power transmission and minimize noise.

Perfect for heavy loads: Additional low rider rack under the seat. The low center of gravity offers great road handling. Max load 25 kg.

Our No-Squat suspension design offers complete comfort with no performance loss. The combination of a very stiff rear frame with the sophisticated positioning of the wing arm pivot point, the large ball-bearing chain idler and the rear shock with hydraulic damping effectively prevent compression due to driving forces and unpleasant pedal rebound. When you push on the pedals all your energy is transferred into motion.

Your Grasshopper fx pulls trailers (single or multi track) up to 40 kg / 88 lbs weight. This is ideal for child transport or for filling up at the supermarket.

High-quality TSR AXI suspension fork with adjustable spring preload and exchangeable steel springs. It offers optimum response and excellent road holding even on stony paths. Powerful disc brakes are fitted as standard. These ensure reliably high braking power even on long downhill runs or in wet conditions and protect the rims from wear.







## Lay back, put your feet up and enjoy: *Have a look at some of our press reviews*

„Highly recommended! With the *Grasshopper*, HP VELOTECHNIK has achieved a great success. Everything is right with this touring bike: riding pleasure and performance, quality, technology, ergonomically perfect sitting, equipment according to your wishes and personal advice.

If you have never ridden a recumbent, you should try a *Grasshopper*. It makes you want to jump into the green!“

(AKTIVRADFAHREN)

„The optical harmony of this two-wheeler synthesis of comfort and technology is impressive.

The two-piece *Airflow* seat is also perfect – rarely has the back on a recumbent remained so dry! I feel like I'm on a beach chair! The gaze wanders into the distance, the head gently leans against its support.

The *Grasshopper* is a very high-quality, sporty touring bike with almost optimal ergonomics for almost any surface. And one more real reason to try out cycling while lying down.“

(RADTOUREN)

„The combined bump-sucking ability of the *Grasshopper's* front and rear suspension was quite impressive. Cobblestones pretty much ceased to exist and all but the nastiest potholes were reduced to nothing but a barely audible thud.

The *Grasshopper* is a very well designed and well executed fully suspended recumbent. HP VELOTECHNIK has a great reputation for quality and customer service. No matter what bike you considered before buying the *Grasshopper*, you most likely won't be disappointed. It's a very versatile and competent new addition to the HP VELOTECHNIK family.“

(BENTRIDERONLINE.COM)

The *Grasshopper fix* was awarded the Eurobike Award for particularly innovative design and above-average product quality. The jury at the iF – INTERNATIONAL DESIGN FORUM, consisting of trade journalists, design experts and sports scientists, evaluated efficiency, ergonomics, utility value, weight, safety, environmental compatibility and workmanship.





Grasshopper 





Where *do you want to* ride today?







*Streetmachine* **Gte**



**The evolution reveals:** A small change of your posture can lead to a boost in performance and comfort. The *Streetmachine Gte* combines the knowledge of more than 30 years of development work in a travel and touring bike that is unparalleled.

**Whether you like to enjoy cycling** your favourite path by the lake, exercise your body on the slopes in the hillside or commute on the way to work – lean back, relax, and enjoy your bike with a view.



# Your *Streetmachine Gte* is as versatile as the way from Paris to Bangkok, from NY to LA.



Our optional above seat steering for the *Streetmachine Gte* is adjustable in height as well as in angle. To get on the bike with ease, it can simply be folded forwards. Whether bike computer, GPS or simply your smartphone with the Bangkok guide app – everything can be mounted perfectly and precisely in the driver's field of vision.



The optional electric drive by NEODRIVES supports you up to 25 km/h (16 mph), in the USA up to 32 km/h (20 mph; Class I electric bicycle). The whisper-quiet rear wheel hub motor has 5 support levels, boost function and 40 Nm peak torque. Range is up to 136 km (84 miles). Downhill, you can use the recuperation function and charge the light Li-Ion battery with its 576 Wh / 36 V.



Always the right gear for a smooth start: PINION's C1.12 internally geared transmission can be shifted even when standing still. It's a great combo with the NEODRIVES electric drive. The 12 gears in the special alloy housing are always upfront. Useful detail: our extra-long twist grip for quick shifting manoeuvres.

The plan for your next cycling adventure is already on your mind? The *Streetmachine Gte* is your faithful companion; designed and built to offer highest standards of comfort and sophistication. And it has a whole host of features that set it apart from other bikes of its type.

**A *Streetmachine Gte* does exactly what you want it to do** with the minimum of input. It practically rides itself, leaving you free to concentrate on the road ahead, or just to relax and enjoy the scenery.

**Keep an eye on things.** The *Streetmachine Gte* is our recumbent bike with the highest sitting position. Sitting at a hand's width above most road users you have good view through car windows in city traffic.


**The *Streetmachine Gte* is a real treat** with relaxing comfort. The full suspension gives you safety, as control and road grip are improved. To find the perfect position on the bike, you can choose between above or under seat steering and three seats: the breathable *ErgoMesh* seat, the flexible *ErgoMesh Premium* seat or the sporty *BodyLink* hard shell seat, which can be precisely adjusted to your back.

**With our modular system** you can adjust your bike perfectly to your needs. Dust, dirt, water, heat, cold – the elements are giving an adventure bike a hard time. That is why globetrotters prefer equipment which they can rely on. For the *Streetmachine Gte* you get highly reliable equipment specially designed for the most demanding use. Just like our two fully encapsulated drivetrains: the classic ROHLOFF *Speedhub* with 14 gears in the rear hub, or the almost as finely graded 12-speed internally geared transmission from PINION upfront.

**If you have ridden** other recumbents you might just be surprised how good they can be. If you have never ridden one, prepare to be amazed.

## Technical Data

| Seat                                 | Height                                                | Angle    |
|--------------------------------------|-------------------------------------------------------|----------|
| - <i>BodyLink</i> .....              | 63 cm (25")                                           | 39 – 47° |
| - <i>ErgoMesh</i> .....              | 66 cm (26")                                           | 39 – 47° |
| - <i>ErgoMesh Premium</i> .....      | 66 cm (26")                                           | 34 – 48° |
| Pedal axle height ...                | 69 cm / 27"                                           |          |
| Suspension travel ..                 | 63 / 110 mm / 2.5" / 4.3" f / r                       |          |
| Wheel size .....                     | 20" / 26" f / r                                       |          |
| Tire width max. ..                   | 5 cm / 2"                                             |          |
| Wheelbase .....                      | 104 cm / 41"                                          |          |
| Length .....                         | 160 – 189 cm / 63" – 74½"                             |          |
| Height .....                         | 110 cm / 45½"                                         |          |
| Handle bar width <i>BodyLink</i> ... | 60 cm / 23½"                                          |          |
| Handle bar width <i>ErgoMesh</i> ... | 65 cm / 25½"                                          |          |
| Weight (incl. pedals) ..             | from 14,8 kg / 32.6 lbs                               |          |
| Payload .....                        | max. 130 kg / 286 lbs                                 |          |
| Frame material ....                  | aluminium AL7005 T6                                   |          |
| Powder coating ..                    | Pearl orange or<br>(anti-corrosion coat + Silver grey |          |
| colored coat + clear coat)           | or custom color                                       |          |
| Rider height .....                   | 1,64 – 2 m / 5'4" – 6'7"                              |          |
| Warranty on frame ..                 | 10 years                                              |          |





*Streetmachine* Gte



---

The **Streetmachine Gte** has been designed to create what is probably the best long distance touring bike you can buy. The ride is exhilarating – fast and controllable – yet you can carry enough gear for a world tour with minimum compromise to handling.







Protection for the chain and your trousers; the drivetrain is almost completely covered. Our special low friction chain tubes guarantee an efficient power transmission and minimize noise.

Comfortable ergobars for under seat steering. Your hands, wrists and neck can relax. The direct connection to the front wheel allows for precise steering. The standard handlebars are 60 cm (23.6") wide and their ends are slightly bent forward. As an option, you can order your bike with extra wide (65 cm / 25.6") handlebars with straight ends. The extra wide handle bars allow for a tighter turning circle, however, the wide arm position slightly increases the aerodynamic drag on your bike. If you choose to order your Streetmachine Gte with our ErgoMesh seat, we will always mount the extra wide handlebars. Optional above seat steering with foldable TERRACYCLE Glideflex stem.

All your luggage rides fully suspended. Our robust rear rack made of 12 mm tube gives plenty of space. The side frame provides a safe hold for large panniers. Integrated guard bracket for your taillight and flag mount.



HP VELOTECHNIK uses comfortable recumbent suspension forks. The high-grade TSR AXI forks allow to mount disc brakes. They guarantee incredible braking performance when going downhill.

Lowrider rack: perfect place to put heavy bags. The low center of gravity gives great road handling. Integrated holder for kickstand, optimum position in the middle of the bike.

Our No-Squat suspension design offers complete comfort with no performance loss. The combination of a very stiff rear frame triangle with the sophisticated positioning of the swing arm pivot point, the large ball-bearing chain idler and the hydraulically damped rear shock effectively prevent compression due to driving forces and unpleasant pedal rebound. You can accelerate powerfully – even on the mountain.

Suitable for trailers (single or double track) of up to 88 lbs weight.



# Perfect break-time lecture: Read the media's opinion on the Streetmachine Gte

„**The Streetmachine Gte** is based on a concept perfected over many years. This can be seen in the well thought-out, top-class equipment as well as in the solid driving characteristics. For the long distance as a touring bike a serious alternative.“ TREKKINGBIKE  
„**HP VELOTECHNIK knows** how to build first-class recumbents. The bullet below me is probably one of the best things you can buy. Because the further developed *Streetmachine Gte* is a perfectly made, extremely harmoniously and competently composed noble tourer. An outstanding recumbent, absolutely recommendable!“ AKTIV RADFAHREN

„**The StreetMachine Gt should make** the change to a recumbent bike tasty even for die-hard touring cyclists. One is relaxed, the view of the surrounding countryside is unique, the technology and equipment of the bike are convincing. The *Street Machine Gt* meets all requirements for a perfect touring bike. Actually, you just have to say goodbye to the beloved diamond frame shape, and nothing stands in the way of a new love.“ RADTOUREN

„**No other model embodies** the history and success of HP VELOTECHNIK more comprehensively and better than the touring *Streetmachine*. Paul Hollants and Daniel Pulvermüller started their own recumbent production with it. The fact that the bike has long grown up shows not only the mature, very high-quality workmanship, but also the fine equipment including the liaison of PINION gearbox and GO SWISSDRIVE rear engine. Thus the *Streetmachine* embodies not only the beginnings, but also the future. (...) Conclusion: Congratulations to HP VELOTECHNIK! For the anniversary and for this bike. With the *Streetmachine Gte*, the company proves that it is ideally positioned for the future.“ AKTIV RADFAHREN

„**Finally, there is a recumbent bike** suitable for touring that is perfect for world tours with useful equipment: The recumbent professionals from HP VELOTECHNIK have hit the nail on the head with the *Street Machine Gt*.“ OUTDOOR

„**Those who distrust the claims** that recumbents can be fast, but also mountain capable, that they are certainly manoeuvrable and safe, can be convinced of all this by this engineering performance. The *Streetmachine* is a wonderfully comfortable high-speed bike.“ FRANKFURTER ALLGEMEINE ZEITUNG

„**The Street Machine Gt sets** a new standard in riding culture and running characteristics in recumbent construction. Whether in the city or overland, on slippery paths or dirt roads, with or without luggage, cycling can hardly be faster and more comfortable. Even on sandy tracks along the German coast we got along surprisingly well. This is not a matter of course for recumbents. This and the many small, well thought-out details show how mature this bike is.“ FRANKFURTER RUNDSCHAU

„**But now get out of town**, the 'Gt' stands for 'Gran Turismo'. A bumpy dirt road leads into the countryside, and the bike once again shows how well it combines comfort and safety. The enormous manoeuvrability is maintained in every speed range, the bends can't be tight enough for me: With the *Streetmachine* also finding curves is fun, a rare compliment for a touring bike.“ RADLMAGAZIN

„**Big tours**, speed on long distances, travelling with luggage – these are the domains of the *Street Machine Gt*. In view of the good workmanship and the high-quality equipment, the price is appropriate for a full-suspension bike that combines fun, speed and comfort with good handling.“ DRAHTESEL

„**The Street Machine** was my personal favorite. Already at my second tour I dared to ride on a BMX track and it didn't go that badly there. Conclusion: The *Streetmachine* is the perfect entry-level device for sporty recumbent cycling.“ ARGUS DRAHTESEL

„**The Street Machine Gt really shines** when it's burdened down with a heavy load. The bike's handling seemed barely phased by a load of almost 75 pounds. As Yoda would say, 'Tour, she will!'“ BENTRIDERONLINE.COM

„**With it's Euro-Style ergonomics**, extremely smooth HP Velo full suspension, and a host of custom upgrades, the *Street Machine* is the finest SWB USS recumbent available today – the ultimate recumbent magic carpet ride.“ RECUMBENTCYCLISTNEWS

„**Comfortable and safe**, the *Street Machine* sets the standard for full-suspension short wheelbase recumbents.“ CYCLING PLUS

More reviews at [www.hpvelotechnik.com](http://www.hpvelotechnik.com)

## A short history of evolution



Street Machine Classic



Street Machine Gt



Streetmachine Gte (2005)

After various experiments with two and three-wheelers, Paul Hollants and Daniel Pulvermüller design a compact recumbent with suspension in 1991. They thus combine the comfort of the conventional long wheel base recumbent with the performance and aerodynamics of a short wheel base design. The interested parties are queuing up.

In 1993 Hollants and Pulvermüller found the recumbent bike manufacturer HP VELOTECHNIK and launch the *Street Machine Classic*, one of the first series-produced recumbent with suspension on the market.

Long before bike suspension technology appear on the MTB, a MCU elastomer spring on the rear wheel provides comfort. The brazed steel frame is fitted with a rigid glassfibre seat.

Introduced in 1999, the *Street Machine Gt* quickly established itself as a classic recumbent. The bike gets its characteristic curve in the frame. A hydraulically dampened rear shock is now integrated in the frame.

**No-Squat:** The mechanical engineer Pulvermüller calls his design *No-Squat*, emphasizing that the suspension is unaffected by drive forces. Even today not all bicycle manufacturers take it for granted. The steering geometry for very smooth straight-running even with a lot of luggage is given its final tweaks.

**The „evolution“ version**  
*Streetmachine Gte* comes with an even stiffer, lightweight aluminium frame in 2005. The ergonomics of the newly developed *BodyLink* seat creates enthusiasm. Since then, the recumbent bike from HP VELOTECHNIK has undergone continuous evolutionary development.

The electric motor has found its way onto the bicycle. The *Streetmachine Gte* does not close itself off from this either. In 2018 it was launched with the excellent combination of a whisper-quiet hub motor plus the internally geared transmission by PINION.



Streetmachine<sup>Gie</sup>





# Seating systems

## Take a seat and enjoy: Seating systems from HP VELOTECHNIK offer pure ergonomics

The **comfortable seat** is a major advantage of a recumbent. Recumbent riders who rave about their *Speedmachine*, their *Streetmachine Gte* or their *Grasshopper fx* will tell upright bicycle riders who suffer from permanent pressure points when sitting, about two unbeatable benefits. The first is comfortable seating and the second back-friendly ergonomics.

The **relaxed feel** of the comfortably reclined position is an important benefit of your HP VELOTECHNIK trike. The seat position has more of an impact on how your ride feels than any other component. For exactly these reasons, HP VELOTECHNIK gives top priority to the design of the seat as the central contact point between rider and bike.

Imagine getting off your bike after a long and energetic day of riding and your only ailment is the achiness in your thighs. You can relax and forget any concerns about bruises on your bottom, numb private parts, painful spinal discs, or a stiff neck. The secret lies in the perfect fit. The premise for powerful pedaling without pressure points is an ergonomically optimized recumbent seat in which the entire upper body can be supported over a large area.

Since everyone is built differently, we have developed three seat systems: the sporty hard shell seat *BodyLink*, the breathable mesh seat *ErgoMesh* and the flexible mesh seat *ErgoMesh Premium*. This allows you to optimize your bike for a wide range of uses.

**Sit back and experience** how all three seat systems can flexibly adapt to your body shape. On the following pages we will show you what modern recumbent seating systems are capable of and what accessories you can use to equip your individual oasis of well-being.

**Test it for yourself:** Your HP VELOTECHNIK dealer will happily show you the great ergonomics offered by these seats!

### NET SEAT

#### *ErgoMesh*

**Cool comfort that breathes:** Mesh seats ensure the best possible air circulation on the contact surfaces. When you lean back, you can feel how pleasantly the *ErgoMesh* seat surface adapts to your back and buttocks. The ergonomically optimized support with a maximum of individual adaptability succeeds thanks to up to eight tension straps as well as four *OrthoFlex*® cushions.



### NET SEAT

#### *ErgoMesh Premium*

**Comfort with maximum flexibility:** The *ErgoMesh Premium* is just as airy and adaptable as the *ErgoMesh* seat – but in terms of flexibility and adjustment options it even surpasses it. With the *Seat-O-Flex* hinge developed by HP VELOTECHNIK, you can adjust the angles of the backrest and seat surface independently of each other on this premium seat.



### SHELL SEAT

#### *BodyLink*

**Hard shell, efficient power development:** The advantage of a shell seat is its ultra-precisely defined shape. Our sophisticated technology nevertheless offers highly flexible adjustments. This makes the anatomically shaped *BodyLink* the perfect abutment for the best possible power transmission when pedaling. Sporty riders on the hunt for new speed records appreciate this.



### *OrthoFlex*® – perfectly tailored ergonomics for the mesh seat

The basic elements of the *OrthoFlex*® technology are four highly breathable cushion blocks made of open-pored polyurethane material. They can be individually cut to size. You simply insert these 3D cushions into the side pockets of the seat, align them according to the shape of your back and close the pockets with Velcro. This fixes the four elements in a non-slip position. If the alignment is not yet as desired, one is easily able to readjust the cushions while sitting: Simply take a seat in *ErgoMesh* or



*ErgoMesh Premium*, open the velcro fastener and optimize the cushion position.

*OrthoFlex*® was originally developed with orthopaedic specialists for use in the *Gekko fx*s children's bike that grows with the child. But why should only the youngest benefit from such smart technology? Combine the advantages of the simplest handling and maximum flexibility to get the greatest possible adaptability.







# ErgoMesh seat

## ErgoMesh – the breathable mesh seat

The **ErgoMesh seat** incorporates a high-strength aluminum frame, which is anatomically designed for ergonomic back support. Seven tension straps and four **OrthoFlex®** pads are used to adjust individually the seat cover.

The **washable seat cover** has a two-layer construction. Our engineers have chosen a very air-permeable mesh fabric as the base material. In combination with the broad tension straps, it has the right level of elasticity to prevent bruising from your belt or thick clothing seams. On top of this is a 3D knitted fabric with a cut to fit the body. The abrasion-resistant material wicks away sweat and is therefore used on the main contact areas. Its contours define the areas where you insert the four **OrthoFlex®** elements from the side. And finally, the cut shape of the 3D knitted fabric in combination with the discreet blue contrasting topstitching gives the **ErgoMesh** seat its sporty, dynamic look.

The **ErgoMesh** even has one advantage over the **ErgoMesh Premium**: an integrated zip pocket. Placed on the upper edge of the backrest, keys and the (very) small belongings fit in to that pocket – or the optional rain cover. If you need more storage space, simply equip the **ErgoMesh** with the optional **Add-on bags**.

**ErgoMesh seats in XL: Extra Space. Extra Comfort.**



For solidly built riders, we offer the seat as **ErgoMesh XL** in a larger version on our two-wheeled recumbents. However, it can only be used in combination with an **Above seat steering** system. The width and seat depth each increase by 5 cm (2") to 43 cm (16.9") and 30 cm (11.8") respectively. The backrest is 59 cm (23.2") high instead of 55 cm (21.7").

The **ErgoMesh Premium XL** can only be used on a **Streetmachine Gte** with **Above seat steering** or on our trikes. The seat offers an additional 3 cm (1.2") in both backrest height and seat depth compared to the standard premium seat. The width increases by 5 cm (2") to 46 cm (18.1").

A special variant is the **ErgoMesh Premium XL Short**. The seat base has the same width and depth as the regular **Premium XL**. The backrest is 7 cm (2.8") shorter and 7 cm narrower at its widest point. This seat can only be used on a **Streetmachine Gte** with **Above seat steering** or on our trikes.

## This is what **ErgoMesh** and **ErgoMesh Premium** have in common

Even though the seat frame shape of **ErgoMesh** and **ErgoMesh Premium** is fundamentally different, they are like twins in many other ways. Find out which comfort options and accessories you can use to upgrade both seats to a unique oasis of well-being; here shown on the **ErgoMesh Premium**.

### Add-on bags

A well designed seat back may seem to be a basic feature. HP VELOTECHNIK's seats can do much more! We have equipped the mesh seats with two removable, functional luggage pockets, the **Add-on bags**. Separated neatly, they accommodate the optional seat rain cover as well as the small everyday items. Both bags are made of water-repellent Cordura® and have a protected zipper. They each have a volume of 1.4 litres. The left pocket is also designed for stashing the seat rain cover and has an airy mesh fabric on the side. The contents can start to dry while you continue your journey.



### Optional headrest

A comfortable headrest can be mounted on the upper cross brace if desired. The height and inclination of the headrest can be adjusted in a few moments thanks to quick-release levers.



### Show your colors

The seat is designed for the inclusion of a flag pole. With an optional flag as passive safety equipment, you set a clearly visible exclamation mark in traffic.



### Reflective Elements

For extra safety, the seat comes with reflective strips on its side and on the back of the optional **Add-on bags**.



### Under tension

To individually adjust the fit of the seat to your body, you can adjust the tension straps on the **ErgoMesh Premium** in addition to positioning the **OrthoFlex®** pads. The back section is equipped with five, at the **ErgoMesh**

**Premium** with six tension straps, which can be adjusted to be firmer or more flexible in seconds using a ladder buckle. Two more straps are located under the seat. In order to create



the optimal power transmission in the transition from belt system to seat, the extremely resistant material **Hypalon®** was used, which is most notably used in boat building.

### Easy Seat-mounting

The mounting on the bike is done with the proven 3-point mounting system from HP VELOTECHNIK. The ingenious design of the seat mounts allows the seat angle to be adjusted with infinite settings in seconds. All you have to do to set the desired position is to close three quick releases. An additional advantage of the 3-point mounting by HP VELOTECHNIK is that you can interchange **ErgoMesh Premium**, **ErgoMesh** and **BodyLink** as you wish (except **Grasshopper fx**, on which the **ErgoMesh Premium** does not fit).

### Nice and clean

The seat cover of your mesh seat is washable and can be easily replaced.



# ErgoMesh Premium seat

## ErgoMesh Premium – the best of two worlds

**The premium version:** For the first time in recumbent mesh seat design, the *ErgoMesh Premium* allows the angle of inclination of the seat and backrest to be adjusted independently. By that it combines the best of two worlds: the ergonomically adjustable fit of a partially flexible hard shell seat with the airy comfort of a mesh seat.

**The frame is made** of high-strength aluminum tubes and gives the premium seat its unmistakably defined contour. For outstanding comfort the *ErgoMesh Premium* combines a unique material mix of six different woven and knitted fabrics. This makes the seat both highly breathable and comfortable. In addition the seat is highly adjustable.

### Perfectly fitted

The aluminum frame (6061 T6) with its elaborately shaped 3D outline defines a new standard for recumbent seats. The design challenges that the engineers overcame were outstanding. The front edge of a recumbent seat has to fulfil two seemingly contradictory tasks: it must provide firm support to the front, but at the same time offer comfortable freedom of movement for the thighs when pedaling. The *ErgoMesh Premium* delivers on that perfect shape for maximum support.

Details make the difference: A glance at the upper seat mount on the *ErgoMesh Premium* shows that in contrast to the *ErgoMesh* seat and *BodyLink*, the mount with its characteristic long slits can be folded away flat. This makes transport easier and saves space.



Package measure: 68 x 41 x 24 cm (26.8" x 16.1" x 9.4")  
(ErgoMesh Premium standard size)

### Small is beautiful

You have two options for transporting the recumbent in the car. You can leave the seat on the bike and, after releasing a quick release, simply fold it forward. This will make your *Scorpion* nice and flat. If you want to transport the trike folded, remove the seat. You'll then also have two choices. With the seat folded, the *ErgoMesh Premium* becomes short and compact. Or it can also be fully opened. With a height of 16 cm (6.3"), the flat stretched seat leaves plenty of room in your car for your bike and your luggage.



Package measure (L x W x H): 89 x 41 x 16 cm (35" x 16.1" x 6.3")



### Unique: Seat-O-Flex

The *Seat-O-Flex* joint is the linchpin for your best possible comfort. Before all other innovations in this superlative seat, the developers at HPVELOTECHNIK were convinced that for maximum flexibility, the seat and backrest should be freely adjustable and independent of each other. Adjusting the angle of the seat as a whole, you can already do this with the *ErgoMesh*. With it the rider can choose either the aerodynamic reclining position or the upright position for a wider field of vision. But the rigid overall construction also means that in a very upright position it offers less support to the front. Also at a very flat angle some people feel pressure from the front edge of the seat. You will enjoy the new freedom with the *Seat-O-Flex* technology in the *ErgoMesh Premium* seat by your ability to adjust the backrest and seat completely independently from each other. Experience this unbelievable comfort and find out how much difference 14 degree backrest angles can make.

### Multi section design

In order to provide optimum support for the back and buttocks, the *ErgoMesh Premium* seat is divided into eight large cushion zones. The individual sections are separated by ventilation channels. The structure combines aesthetics and functionality by providing the greatest possible air supply precisely in those areas where the body sweats most.



### Premium upholstery

The construction of the *ErgoMesh Premium* seat is characterized by a complex material mix. The seats made of simple foam used on some recumbents can sometimes offer a pleasantly cushiony feeling during the first seat test – but they usually prove to be too soft on long rides, and leave the pedalist in his own sweat. The *ErgoMesh Premium*, on the other hand, has a multi-layer structure tailored to the frame: Between the wide-meshed nylon base mesh and the abrasion-resistant surface knitted fabric, a second, 12 mm thick spacer knitted fabric ensures a very high level of breathability combined with a very good cushioning effect and firm support for your back.









# BodyLink seat



The anatomically-shaped hard shell seat and back rest can be separately adjusted using quick release levers. After loosening the four screws in the center, the seat can be infinitely adjusted to your back length. It can also be completely removed in 15 seconds – a practical feature when it is raining or you want to put it in your car.



The rider is the benchmark. In the recumbent position, the pressure on the spinal discs is a third of that when bent forward. Active sitting and pedaling strengthens the back muscles. The urologist Prof. Porst advises people to use recumbents: "This means of transport offers all the benefits of a normal bike but with the added benefit that it does not restrict the blood flow around your genitals." The sports medicine specialist and urologist Prof. Frank Sommer has done the research: The recumbent seat is better than any futuristically designed bike saddle. Do recumbent riders love for longer?



The height and tilt angle of the optional Head rest can be adjusted. Washable cushion with reflective strips and webbing for inserting battery-powered rear lights. A great bag: The Microbag has a 1 liter capacity for storing life's most important little items. Detachable from the seat, it can also be used as a practical hip bag.

The blue, ripstop-nylon Rain cover can be stored in the Microbag behind the seat.



Optimum ventilation with the Airflow seat cover. The breathable mesh fabric is combined with a comfortable cushion. Air flows through large openings in the spinal canal.

## This seat is completely tailored to you: BodyLink – ergonomics are flexible!

The **BodyLink** seat by HP VELOTECHNIK is tailored to the natural S-shape of the spine: The combination of a rigid, anatomically-shaped hard shell seat and a slightly curved back rest with a flexible connecting section offers you perfect support over a large area. The two-part design allows the upper and lower parts to be aligned steplessly and independently of each other within a defined angular range.

With two quick-release levers you can fix the position of the lumbar support in your lower back area and at the same time the height of the front edge of the seat. With the third quick release, you can set the angle of the backrest in seconds: upright in the city, flat and fast in the country. The appeal is in the variety. At the same time, the **BodyLink's** narrow backrest, compared to mesh seats, gives you plenty of freedom to move your upper arms, even in the upright position. An excellent basis for dynamic driving maneuvers and lots of driving fun.

On the practicality side, you can stipulate your seat size with millimeter-precision; the length of the **BodyLink** is infinitely adjustable. For shorter riders, an adaptor moves the seat forward by about 4 cm (1.6"). HP VELOTECHNIK manufactures the innovative recumbent seat from fiber-reinforced plastic with a lightweight foam core and a reflective side edge for improved visibility in the dark. The standard version is padded with EVA foam, while the optional *Airflow seat cushion* provides immediate and pleasant ventilation.







## Little escapes Au déTour du Monde

**Ariane Amann and Xavier Méroux** on a journey around the world

Ariane Amann and Xavier Méroux flew to Mongolia and brought along two recumbents. The Far Eastern country, one they always wanted to visit, was the starting point of a 16,338 km long journey home. It led them through 16 countries back to France. The two had taken 12 months off to escape western everyday life in order to get to know the rhythm and way of life of people on long distance bike tours.

*Green vastness, Mongolia*







Winter in Eastern Anatolia



Hooray, tarred roads! Xinjiang China



Dromedaries, Mongolia

**Ariane und Xavier think the bike speed** is ideal for a year of travel: slow enough not to pass unnoticed what is worth discovering and fast enough to efficiently move forward. And actually it is enough for them to lean back in the recumbent and drive off and get involved with the unknown. The German physician and the French agricultural engineer are particularly interested in agriculture and nutrition. This topic, on which they report in regular dossiers, formed the central theme of their journey predominantly through rural areas.

**As they slowly returned to their homeland**, the two were thrilled by the diversity of cultures and amazed at how much the direction of their journey influenced the experiences of the individual countries: in China they already felt a bit more like in the "West" compared to Mongolia!

**On their way** they experienced pleasant early summer days in the Mongolian plains, the scorching heat in the Chinese desert, they fought with the clinking Caucasian cold and were happy to catch up with spring in western Turkey. For Ariane and Xavier the most demanding country of the trip was Mongolia, with its sometimes catastrophic tracks and poor infrastructure. But also the over 3000 meter high pass roads of Kirghistan or the icy roads of the Caucasus were challenging terrain.

**Along the way**, the two got to know the everyday life of the respective cultural circles and had the opportunity to really dive into it: milking or shearing sheep, baking bread and pouring silver. Most impressive during the unforgettable encounters along the way: The immovable courage to live of the people in these countries and their ability to seize the day.

**Ariane Amann explains** why they chose the *Streetmachine Gte* as their touring bike: "We wanted an uncomplicated means of transport that would be robust, all-terrain and easy to repair, so that they could make easy progress far off the tourist tracks. The reclined position with its incomparable comfort quickly convinced us during a test tour. The *Streetmachine Gte* fully met our expectations and impressed us with its noticeably optimal power transmission from the first pedal stroke. We also liked the long-lasting and clear design of HP VELOTECHNIK."

**On stony ground** the suspension was fully used. We also benefited from the easy handling of the *Streetmachine Gte*, which proved to be surprisingly manoeuvrable and allowed the feet to be put down occasionally to balance the bike on sandy tracks. We were able to attach a 6 litre water bag to the lowrider easily in order to leave as much storage space as possible for food, which was important for desert passages.

**Fortunately**, the first contact with the people along the way was often due to the attraction of our recumbent, because we hardly went unnoticed on the *Streetmachine Gte*. After numerous passes we can confirm that the reclining position offers an incredible perspective for looking around and taking photos, especially when driving uphill."

**The fascinating photographs** and travel reports of Ariane and Xavier inspire to explore the world on a *Streetmachine Gte*.

**More links** to long-distance cycling tours can be found at [www.hpvelotechnik.com](http://www.hpvelotechnik.com) – we have selected a few of our personal highlights for the next couple pages.



Bridges? Mongolia



Animal oncoming traffic, Xinjiang China





## 53,997 kilometers to Kriftel

Around the globe in two and a half years: Michel Leisner

"I just wanted to see where the bike I'm riding was actually built." It must have been the understatement of the year with which globetrotter Michel Leisner introduced himself when visiting HP VELOTECHNIK in Kriftel. "53,997 km" showed the speedometer on its *Streetmachine Gte*. He was on the road for two and a half years and in the end had traveled around the globe to 32 countries – and then rang the doorbell at the manufacturer's incoming goods department with such a modest request on a Wednesday afternoon. If we'd known, we would have given him a big reception. Shortly afterwards, he received it, after all, from friends, acquaintances and the press in his home town of Würzburg (Bavaria). In Kriftel it remained with a coffee, a photo and the memory of a young man who knew exactly (and still knows) where his path should lead him. Who wants to read more about how he defied sandstorms, overcame icy passes or had to "leave" his mobile phone to crooks in South America, can have a look at the Facebook page "Recumbent World Tour".



Who rides a Streetmachine, may also nibble at a scorpion



No matter if she was weighing melons in Cambodia or instructing daddy to push the bike: Lara is the boss!







## The world in a trailer

**Lara, Denise and Tom: A family journey through Asia on recumbents**

**"The world in a reclining position":** Tom Richter could hardly have found a prettier title for his first world tour on the *Streetmachine*. The Berlin native travelled 809 days, 42,000 kilometers, 41 countries. He came home with fascinating impressions and experiences. Fascinating enough to mount his recumbent seat for a second major tour a few years later – but now in a trio! Besides partner Denise, their four-year-old daughter Lara was on board a cozy trailer. Adventures with such young offspring? "We agreed that Lara would decide how fast it would go. And how far," says Tom Richter. After all, Indonesia, Singapore, Malaysia, Thailand, Cambodia, Laos, Vietnam and China were on the agenda as a complete package. All the different cultures were no problem for Lara, she became friends with even the strangest animals. Who did not really get along with the three Germans on six wheels was the Chinese immigration authority. "But it was an incredible experience without Beijing," enthuse Lara, Denise and Tom. Anyone who wants to get an impression of their journey, check <http://asien.tour-en-blog.de/>

## The future has 2 wheels

**Science and Visions: The Agence Future project explores the future with the help of two *Streetmachines***

**For the initiators of Agence Future**, social scientist Maya van Leemput and photographer Bram Goots, it was clear that if they wanted to put their science project on wheels, they needed *Streetmachines*. Their goal: to ask the most diverse people around the world what their expectations, fears and hopes are for the future. "We will cover extreme distances and we need to stay fresh and alert throughout the whole time," explains Goots. Their journey across five continents was not planned as a pleasure trip, rather they knew they were going to be busy with research, giving lectures and writing articles. "When we camp in the evening, we can't spend hours massaging acidic muscles or stretching our backs to relieve them of the pain that a day on a conventional bike would bring." Ergonomics, a lot of luggage load and comfort thanks to the suspension including *No-Squat* technology: these were their reasons for choosing the *Streetmachine* and a partnership with HP VELOTECHNIK. By the end of the project, Maya and Bram had interviewed 382 people in 25 countries. Their resume: The future is diverse. With the bike you will be well on the way.



New Delhi, African tracks or Danish rain: a street machine always gets you through.





# Features

## Optional features and accessories for *Speedmachine*, *Grashopper fx* and *Streetmachine Gte*: as versatile as your next bike trip

**Equipment options for individualists:** Do you have your own idea of the perfect bicycle technology? With our modular system, you can configure your recumbent bike to suit you perfectly. Choose from our extensive range of reliable equipment parts for your recumbent bike, which we have developed especially for tough everyday use. With our rigid luggage carriers, for example, your bags hang safely and fully suspended on the frame instead of swaying on the handlebars or seat.

**One of the most important effects** on handling is steering. We have developed three different handlebars for our recumbents. They all have their own characteristics and advantages, and need to be applied based on the configuration: for example, a wide mesh seat excludes a under seat steering.

**If you would like** to have your recumbent built according to your own ideas outside the equipment options listed on the next pages of this catalogue, we will supply your dealer with the complete recumbent bike technology with our frame kit.

**In any case,** please consult your dealer for more detail. Disc brakes and hub gears can cause noise; tires, suspension and drivetrain components can wear out. Your dealer knows the advantages and disadvantages of the various components, will inform you about the maintenance intervals and will be happy to coordinate the specification of your recumbent with you to suit your intended use, your riding style and your needs.

### Luggage



For all three two-wheel models we build specially shaped racks from high-strength aluminum tubing with 2 mm thick walls and a diameter of 12 mm. This means that your luggage is fully suspended, which allows for optimum suspension performance and at the same time protects the material. The construction offers plenty of space for your equipment and gives the panniers a secure hold with the side bars. Intelligently integrated: A protective bar for your rear light and a flag holder.



With the optional *Lowrider* you can store even more luggage. The low mounted construction not only provides a low center of gravity, but also ensures impressive riding characteristics under full load. On the *Streetmachine Gte* it also offers the ideal position for mounting the side stand. Otherwise we use the *Esge Comp Zoom* from PLETSCHER on the rear end of the *Streetmachine* and *Grashopper fx*; on the *Speedmachine* we use the *Esge Zoom* on the middle section.



Space on your bike is valuable: the water bottle set leaves you more space in your panniers. It is mounted within reach at the rear of the seat, double function of the double holder: you can also place the horn *AirZound* there. With its up to 115 dB, it even wakes up sleepy truck drivers.



For the *BodyLink*: the *Microbag* as a great bag for the little tour: It offers one liter (61 CUI) of storage space for the important little things in life. When you remove the sturdy bag made of reinforced *Cordura®* from the seat, it transforms into a practical hip bag thanks to the supplied elastic strap.



Everything in view and always within easy reach: The *Universal Mount* is the most practical answer to the question: Where do I put my mobile phone on the trike? Simply fasten the handlebar holder of your mobile phone, GPS device or other digital helper on the black anodized holder (approx. 7 cm / 2.75" long, 22 mm / 0.86" tube diameter) above the handlebar end.



The small version for the front: With the easy-to-fasten *Speedometer mount* for computers, you ensure tidy conditions on the bottom bracket. So you always have your speedometer in front at the wheel in view. Also ideal for plug-in battery lights.



## Steering



Whether you choose *Above seat steering* with *Aero* or *Tiller handlebars* (picture in the middle) or you prefer *Under seat steering*, ultimately, this is a question of personal ergonomics and your individual comfort. The *Aero steering* ensures a sporty, stretched arm posture and optimal aerodynamics. It also offers touring riders plenty of space so that they can store their digital equipment directly in their field of vision.



We offer the *Tiller steering* for *Speedmachine* and *Grasshopper fx*. It combines a relaxed arm posture with very good aerodynamics. Advantage during transport: The *Tiller handlebar* is considerably narrower than the *Aero steering*. An additional advantage on the *Grasshopper fx* is that you can easily fold this handlebar forward to get in.



The *Under seat steering* is usually considered to be more comfortable. However, these handlebars are not compatible with all options of our modular system: on *Grasshopper fx* or *Speedmachine*, the *Under seat steering* excludes the combination with *ErgoMesh XL* seat as well as motor. For the comfortable *ErgoMesh XL* seat on the *Streetmachine Gte* we offer the *Extra wide under seat steering* as a special design.





# Features



## Comfort options



Lightweight *Air shock* instead of the standard steel spring suspension DNM DV-22. The spring stiffness can be simply adjusted to your payload using the included shock pump. Equipped with adjustable hydraulic rebound damping and a blockable compression stage, the shock boasts the best response recorded in our tests while offering significant weight savings compared to a steel spring.



*Front Boom Quickadjust*: Just open two quick releases and you can adjust your *Scorpion* to different lengths. Developed by HP VELOTECHNIK, the *Front Boom Quickadjust* gives you the advantage to easily change the length of the trike for transport or at any time a „shorter“ trike is needed. Adjustment range approx. 15 cm (5.9").



The *Headrest* for the *ErgoMesh* net seats (left) can be adjusted in height and inclination in seconds thanks to its quick-release construction. The mesh upholstery is washable.

The *Headrest* for the *BodyLink* (right) seat can be adjusted in height and inclination. The padding is made of mesh material with reflective stripes and a strap for inserting a battery rear lights and is also washable.



With the *Carbon fibre front boom*, you have a deep black highlight always in view. Weight reduction compared to the aluminium front boom: 170 grams.



Sharp turns are easy without interfering with the chain: Our optional *CONCEPT* suspension fork is equipped with an integral suspension system in the steerer tube. Due to the fork's compact design, the chain can run closely to the frame and smoothly above the front wheel. The fork combines minimum weight with great torsional stiffness. You can adjust the fork individually. It is extremely low maintenance and it comes with 50 mm spring travel.



Very small, but a great time saver for those who frequently remove their seat: Although the *Adjustable seat stop* reduces the adjustment angle by 4", it makes it easy to find a seat position once it has been selected. Suitable for *ErgoMesh Premium*, *ErgoMesh* and *BodyLink* seats.



## Light and safety

## Weather protection gear




**Highlight** (picture left): The SON hub dynamo lighting system. Unbeatable efficiency and extremely bright. Always ready for use, even in rain and snow, when tire-driven dynamos slip. Ultra bright 100 lux LED headlamp B&M IQ-X provides extra safety with daytime running lights B&M Toplight 2C plus taillight with brake light. Parking light front & rear. Price efficient alternativ: SHUTTER PRECISION SD-8

**Eyro Light Set** (picture right): The 30 lux battery-powered light set from B&M has a USB charging port; a charging cable is included. The rear light Toplight 2C permanent is also from B&M and is powered from 2 AA batteries. The advanced dusk and dawn sensor turn the lights on automatically.



**Functional fenders:** The fenders from SKS, which are equipped with a deflector, extend far down close to the road. With their width of 55 millimetres (2.2"), they provide good protection against splash water even with wider tires.



**Panoramic view to the front, good rear view:** You are always on the safe side with Mirrycle's proven rear-view mirror. We mount it on the left, right or both sides on request. Advantage for you: The barend fastening is practically usable as a computer holder..

**Safety is not a fashion statement:** Many recumbent riders prefer using a Flag to increase visibility in traffic; it belongs on their bike like a bell or horn. With our reflective HP VELOTECHNIK design the flag fosters awareness and security.




The Rain cover fits for all the seat systems of HP VELOTECHNIK. It is made of blue ripstop nylon – so your seat stays dry after a rain storm. You can always have the "little blue" with you; it can be rolled or folded narrowly and then easily fits into the backrest (Ergo-Mesh seat), into the BodyLink Microbag or in the luggage pocket Add-on bags that we offer optionally for the Ergo-Mesh and the ErgoMesh Premium seat. Their in the contents can start to dry while you continue your journey.



All two-wheelers from HP VELOTECHNIK come standard with disc brakes. The showpiece is the hydraulic SHIMANO XT, but the mechanical BB7 from AVID also has its specific benefits.

You will not be „unheard“ of with the Airzound compressed air horn: the horn emits up to 115 dB, but you can also lower it to a tame 30 dB. The air chamber of the light plastic bottle (400 ml / 24 CUL, fits in standard bottle holders) can be filled very easily with a normal air pump.



The lighter solution: For triple chain ring sets we offer a chainwheel disc instead of the chain guard. This saves 150 grams (0.33 lbs) of weight. Only available in combination with SHIMANO XT 30 or with NEODRIVES motor.





## “Come on, honey, isn’t the rain lovely right now?”

**Cycling can be such a pleasure.** Enjoy your ride with the *Streamer* and outsmart wind and weather. Experience the thrill of additional speed with your recumbent bike!

**The *Streamer* is the front fairing** for recumbent bicycles designed by HP Velotechnik. The new *Streamer 2.0* version impresses with its unique mounting system featuring just a single attachment point at the very front of the boom. The resulting gain in comfort becomes apparent the moment you get on the bike. Simply tilt the weather shield forward – and after taking your seat, casually pull the screen back down until it locks into place. It’s as easy as opening and closing a car door.

**Your recumbent bike already offers** a significant aerodynamic advantage. With our streamlined front fairing, you can benefit from aerodynamic even more. The *Streamer* extends the cycling season to the entire year. Weather conditions that make many people park their bikes at home now become an invitation for a refreshing ride.

**When riding in the rain,** the *Streamer* keeps your legs dry, allowing you to cycle longer in normal trousers and shoes.

**The *Streamer* is also ideal** for touring in fall and winter, as it makes riding in cold winds far more comfortable and enjoyable. Behind the compact windscreen, your feet are protected from icy airflow. In addition, you can often save yourself one or two extra layers of warm clothing.

**The *Streamer* is manufactured** in a teardrop shape using a thermoforming process. This shape is perfectly adapted to the rider’s range of motion while minimizing frontal area and air resistance. The wind is guided smoothly around the rider’s body. The aerodynamic improvement depends on the fairing adjustment and the design of your bicycle. The advantages become especially noticeable at higher speeds. The faster you ride, the more you will appreciate your *Streamer*.

**The *Streamer*’s technical strengths** are based in its excellent design and the use of high-quality materials. The fairing is highly impact-resistant and remains flexible even in winter conditions.



Fig.: Streamer 1.0 with fixed 2-point mounting bracket





**Streamer 2.0:** Length 100 cm (39,4") • Width 55 cm (21,7") • Material transparent plastic (PET-G) • Windscreen 1200 g (2.65 lbs) • Mounting system 1625 g (3.58 lbs)

**Passive safety is particularly important:** unlike many other transparent plastics, the screen material offers a high level of protection against shattering. It was specially tested by TÜV, Germany's renowned safety inspection organization: even when deep-frozen to minus 20 degrees Celsius, it had to withstand the impact of a 2.3 kg steel ball dropped from a height of four meters.

**The decisive factor in this endurance test** is the plastic compound. It is based on PET, the material commonly known from water bottles. The extremely durable polyethyleneterephthalate (PET) material, only two millimeters thick, is enhanced with the additive "G" (PET-G). Only through the addition of glycol – also known as antifreeze – does the windshield gain its unique properties.

**Since the fairing** is mounted so that the rider looks over the windshield, usability is not affected even if the surface becomes slightly scratched over time through regular use.

**While riding,** the *Streamer* gains its stability from its curved shape. A rigid aluminum frame ensure a secure fit, while the windscreen is attached using a special hook-and-loop fastening tape. This eliminates the need for drill holes during installation, which could otherwise become potential breaking points.

**A practical side effect:** if you detach the *Streamer* from the frame, you can simply roll it up for transport.

**Particularly practical** is the universally adjustable mounting system: by opening the quick-release clamp at the front attachment point, the angle can be adjusted. This allows you to easily adapt the *Streamer* to the range of motion required for shorter or longer legs.





## Driving forward

**Even with electric assist on the rise**, a bicycle is defined as an apparatus which is mainly driven by human power. No other invention is able to do this as efficiently. The symbiotic combination of man and machine has inspired bicycle designers for the last 200 years. The history of the bicycle began with German engineer Drais' *Dandy Horse* and now extends to high end derailleurs with automatic shifting.

**HP VELOTECHNIK's engineers** have narrowed down the giant selection available today to find a selection of outstanding drive train systems, integrating them into our recumbents to perfectly satisfy your needs. This means that you always have the right option for your dream bike once we custom build your bike to your specifications.

**Derailleurs or internal gears:** Not only is there modern technology at work, but also two different philosophies which go beyond the ideas of 8, 14, 24, or 30 gears. Internal gear hubs allow you to shift while standing still. Derailleur shifting has its advantage with small changes between evenly spaced gears. Both internal gears and derailleur shifting can even be combined in our Tripple Shift drivetrains. A further advantage for recumbents: You can use all the chain rings with all the cassette cogs since the chain is so long, that it makes every gear combination rideable.

**The following pages** focus on an overview of the shifting systems you desire. Your HP VELOTECHNIK dealer is ready to help to find the perfect set-up for your needs.



### STURMEY ARCHER + SRAM

#### Trippleshift 24 24 speed

**Reliable Combo:** Recumbent enthusiasts first love: The combination of a 3-speed internal gear hub plus derailleur shifting. The reliable internal gear system from British pioneers STURMEY ARCHER allows not only shifts when standing still, but it also expands the range of the derailleur shifting. In the basic version with the 8-speed cassette X4 from SRAM you have a robust companion for all ways with 24 gears.



### STURMEY ARCHER + SHIMANO

#### Trippleshift 30 speed

**Practical and elegant:** You would like to extend the popular combination 3-speed hub plus derailleur? Then simply combine the STURMEY ARCHER hub with the 10-speed derailleur XLE from MICROSHIFT. This ensures a finely graduated power transmission. Your advantage: In combination with the gear hub you can shift through all 30 gears.



### MICROSHIFT

#### XLE 30 30 speed

**The Elegant Racer:** Are you looking for performance? Then there is hardly any way around the 30-speed MICROSHIFT gear system with three chainrings at the front and the 10-speed sprocket set at the rear. The wide gear range and precision shifting ensure flexibility when you need it. We offer the classic drivetrain combination with ergonomic bar-end shifters.



## Technical Data

### 24 speed internal plus derailleur gearing

|                   |                                     |
|-------------------|-------------------------------------|
| Gearing (20")     | ..... 46 / 11 – 34                  |
| Gearing (26")     | ..... 39 / 11 – 34                  |
| Development (20") | .. 1,49 m – 8,53 m (4'11" – 27'11") |
| Development (26") | .. 1,68 m – 9,64 m (5'6" – 31'7")   |
| Shifter           | ..... SRAM long twist shifter       |
| Cassette          | ..... SRAM CS-HG50                  |
| Rear detailer     | ..... SRAM X4                       |

### 30 speed internal plus derailleur gearing

|                   |                                    |
|-------------------|------------------------------------|
| Gearing (20")     | ..... 46 / 11 – 36                 |
| Gearing (26")     | ..... 39 / 11 – 36                 |
| Development (20") | .. 1,50 m – 8,68 m (4'11" – 28'8") |
| Development (26") | .. 1,67 m – 9,67 m (5'6" – 31'9")  |
| Shifter           | ..... Bar end shifter              |
| Cassette          | ..... SHIMANO CS-M771              |
| Rear detailer     | ..... MICROSHIFT XLE               |

### 30 speed derailleur gearing

|                               |                                       |
|-------------------------------|---------------------------------------|
| Gearing (20")                 | ..... 60-52-40 T / 11 – 36 T          |
| Gearing (26")                 | ..... 52-42-30 T / 11 – 36 T          |
| Development (20")             | .. 1,67 m – 8,2 m (5'6" – 26'11")     |
| Development (26")             | .. 1,67 m – 9,5 m (5'6" – 31'2")      |
| Shifter (under seat steering) | .. MICROSHIFT bar end shifter BS-M10  |
| Shifter (above seat steering) | .. SHIMANO trigger shifter XT SLT8000 |
| Cassette                      | ..... SHIMANO XT CSM771               |
| Rear Derailleur               | ..... MICROSHIFT XLE                  |



## SHIMANO

### Nexus 8 speed

**It's as simple as it can be:** You want to enjoy cycling just as much as life? Worrying about the proper chainring and rear sprocket combinations only distracts you from your beautiful surroundings? Then choose the Nexus Premium for your drivetrain. This premium version of the SHIMANO Nexus 8-speed hub gear is easy to operate with a twist grip even when standing still and is also extremely low-maintenance.



#### 8 speed internal gear transmission

Gearing (20") ... 44 T / 16 T  
 Gearing (26") ... 44 T / 22 T  
 Development (20") ... 2,19 m – 6,64 m (7'2" – 21'9")  
 Development (26") ... 2,12 m – 6,44 m (6'11" – 21'2")  
 Shifter ..... SHIMANO Nexus twist shifter  
 Chain tensioner ..... SHIMANO Alfine

## ROHLOFF

### Speedhub 14 speed

**The World Tourer:** since 1998, the ROHLOFF Speedhub has become a mechanical legend. Uncountless world tourers have relied on the nearly indestructible internal gear hub with 14 evenly spaced gears. One of the reasons for its reliability is that the gears rest in a sealed oil bath. Your advantage: the extra-long HP VELOTECHNIK twist shifter exclusive to HP VELOTECHNIK recumbents.




#### 14 speed rear wheel internal gear hub

Gearing (20") ..... 52 T / 15 T  
 Gearing (26") ..... 46 T / 15 T  
 Development (20") ... 1,45 m – 7,63 m (4'9" – 25')  
 Development (26") ... 1,71 m – 9,00 m (5'8" – 29'6")  
 Shifter ..... long ROHLOFF twist shifter  
 by HP VELOTECHNIK

## PINION

### C1.12 12 speed

**The Extraordinary:** The completely enclosed PINION 12-speed internally geared transmission integrated up front in the bottom bracket reliably propels you forwards with ease. HP VELOTECHNIK's extra-long twist shifter is easy to use. It is the perfect companion to the NEODRIVES hub motor.



#### 12 speed internal gear transmission

Gearing (20") ..... 46 T / 28 T  
 Gearing (26") ..... 46 T / 36 T  
 Development (20") ... 1,35 m – 8,21 m (4'5" – 26'11")  
 Development (26") ... 1,40 m – 8,52 m (4'7" – 27'11")  
 Shifter ..... long PINION twist shifter  
 by HP VELOTECHNIK  
 Chain tensioner ..... by HP VELOTECHNIK with  
 extra large pulleys



**Open Choice:** Twist or barend shifters? This is not a philosophy decision, but an ergonomic. That is why we offer both for our discerning riders. Twist shifters are solid, reliable, and a mark on the grip indicates the current gear. HP VELOTECHNIK goes once again a step further and has



developed an extra long shifter for both PINION and ROHLOFF, tailored for the recumbent riders needs. Bar end shifters fit perfectly to the tip of your thumb and require less energy to precisely shift.







## Do you wish some extra power? Turn your recumbent into an E-Bike!

Would you like to extend your action radius with your recumbent? Smile as you climb the local hills with a trailer? Enjoy a fast and relaxed ride to work? Then choose our e-drive: just pedal and let the powerful motor give you up to three times more drive power. It is an easy choice as our NEODRIVES Z20 system is one of the most powerful and lightest hub motor systems on the market.

**Especially notable:** that perfect bike-like feeling with your recumbent does not change with the motor. Due to the HP VELOTECHNIK programming there is no stuttering, no noise, and no extra throttle. The e-drive is very

safe: the support only starts when pedaled and ends subtly as the recumbent reaches the pre-programmed maximum speed. This is 25 km/h (16 mph) resp. for USA 32 km/h (20 mph, Class I electric bicycle).



Easy-to-read 2.4-inch display, mounted here beside the handlebar grip.

With this pre-programmed maximum speed, in most EU countries your e-recumbent is classified as a Pedelec (*Pedal Electric Cycle*), in the USA as a Class I e-bike. It can thus be ridden without registration, helmet, or license plate in the most states. Once accelerated over the pre-programmed maximum assisted speed, the e-recumbent basically rides like a regular human powered bike.

The gearless hub motor from NEODRIVES silently unfolds its power like no other. Since the drive energy is generated directly at the rear wheel, there are no transmission losses in the drive train. Your chain, sprockets and chainrings are not stressed by the engine. This protects these drive parts against excessive wear and tear and gives them a service life many times longer.

The NEODRIVES Z20 is incredibly silent, dynamic and versatile. Optimized for dynamic riding, a futuristic design, an energy efficiency of 85% coupled with easy-use features. The stats speak for themselves. The maximum degree of support is 300 percent. When accelerating the motor increases its maximum power output to up to 450 W without transmission loss directly to your rear wheel. With its 576 Wh battery, you can achieve ranges of up to 136 kilometers (84 miles).

To match the high-quality electrical engineering, we offer you two gearing choices as an option: The Shimano XT 30 derailleur system with 3x10 very finely tuned gears or the robust C.I.12 bottom bracket gearbox from PINION with an enormous gear ratio range of 600 percent.

A particular advantage of a hub motor in contrast to bottom bracket motors is that it can recover energy when riding downhill. This technology is called recuperation. Just push a button on the control unit and the motor operates as a generator. This charges the battery and increases your range. The e-drive also protects the environment and your wallet: with modern green electricity, a full charge of riding pleasure costs you only a few cents.

**Tailwind by thumb pressure:** The remote control of the innovative system is mounted directly on the handlebar grip. The most important settings can be controlled by using your thumb.



Top: The battery is ideally placed in the middle of the bike under the seat with a low center of gravity. All HP VELOTECHNIK recumbents with Above Seat Steering offer space for this, the Streetmachine Gte also with Under Seat Steering. The lockable battery can be easily removed for charging.

Right: On the under seat-steered Streetmachine Gte, the "Top View" mounting at the handlebar end can be used to bring the display closer to your field of vision, but slightly reduces the space available to mount the bike. Alternatively, it can be mounted next to the handlebar handle (picture bottom left).



The developers have arranged the five buttons ergonomically in such a way that their size and positioning is intuitive right from the start – in other words, the large plus and minus buttons for switching through the support cannot be missed.

The NEODRIVES Z20 also makes it easy to take a closer look at data such as remaining range, battery charge level, current power consumption, daily distance travelled or average speed. The menus on the 2.4 inch display can be scrolled quickly and easily.

For the Streetmachine Gte, you have the choice between Above seat steering or Under seat steering. With the latter, you also have the option of having the display mounted either to the side of the handlebar for more convenient access when getting on and off the bike, or with a "Top View" mount on the handlebar-end shifter, placing it directly within your field of vision.

The mega trend "electric bike" shows its best benefits with our recumbents: the streamlined laid-back riding position saves valuable energy and the generous battery capacity is used efficiently. Electrified? Your specialist dealer will be happy to advise you!





Kraftvolle Kombination: NEODRIVES E-Antrieb Z20 am Hinterrad mit PINION-Getriebe am Tretlager. Die Verbindung schwäbischer Präzisionstechnik von flüsterleisem Nabenmotor mit dem im Stand schaltbaren Getriebe am Tretlager überzeugt: Herausragende Funktionalität, wartungsarmer Betrieb, ausgewogene Gewichtsverteilung und komfortable Bedienung mit dem extralangen Drehschaltgriff von HP VELOTECHNIK.

## Technical Data E-drive

|                         |                                                |
|-------------------------|------------------------------------------------|
| System .....            | NEODRIVES Z20                                  |
|                         | US: Class I electric bicycle                   |
| Support up to .....     | 25 km/h (16 mph)                               |
|                         | only USA up to 32 km/h (20 mph)                |
| Push assist up to ...   | 6 km/h (4 mph)                                 |
| Range* .....            | up to 136 km (84 mi)                           |
| Force amplification ..  | 5 levels                                       |
| Max. torque .....       | 40 Nm (at the rear wheel)                      |
| Rated power .....       | 250 W                                          |
| Maximum power ....      | 450 W (at the rear wheel)                      |
| Rechargeable battery .. | Bmz 36 V Li-Ion                                |
|                         | removable, with lock                           |
| Support .....           | 300 %                                          |
| Energy contents ....    | 576 Wh                                         |
| Battery weight .....    | 3,5 kg (19.2 lbs)                              |
| Battery life .....      | 800 – 1000 charging cycles                     |
| Charger .....           | Bmz 4 A                                        |
| Charging time .....     | 4 hours                                        |
|                         | no memory effect                               |
| Charger weight .....    | 0,85 kg (1.9 lbs)                              |
| Additional weight ....  | ca. 8,7 kg (19.2 lbs)                          |
| Display .....           | Black/White display above handlebar (Top View) |
|                         | or side of handlebars                          |
| Drivetrain .....        | MICROSHIFT XLE 30 speed                        |
|                         | Barnd shifters (Under seat steering)           |
|                         | Trigger shifters (Above seat steering)         |
|                         | 20": 60-52-40 / 11-36 Z.                       |
|                         | 26": 52-42-30 / 11-36 Z.                       |
| Drivetrain .....        | PINION C1.12 (12-speed                         |
| (optional)              | internally geared transmission)                |
| Features .....          | Bluetooth- and USB interface                   |

\* Range as stated by manufacturer NEODRIVES: 100 W rider input, support level 1, flat terrain, smooth roads, 70 kg (154 lbs) payload incl. rider



# The choice is yours!

## Our modular kit for your dream bike:

### Basic model

|                                                                                                                |             |
|----------------------------------------------------------------------------------------------------------------|-------------|
| <input type="checkbox"/> <b>Grasshopper fx (GHF)</b> foldable trekking recumbent, 20" rear wheel .....         | \$ 5,420.00 |
| <input type="checkbox"/> <b>Streetmachine Gte (GTE)</b> comfortable long distance tourer, 26" rear wheel ..... | \$ 4,650.00 |
| <input type="checkbox"/> <b>Speedmachine (SPM)</b> low and fast touring recumbent, 26" rear wheel .....        | \$ 4,790.00 |

|                                                                                                                                                                                           |           | ● Basic configuration<br>■ Option with upcharge | ○ Option, no upcharge<br>- Not available | GHF | GTE | SPM |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------|------------------------------------------|-----|-----|-----|
| <b>Frame</b>                                                                                                                                                                              |           |                                                 |                                          |     |     |     |
| <b>Colors</b>                                                                                                                                                                             |           |                                                 |                                          |     |     |     |
| <input type="checkbox"/> <b>Magic green</b> .....                                                                                                                                         | \$ 0.00   | ○                                               | -                                        | -   |     |     |
| <input type="checkbox"/> <b>Blue shade grey</b> .....                                                                                                                                     | \$ 0.00   | ○                                               | -                                        | -   |     |     |
| <input type="checkbox"/> <b>Silver grey</b> .....                                                                                                                                         | \$ 0.00   | -                                               | ○                                        | ○   |     |     |
| <input type="checkbox"/> <b>Pearl orange</b> .....                                                                                                                                        | \$ 0.00   | -                                               | ○                                        | -   |     |     |
| <input type="checkbox"/> <b>Carmine red RAL 3002</b> .....                                                                                                                                | \$ 0.00   | -                                               | -                                        | ○   |     |     |
| <input type="checkbox"/> <b>Single custom color</b> according to RAL-color chart: .....                                                                                                   | \$ 239.00 | ■                                               | ■                                        | ■   |     |     |
| <input type="checkbox"/> <b>Double custom color</b> main frame ca. RAL code: ....., front boom and swing arm: .....                                                                       | \$ 349.00 | ■                                               | ■                                        | ■   |     |     |
| <b>Front boom</b>                                                                                                                                                                         |           |                                                 |                                          |     |     |     |
| <input type="checkbox"/> <b>Front boom without derailleur tube</b> (for hub gears only) .....                                                                                             | \$ 0.00   | ●                                               | ●                                        | ●   |     |     |
| <input type="checkbox"/> <b>Front boom with derailleur tube</b> regardless of shifting option (not with PINION) .....                                                                     | \$ 0.00   | ○                                               | ○                                        | ○   |     |     |
| <input type="checkbox"/> <b>Front boom carbon</b> saves 170 g (1/3 lbs) weight, not with PINION .....                                                                                     | \$ 239.00 | ■                                               | ■                                        | ■   |     |     |
| <input type="checkbox"/> <b>Front boom quickadjust</b> compensates extra chain length when front boom is adjusted, QR-levers .....                                                        | \$ 289.00 | ■                                               | ■                                        | -   |     |     |
| <input type="checkbox"/> <b>Front boom quickadjust without chain compensation</b> QR-levers .....                                                                                         | \$ 69.00  | ■                                               | ■                                        | -   |     |     |
| <b>Seats</b>                                                                                                                                                                              |           |                                                 |                                          |     |     |     |
| <b>Seats</b>                                                                                                                                                                              |           |                                                 |                                          |     |     |     |
| <input type="checkbox"/> <b>ErgoMesh</b> mesh seat w/ <i>OrthoFlex</i> technology, 3 cm / 1.2" higher than <i>BodyLink</i> seat .....                                                     | \$ 0.00   | ○                                               | ○                                        | ○   |     |     |
| <input type="checkbox"/> <b>ErgoMesh XL</b> 5 cm / 2" wider and 3 cm / 1.2" longer than <i>ErgoMesh</i> seat, only with above seat steering .....                                         | \$ 0.00   | ○                                               | ○                                        | ○   |     |     |
| <input type="checkbox"/> <b>ErgoMesh Premium</b> with <i>OrthoFlex</i> technology, seat and back surface independently adjustable .....                                                   | \$ 389.00 | ■                                               | ■                                        | ■   |     |     |
| <input type="checkbox"/> <b>ErgoMesh Premium XL</b> 5 cm / 2" wider and 3 cm / 1.2" longer than <i>ErgoMesh Premium</i> seat, only with above seat steering .....                         | \$ 389.00 | -                                               | ■                                        | -   |     |     |
| <input type="checkbox"/> <b>ErgoMesh Premium XL Short</b> backrest 7 cm (2.8") narrower and 7 cm (2.8") shorter than <i>ErgoMesh Premium XL</i> seat, only with Above Seat Steering ..... | \$ 389.00 | -                                               | ■                                        | -   |     |     |
| <input type="checkbox"/> <b>BodyLink</b> adjustable, body-contoured seat .....                                                                                                            | \$ 219.00 | ■                                               | ■                                        | ■   |     |     |
| <input type="checkbox"/> <b>BodyLink</b> seat with brackets for small riders (4 cm / 1.6" to the front) .....                                                                             | \$ 219.00 | ■                                               | ■                                        | ■   |     |     |
| <b>Accessories</b>                                                                                                                                                                        |           |                                                 |                                          |     |     |     |
| <input type="checkbox"/> <b>Headrest for BodyLink seat</b> flexible, with cushion, adjustable in height and angle .....                                                                   | \$ 175.00 | ■                                               | ■                                        | ■   |     |     |
| <input type="checkbox"/> <b>Headrest for ErgoMesh seat</b> adjustable in height and angle, with quick release lever ..                                                                    | \$ 219.00 | ■                                               | ■                                        | ■   |     |     |
| <input type="checkbox"/> <b>Airflow seat cushion</b> breathable fabric, sewn, for <i>BodyLink</i> seat .....                                                                              | \$ 99.00  | ■                                               | ■                                        | ■   |     |     |
| <input type="checkbox"/> <b>Adjustable end stops</b> allow exact positioning of the seat .....                                                                                            | \$ 29.00  | ■                                               | ■                                        | ■   |     |     |
| <input type="checkbox"/> <b>Two adjustable end stops</b> for <i>ErgoMesh Premium</i> seats only .....                                                                                     | \$ 58.00  | ■                                               | ■                                        | ■   |     |     |
| <b>Suspension and steering</b>                                                                                                                                                            |           |                                                 |                                          |     |     |     |
| <b>Rear wheel suspension</b>                                                                                                                                                              |           |                                                 |                                          |     |     |     |
| <input type="checkbox"/> <b>DNM DV-22</b> spring / oil, spring available with various spring rates .....                                                                                  | \$ 0.00   | ●                                               | ●                                        | ●   |     |     |
| <input type="checkbox"/> <b>Air shock</b> oil / air lightweight, adjustable rebound damping, lockout incl. shock pump .....                                                               | \$ 219.00 | ■                                               | ■                                        | ■   |     |     |
| <b>Front fork</b>                                                                                                                                                                         |           |                                                 |                                          |     |     |     |
| <input type="checkbox"/> <b>Rigid fork</b> .....                                                                                                                                          | \$ 0.00   | -                                               | -                                        | ○   |     |     |
| <input type="checkbox"/> <b>Suspension fork CONCEPT</b> 50 mm suspension travel, steerer suspension system, adjustable .....                                                              | \$ 379.00 | -                                               | -                                        | ■   |     |     |
| <input type="checkbox"/> <b>Suspension fork TSR AXI</b> .....                                                                                                                             | \$ 0.00   | ●                                               | ●                                        | -   |     |     |
| <input type="checkbox"/> <b>Hard spring for suspension fork</b> for loads over 100 kg / 220 lbs, pre-installed .....                                                                      | \$ 39.00  | ■                                               | ■                                        | ■   |     |     |

|                                                                                                                                                                                                                                                                                                                   |            | ● Basic configuration<br>■ Option with upcharge | ○ Option, no upcharge<br>- Not available | GHF | GTE | SPM |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------------------------------------|------------------------------------------|-----|-----|-----|
| <b>Steering</b>                                                                                                                                                                                                                                                                                                   |            |                                                 |                                          |     |     |     |
| <input type="checkbox"/> <b>Above Seat Steering with Aerobar</b> direct .....                                                                                                                                                                                                                                     | \$ 0.00    | ●                                               | -                                        | ○   |     |     |
| <input type="checkbox"/> <b>Above Seat Steering with tiller bar</b> non-foldable stem to the back .....                                                                                                                                                                                                           | \$ 0.00    | -                                               | -                                        | ○   |     |     |
| <input type="checkbox"/> <b>Above Seat Steering with tiller bar</b> direct, with TERRACYCLE foldable stem .....                                                                                                                                                                                                   | \$ 25.00   | ■                                               | -                                        | -   |     |     |
| <input type="checkbox"/> <b>Above Seat Steering</b> adjustable in angle and length, with TERRACYCLE Glideflex folding stem .....                                                                                                                                                                                  | \$ 379.00  | -                                               | ■                                        | -   |     |     |
| <input type="checkbox"/> <b>Under Seat Steering</b> indirect, adjustable, not compatible with <i>ErgoMesh XL</i> seats or E-drive .....                                                                                                                                                                           | \$ 25.00   | ■                                               | -                                        | -   |     |     |
| <input type="checkbox"/> <b>Under Seat Steering</b> indirect, adjustable, not compatible with <i>ErgoMesh XL</i> seats or E-drive .....                                                                                                                                                                           | \$ 209.00  | -                                               | -                                        | ■   |     |     |
| <input type="checkbox"/> <b>Under Seat Steering</b> direct, 60 cm width, not compatible with <i>ErgoMesh XL</i> seats .....                                                                                                                                                                                       | \$ 0.00    | -                                               | ●                                        | -   |     |     |
| <input type="checkbox"/> <b>Extra wide Under Seat Steering handlebar</b> 65 cm width, straight ends (regular 60 cm), necessary for <i>ErgoMesh</i> seats .....                                                                                                                                                    | \$ 0.00    | -                                               | ○                                        | -   |     |     |
| <b>Tires</b>                                                                                                                                                                                                                                                                                                      |            |                                                 |                                          |     |     |     |
| <input type="checkbox"/> <b>SCHWALBE Marathon Racer</b> 40 mm, good puncture protection, very good rolling characteristics .....                                                                                                                                                                                  | \$ 0.00    | ●                                               | ●                                        | ●   |     |     |
| <input type="checkbox"/> <b>SCHWALBE Marathon Plus</b> 47 mm, very good puncture protection, higher weight .....                                                                                                                                                                                                  | \$ 59.00   | ■                                               | ■                                        | ■   |     |     |
| <input type="checkbox"/> <b>SCHWALBE Kojak</b> 35 mm, lightweight, fast slick tire, only with MICROSHIFT XLE or PINION .....                                                                                                                                                                                      | \$ 59.00   | ■                                               | ■                                        | ■   |     |     |
| <b>Brakes</b>                                                                                                                                                                                                                                                                                                     |            |                                                 |                                          |     |     |     |
| <input type="checkbox"/> <b>SHIMANO BR-MT200</b> disc brakes hydraulic .....                                                                                                                                                                                                                                      | \$ 0.00    | ●                                               | ●                                        | ●   |     |     |
| <input type="checkbox"/> <b>AVID BB7</b> disc brakes mechanical .....                                                                                                                                                                                                                                             | \$ 99.00   | ■                                               | ■                                        | ■   |     |     |
| <input type="checkbox"/> <b>SHIMANO XT</b> disc brakes hydraulic .....                                                                                                                                                                                                                                            | \$ 399.00  | ■                                               | ■                                        | ■   |     |     |
| <b>Drivetrain</b>                                                                                                                                                                                                                                                                                                 |            |                                                 |                                          |     |     |     |
| <b>Gearing</b>                                                                                                                                                                                                                                                                                                    |            |                                                 |                                          |     |     |     |
| <input type="checkbox"/> <b>STURMEY ARCHER Tripleshift 24</b> STURMEY ARCHER 3 speed internal gear hub, SRAM X4 8 speed rear derailleur, SHIMANO cassette, SRAM X4 twist shifters .....                                                                                                                           | \$ 0.00    | ●                                               | ●                                        | ●   |     |     |
| <input type="checkbox"/> <b>SHIMANO Nexus 8 Premium</b> 8 speed internal gear hub with twist shifter .....                                                                                                                                                                                                        | \$ 49.00   | ■                                               | ■                                        | ■   |     |     |
| <input type="checkbox"/> <b>STURMEY ARCHER Tripleshift 30</b> STURMEY ARCHER 3 speed internal gear hub, MICROSHIFT XLE 10 speed rear derailleur and SHIMANO XT cassette 11-36 teeth, MICROSHIFT / STURMEY ARCHER barend shifters for under seat steering, SHIMANO XT twist shifters for above seat steering ..... | \$ 229.00  | ■                                               | ■                                        | ■   |     |     |
| <input type="checkbox"/> <b>MICROSHIFT XLE 30</b> MICROSHIFT XLE 10 speed rear derailleur, MICROSHIFT front derailleur, SHIMANO XT cassette 11-36 teeth, 3 speed crankset, MICROSHIFT barend shifters for under seat steering, SHIMANO XT trigger shifters for above seat steering .....                          | \$ 299.00  | ■                                               | ■                                        | ■   |     |     |
| <input type="checkbox"/> <b>PINION CI.12</b> 12 speed front gear box, 46 teeth crankset with double sided chainwheel disc, HP chain tensioner, long twist shifter with under seat steering, not compatible with <i>Streamr</i> .....                                                                              | \$2,370.00 | ■                                               | ■                                        | ■   |     |     |
| <input type="checkbox"/> <b>ROHLOFF Speedhub I4</b> 14 speed internal gear hub, crankset with 52 teeth chainring, double sided chainwheel disc, with ROHLOFF chain tensioner and external mech box, long twist shifter with under seat steering, black .....                                                      | \$2,460.00 | ■                                               | -                                        | -   |     |     |
| <input type="checkbox"/> <b>ROHLOFF Speedhub I4</b> 14 speed internal gear hub, crankset with 46 teeth chainring, double sided chainwheel disc, with ROHLOFF chain tensioner and external mech box, long twist shifter with under seat steering, black .....                                                      | \$2,460.00 | -                                               | ■                                        | ■   |     |     |





Choose the components of your recumbent with ease by using our comprehensive, clearly structured online configurator. Simply scan the QR-Code with your tablet-computer or type into your web browser [www.hpvelotechnik.com/produkte/konfigurator](http://www.hpvelotechnik.com/produkte/konfigurator)

# Prices and options

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ● Basic configuration | ○ Option, no upcharge | ■ Option with upcharge | – Not available | GHF | GTE | SPM |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------|------------------------|-----------------|-----|-----|-----|
| <b>Drivetrain (continued)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                       |                       |                        |                 |     |     |     |
| <b>Pedelec / E-assist systems</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                       |                       |                        |                 |     |     |     |
| <input type="checkbox"/> <b>NEODRIVES Z20 and MICROSHIFT XLE 30 speed</b> powerful electric assist up to 25 km/h (16 mph), MICROSHIFT XLE rear derailleur, SHIMANO XT cassette 11–36 teeth, 3 speed crankset, MICROSHIFT front derailleur, SHIMANO XT trigger shifters, Li-Ion battery 576 Wh, push assist, 4 A charger, only for above seat steering, for <i>Streetmachine Gte</i> also with under seat steering, MICROSHIFT barend shifters and choice of display position: <input type="checkbox"/> above handlebar grip <input type="checkbox"/> side of handlebar grip |                       |                       |                        |                 | ■   | ■   | ■   |
| <input type="checkbox"/> <b>NEODRIVES Z20 and PINION 12 speed</b> powerful electric assist up to 25 km/h (16 mph), PINION C1.12 12 speed front gear box, 46 t. crankset with double sided chainwheel disc, PINION twist shifter, Li-Ion battery 576 Wh, push assist, 4 A charger, only for above seat steering for <i>Streetmachine Gte</i> also with under seat steering and choice of display position: <input type="checkbox"/> above handlebar grip <input type="checkbox"/> side of handlebar grip                                                                     |                       |                       |                        |                 | ■   | ■   | ■   |
| <b>Accessories</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                       |                       |                        |                 |     |     |     |
| <input type="checkbox"/> <b>Chainwheel disc</b> instead of chain guard, 150 g/0.3 lbs lighter (only with 30 speed options)                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                       |                       |                        |                 | –   | ■   | ■   |
| <input type="checkbox"/> <b>Short cranks</b> 155 mm (6.1"), recommended for riders smaller than 175 cm (5'7")                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                       |                       |                        |                 | ■   | ■   | ■   |
| <input type="checkbox"/> <b>Clipless pedals SHIMANO XT PD-T8000</b> lightweight, multi-purpose pedal for normal and SPD shoes                                                                                                                                                                                                                                                                                                                                                                                                                                               |                       |                       |                        |                 | ■   | ■   | ■   |
| <b>Luggage</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                       |                       |                        |                 |     |     |     |
| <b>Racks</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |                       |                        |                 |     |     |     |
| <input type="checkbox"/> <b>Rear rack</b> 12 mm (0.47") tube, black powder coating, max. load 25 kg / 55 lbs, with flag holder                                                                                                                                                                                                                                                                                                                                                                                                                                              |                       |                       |                        |                 | ■   | ■   | ■   |
| <input type="checkbox"/> <b>Lowrider</b> 10 mm (0.39") tube, black powder coating, max. load 25 kg / 55 lbs                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                       |                       |                        |                 | ■   | –   | ■   |
| <input type="checkbox"/> <b>Lowrider</b> 12 mm (0.47") tube, black powder coating, max. load 25 kg / 55 lbs                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                       |                       |                        |                 | –   | ■   | –   |
| <b>Bags / Bottle cages</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                       |                       |                        |                 |     |     |     |
| <input type="checkbox"/> <b>Microbag</b> topbag for <i>BodyLink</i> seat, detachable, also as hip bag, 1 litre                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                       |                       |                        |                 | ■   | ■   | ■   |
| <input type="checkbox"/> <b>Add-on bags for mesh seat</b> 1 pair of bags, attached to backrest, 1 bag water repellent, 1 bag ventilated, capacity approx. 1.4 l per bag                                                                                                                                                                                                                                                                                                                                                                                                     |                       |                       |                        |                 | ■   | ■   | ■   |
| <input type="checkbox"/> <b>Water bottle set HP VELOTECHNIK</b> 2 x 0.6 l clear PE-bottle with colored HP VELOTECHNIK print, with bottle cages, mounted                                                                                                                                                                                                                                                                                                                                                                                                                     |                       |                       |                        |                 | ■   | ■   | ■   |
| <b>Mounts</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                       |                       |                        |                 |     |     |     |
| <input type="checkbox"/> <b>Speedometer mount</b> for computers or battery lights, incl. sensor bracket for front wheel, mounted at the front boom                                                                                                                                                                                                                                                                                                                                                                                                                          |                       |                       |                        |                 | –   | ■   | ■   |
| <input type="checkbox"/> <b>Universal mount</b> for mounting on the handlebar end, Ø 22.2 mm tube holder for accessories such as mobile phone holder / GPS devices or bell, only for under seat steering, max. load 400 grams (0.88 lbs)                                                                                                                                                                                                                                                                                                                                    |                       |                       |                        |                 | ■   | ■   | ■   |
| <b>Kickstands</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                       |                       |                        |                 |     |     |     |
| <input type="checkbox"/> <b>PLETSCHER Esge Comp Zoom</b> mounted on the rear swingarm, adjustable, black                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                       |                       |                        |                 | ■   | ■   | –   |
| <input type="checkbox"/> <b>PLETSCHER Esge Zoom</b> mounted on the rear swingarm, adjustable, black                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                       |                       |                        |                 | –   | –   | ■   |
| <input type="checkbox"/> <b>PLETSCHER Esge</b> mounted under the lowrider rack, safe stand for the bike due to position between the wheels, aluminium, with plastic foot, black                                                                                                                                                                                                                                                                                                                                                                                             |                       |                       |                        |                 | –   | ■   | –   |

|                                                                                                                                                                                                                                                                                                                    | ● Basic configuration | ○ Option, no upcharge | ■ Option with upcharge | – Not available | GHF | GTE | SPM |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------|------------------------|-----------------|-----|-----|-----|
| <b>Safety equipment</b>                                                                                                                                                                                                                                                                                            |                       |                       |                        |                 |     |     |     |
| <b>Lights</b>                                                                                                                                                                                                                                                                                                      |                       |                       |                        |                 |     |     |     |
| <input type="checkbox"/> <b>Light wire routing only</b> twin wires routed through the frame, with connectors in the front boom and dynamo mounting sheet <input type="checkbox"/> for hub dynamo <input type="checkbox"/> for tire dynamo                                                                          |                       |                       |                        |                 | ■   | ■   | ■   |
| <input type="checkbox"/> <b>Lighting system rechargeable Eyro</b> with B&M Eyro rechargeable 30 Lux USB connector, rear light B&M Toplight 2C permanent, 2 AA batteries, sensor controlled                                                                                                                         |                       |                       |                        |                 | ■   | ■   | ■   |
| <input type="checkbox"/> <b>Lighting system SHUTTER PRECISION SD-8 disc dynohub IQ-X</b> with front and rear parking lights, LED headlight B&M IQ-X, with daytime running lights, up to 100 Lux, rear light B&M Toplight 2C plus with brake light, twin cables routed through the frame                            |                       |                       |                        |                 | ■   | ■   | ■   |
| <input type="checkbox"/> <b>Lighting system SON disc dynohub IQ-X</b> with front and rear parking lights, lightweight 20" Schmidts original hub dynamo, LED headlight B&M IQ-X, with daytime running lights, up to 100 Lux, rear light B&M Toplight 2C plus with brake light, twin cables routed through the frame |                       |                       |                        |                 | ■   | ■   | ■   |
| <input type="checkbox"/> <b>Lighting system battery IQ-XS friendly for E-drive</b> LED-headlight B&M IQ-XS friendly powered by E-bike battery, up to 80 Lux, rear light B&M Toplight 2C DC, twin cables routed through the frame                                                                                   |                       |                       |                        |                 | ■   | ■   | ■   |
| <input type="checkbox"/> <b>Lighting system battery IQ-X for E-drive</b> LED-headlight B&M IQ-X powered by E-bike battery, up to 150 Lux, rear light B&M Toplight 2C DC, twin cables routed through the frame                                                                                                      |                       |                       |                        |                 | ■   | ■   | ■   |
| <b>Mirrors</b>                                                                                                                                                                                                                                                                                                     |                       |                       |                        |                 |     |     |     |
| <i>with barend mounting on handlebar</i>                                                                                                                                                                                                                                                                           |                       |                       |                        |                 |     |     |     |
| <input type="checkbox"/> <b>Rear mirror MIRRICLE</b> also usable as computer mount, mounting: <input type="checkbox"/> left <input type="checkbox"/> right                                                                                                                                                         |                       |                       |                        |                 | ■   | ■   | ■   |
| <input type="checkbox"/> <b>Rear mirror MIRRICLE both sides</b> mounting: left and right                                                                                                                                                                                                                           |                       |                       |                        |                 | ■   | ■   | ■   |
| <b>Accessories</b>                                                                                                                                                                                                                                                                                                 |                       |                       |                        |                 |     |     |     |
| <input type="checkbox"/> <b>Air horn AIRZOUND XL</b> adjustable from 30 – 115 dB, can be refilled via Schrader valve up to max. 5.5 bar (80 psi), mounts to the handlebar                                                                                                                                          |                       |                       |                        |                 | ■   | ■   | ■   |
| <input type="checkbox"/> <b>Flag HP VELOTECHNIK</b> double-sided print, with reflective strip                                                                                                                                                                                                                      |                       |                       |                        |                 | ■   | ■   | ■   |
| <b>Protection gear</b>                                                                                                                                                                                                                                                                                             |                       |                       |                        |                 |     |     |     |
| <input type="checkbox"/> <b>Mudguards Sks 20"</b> with spoiler, 53 mm width, black, stainless steel stays                                                                                                                                                                                                          |                       |                       |                        |                 | ■   | –   | –   |
| <input type="checkbox"/> <b>Mudguards Sks 20"/26"</b> with spoiler, 53 mm width, black, stainless steel stays                                                                                                                                                                                                      |                       |                       |                        |                 | –   | ■   | ■   |
| <input type="checkbox"/> <b>Streamer 2.0</b> transparent front fairing, pivotal mount, not compatible with PINION                                                                                                                                                                                                  |                       |                       |                        |                 | ■   | ■   | –   |
| <input type="checkbox"/> <b>Transport cover</b> with carrying strap, for folded <i>Grasshopper fx</i>                                                                                                                                                                                                              |                       |                       |                        |                 | ■   | –   | –   |
| <input type="checkbox"/> <b>Rain cover</b> for all HP VELOTECHNIK seats, Ripstop nylon fabric, blue                                                                                                                                                                                                                |                       |                       |                        |                 | ■   | ■   | ■   |



# Recumbents for Sport, Tour, and Travel

HP VELOTECHNIK



**Speedmachine:**  
Sporty low touring bike with 26-inch rear wheel, space for 4 large panniers, from \$ 4,790



**Grasshopper fx:**  
Fast folding, fully suspended trekking recumbent with compact 20-inch rear wheel and medium seat height, ideal for smaller riders, from \$ 5,420



**Streetmachine Gte:** Comfortable fully suspended touring bike with 26-inch rear wheel with space for 4 large panniers from \$ 4,650



**E-Recumbent:**  
All recumbent models can be equipped with a powerful electric motor from NEODRIVES, e.g. the Streetmachine Gte from \$ 8,940

Choose according to your heart's delight – please find all options, accessories and prices on the previous pages.

**Detailed product information** can be found, in addition to this catalog, on our well-structured web pages with a variety of test reports from bike magazines at [www.hpvelotechnik.com](http://www.hpvelotechnik.com), in our online recumbent configurator and in the comprehensive operating and maintenance manual.

**Get expert advice and customer service in your area** from our large network of retail partners. You will be advised on an individual basis and obtain valuable information on our sophisticated modular system of accessories and professional workshop services.

**10 years warranty** is offered by HP VELOTECHNIK for the frame of your new recumbent. We are proud of our products and strive to deliver the best sustainable, carefree riding pleasure. For details, check out the service section on our website.

**Excellent quality and service:** HP VELOTECHNIK was awarded for five times as the best cycle manufacturer in Germany by the industry association VSF and received prestigious design awards. For us, this is a source of confirmation and motivation. With our dedicated team at HP VELOTECHNIK, we are ready to create your personal dream trike!



Fast, convenient and informative: Selecting the components of your trike is easy with the online configurator at [www.hpvelotechnik.com](http://www.hpvelotechnik.com). The configurator provides detailed pictures, technical tips in english language and checks the interplay of your chosen equipment. With your personal configuration number, you can edit your saved component choice, print and call your dealer for advice.

**Your custom recumbent** is individually built to order in our recumbent factory in Kriftel, Germany. You can choose the components according to your needs. By going through a personal consultation at a specialty shop in your area, extensive test rides, useful accessories and expert customer service, you will get a trike that fits you perfectly.

Your dealer is looking forward to your visit:

MSRP in US\$ including US duties and shipping to US dealer, excl. local sales tax. Accessory prices are extra. Effective as of August 2026. Images with special equipment. Subject to alterations.

HP VELOTECHNIK GmbH & Co. KG • German recumbent engineering • Kapellenstrasse 49 • 65830 Kriftel • Germany • TR cc Frankfurt/M HRA 47004  
Phone 011 49 61 92 - 97 99 2-0 • Fax 011 49 61 92 - 97 99 2-299 • [sales@hpvelotechnik.com](mailto:sales@hpvelotechnik.com) • Detailed information and dealer directory on the Internet at [www.hpvelotechnik.com](http://www.hpvelotechnik.com)