



	×	Item	sugg. retail \$
Sc	or		
		Scorpion fs 26 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes	7.190,00
		Scorpion fs 26 frameset foldable, with suspension front and rear, seat, handlebar, front hubs, chain guide setup	6.310,00
Sc	or	pion fs 26 options extra charge – drivetrain and brake options for complete bikes only	
T		standard colour O pure orange matt RAL2004 / black O cool grey metallic / black	0,00
		single custom colour according to RAL-colour chart: (please specify)	239,00
ļ		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	349,00
пe		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)	0,00
frame		front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION	239,00
Ì		length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm	0,00
ĺ		front boom quickadjust without chain compensation QR-levers	69,00
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	289,00
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0,00
		ErgoMesh HS meshseat (4.3" higher than EM seat)	0,00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0,00
		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)	0,00
	П	ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback	389,00
	_	independently adjustable	
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	389,00
	ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)	389,00	
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)	389,00
		BodyLink seat	219,00
seat		BodyLink seat with brackets for small riders (1.6" to the front)	219,00
S		long handlebars recommended for small riders, required for all high netseats (HS and HS XL)	25,00
ŀ		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position	129,00
ŀ		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	189,00
ŀ		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	99,00
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	175,00
ŀ		headrest for meshseat adjustable in height and angle, with quick release lever	219,00
ŀ		SeatWings hip support for BodyLink seat, carbon fiber, padded	359,00
ŀ		adjustable end stops allow exact positioning of the seat	29,00
ŀ		two adjustable end stops for ErgoMesh Premium seats only, added	58,00
ŀ		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag rain cover for seats, ripstop nylon fabric, blue	89,00
-	_		39,00
۵		rear shock DNM DV-22 (basic specification) O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 308 lbs	0,00
ension	П	rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	359,00
ens		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar	0,00
ร		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar	42,00
7	_	drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear	12,00
		derailleur, STURMEY ARCHER 3 speed internal hub	0,00
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	49,00
drivetrain		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY ARCHER barend shifters, STURMEY ARCHER 3 speed internal hub	219,00
		drivetrain STURMEY ARCHER Tripleshift 30, SRAM GX crankset 32T 30 speed with barend shifters, rear derailleur MICROSHIFT XLE, SHIMANO XT I I –36 cassette, STURMEY ARCHER 3 speed internal gear hub	469,00
		drivetrain SRAM 30 30 speed, SRAM GX rear derailleur, MICROSHIFT front derailleur, SRAM SL-500 barend shifters	319,00
		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter	2.430,00
		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible	2.370,00
		·	





/E	LOTECHNIK	orp	ion⁵2 6
×			sugg. retail \$
	E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lon battery 418 Wh (BT-E8014, 2 A charger, push assist		2.080,00
	E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist		2.450,00
	E-drive SHIMANO STEPS EP5 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lon battery 418 Wh, 2 A charger, push assist		3.060,00
	E-drive SHIMANO STEPS EP5 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 5 speed Di2 gear hub, Li-Ion battery 418 Wh, 2 A charger, push assist		3.520,00
۵	E-drive SHIMANO STEPS EP5 Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist		3.450,00
	E-drive SHIMANO STEPS EP801 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-Ion battery with 418 Wh, charger 2 A, push assist		4.330,00
٥	E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-Ion battery 418 Wh (BT-EN804), charger 2 A, push assist, freeshift and autoshift function		4.450,00
	E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lon battery 418 Wh (BT-EN804), 2 A charger, push assist		5.570,00
	E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lon battery 418 Wh (BT-EN804), push assist		6.180,00
	E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lon battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar		4.570,00
	E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lon 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar		6.570,00
	big battery pack SHIMANO STEPS Li-lon 630 Wh, fast charger with 4 A		399,00
	2nd battery pack for SHIMANO STEPS Li-lon battery 630 Wh, battery holder, battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder		1.380,00
	2nd battery pack for NEODRIVES Z20 Li-ion battery 576 Wh, battery adapter set, cable extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)		1.450,00
	short cranks 155 mm / 6", recommended for riders under 175 cm / 68"		32,00
	chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)		49,00
	tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 or PINION)		59,00
	disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)		0,00
			85,00
			249,00
	disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right		219,00
0	hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right		349,00
Ц			79,00
	one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right		79,00 599,00 order form
١	pion fs 26 accessories Surcharges, additional special accessories on the "comfort and a	bility options" o	rder form
	light wire routing only twin wires routed through the frame for hub dynamo		129,00
	lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C permanent		165,00
	lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC		259,00
	lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		359,00
	lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light		899,00
	indicator lights system WingBling only in conjunction with electric drive		789,00
	rear rack 14 mm / 0.6" tube, black powder coating, max. load 25 kg / 55 lbs		299,00
	top load rack additional luggage rack above the rear wheel, maximum load 10 kg / 22 lbs		239,00
	side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted		209,00
	mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black		389,00
	clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes		119,00





_	5	Scorpion ⁵ 26	VELOT	ECHNIK
	×	Item		re
		handrest with retaining strap comfortable hand support mounted on handlebar mounting side of handrest: O left O right		13
		handrests left and right with one retaining strap with one retaining strap, mounting side of retaining strap: O left O right		20
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion		18
		standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side, O left O right O pair		19
		water bottle set HP VELOTECHNIK 2 × 0.6 PE-bottle with HP print, with bottle cages, mounted		10
,		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right		8
accessories		rear mirror MIRRYCLE both sides barend mounting left and right		I.
sso		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right		10
acce		rear mirror B&M E both sides left and right knuckle mounting		2
"		flag HP VELOTECHNIK double-sided print, with reflective strip		
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted		
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel		
		air horn AIRZOUND XL about 30-115 dB, not mounted		
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)		7
i i		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric		I
		frame lock ABUS Granit with removable key, without chain, black		
		chain for frame lock length 100 cm / 39.4"		

All prices in US\$. The MSRP includes duties and shipping, excluding applicable sales tax. This form is valid for US customers only. Our general terms and conditions shall apply for all orders. Please contact your authorized HP Velotechnik dealer for details and ordering.