



	×	Item		sugg. retail \$
Sc	or	pion fs 20 foldable full suspension trike 20"/20" (SFS)		
		Scorpion fs 20 basic model foldable, rear and front suspension, under deat steering, STURMEY ARCHER 24 speed derailleur/hub gears, SHIMANO hydraulic disc brakes		7.090,00
	П	Scorpion fs 20 frameset foldable, with suspension front and rear, seat, handlebar, front hubs, chain guide setup	 	6.210,00
30		pion fs 20 options extra charge – drivetrain and brake options for complete bikes only	1	0.210,00
		standard colour O colza yellow RAL1021 O blue shade grey matt	т т	0,00
		single custom colour according to RAL-colour chart:		239,00
ŀ		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:		349,00
ē		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)		0,00
frame		front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION		239,00
٦		length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm	 	0,00
ŀ		front boom quickadjust without chain compensation QR-levers		69,00
ŀ		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers		289,00
1		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	1 1	0,00
		ErgoMesh HS meshseat (4.3" higher than EM seat)		0,00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)		0,00
		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)		0,00
	_	ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback		
		independently adjustable		389,00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)		389,00
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)		389,00
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)		389,00
		BodyLink seat		219,00
		BodyLink seat with brackets for small riders (1.6" to the front)		219,00
seat		long handlebars recommended for small riders, required for all high netseats (HS and HS XL)		25,00
S		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position		129,00
ľ		handrests left and right comfortable hand support, mounted on handlebar, removable cushion		189,00
ľ		Airflow seat cushion breathable fabric, sewn, for BodyLink seat		99,00
ľ		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle		175,00
		headrest for meshseat adjustable in height and angle, with quick release lever		219,00
ľ		SeatWings hip support for BodyLink seat, carbon fiber, padded		359,00
ľ		adjustable end stops allow exact positioning of the seat		29,00
ľ		two adjustable end stops for ErgoMesh Premium seats only, added		58,00
ľ		rain cover for seats, ripstop nylon fabric, blue		39,00
ľ		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag		89,00
		Microbag topbag for BodyLink seat, detachable as hip bag, I litre		55,00
	П	rear shock DNM DV-22 (basic specification)		0.00
Sion	_	O soft: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 225 lbs O hard: 550 lbs/inch, up to 285 lbs		0,00
susbens		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump		359,00
sns		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar		0,00
		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar		42,00
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear		0,00
ain		derailleur, STURMEY ARCHER 3 speed internal hub		.,
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	+	49,00
drivetrain		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur and barend shifter MICROSHIFT XLE,		219,00
dri∢		STURMEY ARCHER 3-speed internal gear hub and bar end shifter drivetrain SRAM 30 30 speed, SRAM GX rear derailleur, MICROSHIFT front derailleur, SRAM SL-500 barend shifters	 	400.00
		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter	 	409,00 2.430,00
		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible	 	_
	Ţ	an rect and 1 111011 C1.12 12 speed if one gear box, long twist siniter, sureamer not compatible		2.370,00





	L	OTECHNIK S	~~		-	200	
V	EL	OTECHNIK				20	70
	×	Item				sugg. retail \$	n fs
		E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lon battery 418 Wh (BT-E8014, 2 A charger, push assist				2.080,00	rpio
		E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 Wh, 2 A charger, push assist				2.450,00	Sco
		E-drive SHIMANO STEPS EP5 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lon battery 418 Wh, 2 A charger, push assist				3.060,00	
		E-drive SHIMANO STEPS EP5 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 5 speed Di2 gear hub, Li-Ion battery 418 Wh, 2 A charger, push assist				3.520,00	
		E-drive SHIMANO STEPS EP5 Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-Ion battery 418 Wh, 2 A charger, push assist				3.450,00	
		E-drive SHIMANO STEPS EP801 Nexus 5 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery with 418 Wh, charger 2 A, push assist				4.330,00	
		E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lon battery 418 Wh (BT-EN804), charger 2 A, push assist, freeshift and autoshift function				4.450,00	
train		E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lon battery 418 Wh (BT-EN804), 2 A charger, push assist				5.570,00	
drivetrain		E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lon battery 418 Wh (BT-EN804), push assist				6.180,00	20
		E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lon battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar				4.570,00	on fs
		E-drive NEODRIVES Z20 with PINION C1.12 up to 16 mph, hub motor, 12 speed PINION C1.12 bottom bracket gearbox, Li-lon battery 576 Wh, push assist forward and backwards, not compatible with streamer, 4 A charger, display position: O above handlebar O side of handlebar				6.570,00	Scorp
		big battery pack SHIMANO STEPS Li-lon 630 Wh, fast charger with 4 A			+ +	399,00	<i>J</i> //
		2nd battery pack for SHIMANO STEPS Li-lon battery 630 Wh, battery holder, battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder				1.380,00	
		2nd battery pack for NEODRIVES Z20 Li-ion battery 576 Wh, battery adapter set, cable extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)				1.450,00	
		short cranks 155 mm / 6", recommended for riders under 175 cm / 68"				32,00	
		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 or PINION)				59,00	
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)				0,00	
		disc brakes AVID BB7 mechanical, separate brake per front wheel				85,00	
S		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable			+	249,00	
brakes		disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right				219,00	0
		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right				349,00	fs 2
		parking brake SHIMANO rear wheel V-Brake with thumblever one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake				79,00 599,00	ojon
Ġ		with parking brake function, mounting the controls: O left O right	silient assei	ana" anda	nu form	,	O
30		pion fs 20 accessories Surcharges, additional special accessories on the "comfort and a light wire routing only twin wires routed through the frame for hub dynamo	onity opti	ons orde	10/111	129,00	SC
		lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C permanent				139,00	
		lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC			1 1	259,00	
ries		lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC				359,00	
accessories		lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light				899,00	
a		indicator lights system WingBling only in conjunction with electric drive				789,00	
		rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs				379,00	
		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted			1	209,00	
		mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes		-	+	389,00 119,00	
	J	Compress pedans som merce i D-19000 ngormeignt, mulu-purpose pedan for normal and SED shoes		I	1	1 1 7,00	





	×	Item	sugg.
			retail \$
		handrest with retaining strap comfortable hand support mounted on handlebar mounting side of handrest: O left O right	135,00
ı		handrests left and right with one retaining strap with one retaining strap, mounting side of retaining strap: O left O right	269,00
l		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	189,00
Ī		standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side, O left O right O pair	194,50
Ī		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted	105,00
Ī		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	85,00
es		rear mirror MIRRYCLE both sides barend mounting left and right	170,00
accessories		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right	109,00
Ges		rear mirror B&M E both sides left and right knuckle mounting	218,00
ac		flag HP VELOTECHNIK double-sided print, with reflective strip	33,00
ı		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted	69,00
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	39,00
1		trailer hitch WEBER with HP VELOTECHNIK adapter, max. vertical load 6,5 kg / 14 lbs, max trailer load 40kg / 88lbs	219,00
1		air horn AIRZOUND XL about 30-115 dB, not mounted	45,00
1		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)	779,00
I		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	135,00
Ī		frame lock ABUS Granit with removable key, without chain, black	99,00
		chain for frame lock length 100 cm / 39.4"	39,00

All prices in US\$. The MSRP includes duties and shipping, excluding applicable sales tax. This form is valid for US customers only.

Our general terms and conditions shall apply for all orders. Please contact your authorized HP Velotechnik dealer for details and ordering.