



	×	Item	su reta	ugg. ail \$				
Sc	Scorpion plus 26 foldable full suspension trike 20"/26" (SPL)							
		Scorpion plus 26 basic model foldable, rear and front suspension, under seat steering, STURMEY ARCHER 24 speed derailleur/hub gears, SHIMANO hydraulic disc brakes	7.750),00				
		Scorpion plus 26 frameset foldable, with suspension front and rear, seat, handlebar, front hubs, chain guide setup	6.870),00				
Sc	or	pion plus 26 options extra charge – drivetrain and brake options for complete bikes or	nly					
	_	standard colour O cool grey metallic O magma red / black		0,00				
		single custom colour according to RAL-colour chart: (please specify)	239	9,00				
		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	349	9,00				
ne		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)	0	0,00				
fram		front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION	239	9,00				
		length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm	0	0,00				
		front boom quickadjust without chain compensation QR-levers	69	9,00				
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	289	9,00				
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0	0,00				
		ErgoMesh HS meshseat (4.3" higher than EM seat)	0	0,00				
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0	0,00				
		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)	O	0,00				
		ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback independently adjustable	389	9,00				
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	389	9,00				
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)	389	9,00				
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)	389	9,00				
		BodyLink seat	219	9,00				
Ħ		BodyLink seat with brackets for small riders (I.6" to the front)	219	9,00				
seat		long handlebars recommended for small riders, required for all high netseats (HS and HS XL)	25	5,00				
		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position	129	9,00				
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	189	9,00				
		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	99	9,00				
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	175	5,00				
		headrest for meshseat adjustable in height and angle, with quick release lever	219	9,00				
		SeatWings hip support for BodyLink seat, carbon fiber, padded	359	9,00				
		adjustable end stops allow exact positioning of the seat	29	9,00				
		two adjustable end stops for ErgoMesh Premium seats only, added	58	8,00				
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	89	9,00				
		rain cover for seats, ripstop nylon fabric, blue	39	9,00				
_		rear shock DNM DV-22 (basic specification)		0,00				
isio		O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 330 lbs		,,,,,				
		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	359	9,00				
edsns		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar		0,00				
		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar	42	2,00				
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear		0,00				
		derailleur, STURMEY ARCHER 3 speed internal hub		_				
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	49	9,00				
train		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY ARCHER barend shifters, STURMEY ARCHER 3 speed internal hub	219	9,00				
drivetrain		drivetrain STURMEY ARCHER Tripleshift 30, SRAM GX crankset 32T 30 speed with barend shifters, rear derailleur MICROSHIFT XLE, SHIMANO XT 11–36 cassette, STURMEY ARCHER 3 speed internal gear hub	469	9,00				
Ī		drivetrain SRAM 30 30 speed, SRAM GX rear derailleur, MICROSHIFT front derailleur, SRAM SL-500 barend shifters	319	9,00				
		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter	2.430	_				
		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible	2.370),00				





Bedrive SHIMANO STEPS EPS Nexus 8 DIZ up to 20 mph, SHIMANO Nexus 8 speed DIZ gear hub, Li-lon battery		×	Item		sugg. retail \$			
Ledwine SHIMANO STEPS EPS Nexus 5 DIZ up to 20 mph, SHIMANO Nexus 5 speed DIZ garr hub, Li-lon battery 418 Wh, 2 Acharger, push assist Confirme SHIMANO STEPS EPS Nexus 5 DIZ up to 20 mph, SHIMANO Nexus 5 speed DIZ garr hub, Li-lon battery 418 Wh, 2 Acharger, push assist Confirme SHIMANO STEPS EPS Nexus 8 DIZ up to 20 mph, SHIMANO Nexus 8 speed DIZ garr hub, Li-lon battery 418 Wh, 2 Acharger, push assist Confirme SHIMANO STEPS EPS Nexus 8 DIZ up to 20 mph, SHIMANO Nexus 8 speed DIZ garr hub, Li-lon battery 418 Wh, 2 Acharger 12 A push assist Confirme SHIMANO STEPS EPS Nexus 8 DIZ up to 20 mph, SHIMANO Nexus 8 speed DIZ garr hub, Li-lon battery 418 Wh, 418 Wh, 40tarer 12 A push assist. Feedbrill seld actaonish function					2.080,00			
Actives SHIMANO STEPS EPS Nexus 8 DIZ up to 20 mph, SHIMANO Nexus 8 speed DiZ garr hub, Li-lon battery 418 Wh. 12 A charger; push assists Eddrive SHIMANO STEPS EPS Nexus 8 DIZ up to 20 mph, SHIMANO Nexus 8 speed DiZ garr hub, Li-lon battery 418 Wh. 12 A charger; push assists Eddrive SHIMANO STEPS EPS Nexus 8 DIZ up to 20 mph, SHIMANO Nexus 8 speed DiZ garr hub, Li-lon battery 418 Wh. 12 A charger; push assists Eddrive SHIMANO STEPS EPS Nexus 8 DIZ up to 20 mph, SHIMANO Nexus 8 speed DiZ garr hub, Li-lon battery 418 Wh. 12 A charger; push assists Eddrive SHIMANO STEPS EPS DI Cargo Couse DIZ up to 20 mph, SHIMANO Couse DIZ 10-speed derailleur. Li-lon successive 418 Wh. (81 -N890), charger 2 A, push assists fenceshift and associatif functions Eddrive SHIMANO STEPS EPS DIC Cargo Couse DIZ up to 20 mph, SHIMANO Couse DIZ 10-speed derailleur. Li-lon success 418 Wh. (81 -N890), charger 2 A, push assists fenceshift and associatif functions Eddrive SHIMANO STEPS EPS DIC Cargo Couse DIZ up to 20 mph, SHIMANO Couse DIZ 10-speed derailleur. Li-lon success 418 Wh. (81 -N890), charger 2 A, push assists forward association of the state of t					2.450,00			
Wh. 2.4 charger, push assist Edrive SHIMANO STEPS EPS Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 Wh. 2.4 charger; push assist Edrive SHIMANO STEPS EP80 Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418 with 148 Wh. (BT-EN80H), charger 2.4 push assist. Edrive SHIMANO STEPS EP80 Carpo ROLLO Automating up to 20 mph, SHIMANO Class Di2 III-speed derailleur, Li-lon battery 418 with (BT-EN80H), charger 2.4 push assist. Teenthif and automitif function. Edrive SHIMANO STEPS EP80 Carpo ROLLO Automating up to 20 mph, SHIMANO Class Di2 III-speed derailleur, Li-lon battery 418 Wh. (BT-EN80H), charger 2.4 push assist. Edrive SHIMANO STEPS EP80 Carpo ROLLO Automating up to 20 mph, INCNO Class Di2 III-speed derailleur, Li-lon battery 418 Wh. (BT-EN80H), charger 2.4 push assist. Edrive SHIMANO STEPS EP80 Carpo ROLLO Automating up to 20 mph, INCNO Class Di2 III-speed derailleur, Li-lon battery 418 Wh. (BT-EN80H), push assist forward and battery 418 Wh. (BT-EN80H), push assist forward and badevard. Edrive NEODRIVES 220 with SRAMIJO up to 20 mph, 10 gears, rear derailleur SRAMI GX, handlebar end gear lever SRAMI SHOORNEYS 220 with SRAMIJO up to 20 mph, 10 gears, rear derailleur SRAMI GX, handlebar end gear lever SRAMI SHOORNEYS 220 with SRAMIJO up to 20 mph, 10 gears, rear derailleur SRAMI GX, handlebar end gear lever SRAMI SHOORNEYS 220 with SRAMIJO up to 20 mph, 10 gears, rear derailleur SRAMI GX, handlebar end gear lever SRAMI SHOORNEYS 220 with SRAMIJO up to 20 mph, 10 gears, rear derailleur SRAMI GX, handlebar end gear lever SRAMI SHOORNEYS 220 with SRAMIJO up to 20 mph, 10 gear polyton of 10 gear brown, 10 gear polyton of 10 gear brown, 10 gear polyton of 10 gear brown of 10 g					3.060,00			
Wh. 2 A Charger, push assists Edrive SHIMANO STEPS EP801 Nexus 5 DI2 up to 20 mph, SHIMANO Nexus 8 speed DI2 grar hub, Li-lon battery with 418 VM, charger 2 A, push assists freeshift and autonific function					3.520,00			
With 418 Wh, Catagrey 2 A push assist 4.330,0 Edrive SHIMANO STEPS EP01 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 (0-peed derailleur, Li-lon 4.450,0 Eartive SHIMANO STEPS EP01 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO bub with Automatiq 5.570,0 Increase in Steps SHIMANO STEPS EP01 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO bub with Automatiq 5.570,0 Increase SHIMANO STEPS EP01 Cargo ROHLOFF up to 20 mph, Incl. ROHLOFF 14 gear intermed gear hub. Li-lon 5.180,0 Casters SHIMANO STEPS EP01 Cargo ROHLOFF up to 20 mph, Incl. ROHLOFF 14 gear intermed gear hub. Li-lon 6.180,0 Edrive SHIMANO STEPS EP01 Cargo ROHLOFF up to 20 mph, Incl. ROHLOFF 14 gear intermed gear hub. Li-lon 6.180,0 Edrive SHIMANO STEPS EP01 Cargo ROHLOFF up to 20 mph, Incl. ROHLOFF 14 gear intermed gear hub. Li-lon 6.180,0 Edrive SHIMANO STEPS EP01 Cargo ROHLOFF up to 20 mph, Incl. ROHLOFF 14 gear intermed gear hub. Li-lon 6.180,0 Edrive SHIMANO STEPS EP01 Cargo ROHLOFF up to 20 mph, Incl. ROHLOFF 14 gear intermed gear hub. Li-lon 6.180,0 Edrive NEODRIVES 220 with PINION CI.12 up to 20 mph, Incl. ROHLOFF 14 gear intermed gear lever 6.180,0 Edrive NEODRIVES 220 with PINION CI.12 up to 20 mph, Increase pool. Li-lon 576 Wh. push assist forward and backwards, not compatible with screamer, display position: Q above handelsar O side of handlebar 6.570,0 Edriver NEODRIVES 220 with PINION CI.12 up to 20 mph, Increase pool. Li-lon 576 Wh. push assist forward and backwards, not compatible with screamer increase pool with the screamer increase pool with the scream of the screamer increase pool with the scream of the screamer increase pool with the screamer		□			3.450,00			
E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq Internal stepless shifting, Li-lon battery 418 WN (8T-EN804), 20 A charger, push assist E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, 100 LR OHLOFF 14 gear interneal gear hub, Li-lon Battery 418 WN (8T-EN804), push assist E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, 100 LR OHLOFF 14 gear interneal gear hub, Li-lon Battery 418 WN (8T-EN804), push assist E-drive NEODRIVES 220 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chaining see 3-speed black, Li-lon battery 576 Wh, push assist forward and backwards, Dipplay position: O above handlebar O died of handlebar observance, not compatible with streamer, display position: O above handlebar O side of handlebar observance, not compatible with streamer, display position: O above handlebar observance, not compatible with streamer, display position: O above handlebar observance, in the stream of the streamer of the strea			with 418 Wh, charger 2 A, push assist		4.330,00			
Internal stepless shifting, Likon battery 418 Wh (8T-EN804), 2 A charger, push assist E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear intermeal gear hub, Likon battery 418 Wh (8T-EN804), push assist E-drive NEODRIVES 220 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, casettes SRAM; chaining set 3-speed black, Likon battery 576 Wh, push assist forward and backwards, Display position: O above handlebar? O side of handlebar E-drive NEODRIVES 220 with PINION Cl.12 up to 20 mph, front gear box, Likon 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar? Bible battery pack SHIMANO STEPS Likon 630 Wh, fast charger with 4 A 20 and battery pack for SHIMANO STEPS Likon battery 576 Wh, battery holder for incincion), without power supply, battery must be inserted for use in main battery holder. 20 and battery pack for NEODRIVES 220 Likon battery 576 Wh, battery adapter set, cable extension for convenient charging and recommended for riders under 175 cm / 68" 21 chainwheel disc instead of chain guard. 159 gf 0.3 lis lighter (only with 30 gear options) 40 chainwheel disc instead of chain guard. 159 gf 0.3 lis lighter (only with 30 gear options) 40 chainwheel disc instead of chain guard. 159 gf 0.3 lis lighter (only with 30 gear options) 40 disc brakes SHIMANO ST. Tyderaulic, separates brake per front wheel (basic specification) 40 disc brakes AVID BB7 mechanical, separate brake per front wheel (basic specification) 40 disc brakes AVID BB7 mechanical, separate brake per front wheel (basic specification) 40 disc brakes AVID BB7 coupled front brake, mechanical, rear disc brake, parking brake function front brake lever: O left O right 40 parking brake SHIMANO Tray wheel V-Brake with thumblever 40 parking brake SHIMANO Tray wheel V-Brake with thumblever 40 parking brake function, mounting the controls: O left O right 50 parking brake function, mounting the controls: O left O			battery 418 Wh (BT-EN804), charger 2 A, push assist, freeshift and autoshift function		4.450,00			
E-drive NEORRIVES 220 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lon battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar E-drive NEORRIVES 220 with PINION CI.12 up to 20 mph, front gear box, Li-lon 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar Display bestition: O above handlebar O side of handlebar O s	etrain		internal stepless shifting, Li-Ion battery 418 Wh (BT-EN804), 2 A charger, push assist		5.570,00			
SRAM SL-500, cassette SRAM, chaining set 3-speed black, Li-Ion battery 576 Wh, push assist forward and backwards, polipsky position: O above handlebar O dide of handlebar Edrive NEODRIVES 200 with PINION C.1.12 up to 20 mph, front gear box, Li-Ion 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar Big battery pack for SHIMANO STEPS Li-Ion 630 Wh, fast charger with 4 A 2099,0 And battery pack for SHIMANO STEPS Li-Ion battery 630 Wh, battery holder, battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder and battery pack for NEODRIVES 220 Li-Ion battery 576 Wh, battery adapter set, cable extension for convenient duraging and reconnecting of additional battery, incl. mounting accessories (restricts folding function) short cranks IS5mm if 6. recommended for infer under 175 cm if 68° chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options) tire exchange from SCHWALBE Tryker 40 mm / 1.6° to O Marathon Plus 47 mm / 1.8° O Kojak 35 mm / 1.4° (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO SR-MT200 hydraulic, separate brake per front wheel (basic specification) disc brakes SHIMANO SR-MT200 hydraulic, coupled front brakes with one-hand operation and parking brake function front brake lever: O left O right hydraulic disc brakes SHIMANO rear wheel V-Brake with thumblever one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID B87 disc brakes SHIMANO rear wheel V-Brake with thumblever one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID B87 disc brake with parking brake function, mounting the controls: O left O right hydraulic, are arised brake per front wheel lever: O left O right hydraulic, spearate brake per front wheel lever: O left O right hydraulic, spearate brake	driv		battery 418 Wh (BT-EN804), push assist		6.180,00			
big battery pack SHIMANO STEPS Li-lon 630 Wh, fast charger with 4 A 399,0			SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lon battery 576 Wh, push assist forward and backwards,		4.570,00			
2nd battery pack for SHIMANO STEPS Li-lon battery 630 Wh, battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder 2nd battery pack for NEODRIVES 220 Li-lon battery 576 Wh, battery adapter set, cable extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function) 1.450,0					6.570,00			
Induction Indu			big battery pack SHIMANO STEPS Li-Ion 630 Wh, fast charger with 4 A		399,00			
charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function) short cranks 155 mm / 6*, recommended for riders under 175 cm / 68* 32,0 chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options) 49,0 trice exchange from SCHWALBE Tryker 40 mm / 1.6* to O Marathon Plus 47 mm / 1.8* O Kojak 35 mm / 1.4* (SRAM/30 59,0 disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) 0,0 disc brakes AVID BB7 mechanical, separate brake per front wheel (basic specification) 0,0 disc brakes AVID BB7 mechanical, separate brake per front wheel (basic specification) 249,0 disc brakes AVID BB7 coupled front brakes per front wheel, lever reach adjustable 249,0 disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function 219,0 disc brakes BlDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake 349,0 parking brake SHIMANO rear wheel V-Brake with thumblever 79,0 one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake 599,0 stylength of the second of the second of the controls: O left O right 129,0 stylength of the second of the seco					1.380,00			
chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options) tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) disc brakes AVID BB7 mechanical, separate brake per front wheel (basic specification) disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right parking brake SHIMANO rear wheel V-Brake with thumblever one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right Scorpion plus 26 accessories Surcharges, additional special accessories on the "comfort and ability options" order form lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C permanent lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC lighting system B&M IQ-X for E-drive B&M IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light 899,0					1.450,00			
tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 or PINION) Comparison of PINION 59,0			short cranks 155 mm / 6", recommended for riders under 175 cm / 68"		32,00			
or PINION) disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)			chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)		49,00			
disc brakes AVID BB7 mechanical, separate brake per front wheel disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right parking brake SHIMANO rear wheel V-Brake with thumblever one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right Scorpion plus 26 accessories Surcharges, additional special accessories on the "comfort and ability options" order form light wire routing only twin wires routed through the frame for hub dynamo lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C per manent lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC lighting system BON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light 899,0			-		59,00			
disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable 249,0			disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)		0,00			
disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right			disc brakes AVID BB7 mechanical, separate brake per front wheel		85,00			
hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right parking brake SHIMANO rear wheel V-Brake with thumblever			disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable		249,00			
function, rear disc brake, front brake lever: O left O right parking brake SHIMANO rear wheel V-Brake with thumblever	brakes				219,00			
one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right Scorpion plus 26 accessories Surcharges, additional special accessories on the "comfort and ability options" order form light wire routing only twin wires routed through the frame for hub dynamo 129,0					349,00			
Scorpion plus 26 accessories Surcharges, additional special accessories on the "comfort and ability options" order form Scorpion plus 26 accessories Surcharges, additional special accessories on the "comfort and ability options" order form Iight wire routing only twin wires routed through the frame for hub dynamo 129,0			parking brake SHIMANO rear wheel V-Brake with thumblever		79,00			
Scorpion plus 26 accessories Surcharges, additional special accessories on the "comfort and ability options" order form Iight wire routing only twin wires routed through the frame for hub dynamo 129,0		\Box		1 I T	599 00			
Iight wire routing only twin wires routed through the frame for hub dynamo 129,0			with parking brake function, mounting the controls: O left O right		377,00			
Ighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C permanent Ighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M Toplight 2C DC Ighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC Ighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC Ighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS R99,0	Scorpion plus 26 accessories Surcharges, additional special accessories on the "comfort and ability options" order form							
B&M Toplight 2C permanent B&M Toplight 2C permanent 165,0			light wire routing only twin wires routed through the frame for hub dynamo		129,00			
Ighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light 899,0	S	□			165,00			
Ighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light 899,0	essorie				259,00			
Ighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS	acci		lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		359,00			
indicator lights system WingBling only in conjunction with electric drive					899,00			
	Ш		indicator lights system WingBling only in conjunction with electric drive		789,00			





×	Item	sugg.
	rear rack 14 mm / 0.6" tube, black powder coating, max. load 25 kg / 55 lbs	retail \$ 299,00
⊢	0 0	
		239,00
	,	185,00
		209,00
	mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black	389,00
	clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	119,00
	handrest with retaining strap comfortable hand support mounted on handlebar mounting side of handrest: O left O right	135,00
	handrests left and right with one retaining strap with one retaining strap, mounting side of retaining strap: O left O right	269,00
	handrests left and right comfortable hand support, mounted on handlebar, removable cushion	189,00
accessories	standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side, O left O right O pair	194,50
SS	water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted	105,00
ខ្លុ	rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	85,00
" u	rear mirror MIRRYCLE both sides barend mounting left and right	170,00
	rear mirror B&M E wide view angle, easy to adjust, mounted to handlebar O left O right	109,00
	rear mirror B&M E both sides left and right, mounted to handlebar	218,00
	flag HP VELOTECHNIK double-sided print, with reflective strip	33,00
	universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted	69,00
	speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	39,00
	air horn AIRZOUND XL about 30-115 dB, not mounted	45,00
	Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)	779,00
	transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	135,00
	frame lock ABUS Granit with removable key, without chain, black	99,00
	chain for frame lock length 100 cm / 39.4"	39,00

All prices in US\$. The MSRP includes duties and shipping, excluding applicable sales tax. This form is valid for US customers only.

Our general terms and conditions shall apply for all orders. Please contact your authorized HP Velotechnik dealer for details and ordering.