



	×	Item		sugg. retail \$				
Sc	Scorpion recumbent trike 20"/26" (SCO2)							
		Scorpion basic model rear suspension, under seat steering, STURMEY ARCHER 24 speed derailleur/hub gears,		4 000 00				
	J	SHIMANO hydraulic disc brakes		4.990,00				
		Scorpion frameset with suspension rear, seat, handlebar, front hubs, chain guide setup		4.110,00				
Sc	or	pion options extra charge – drivetrain and brake options for complete bikes only						
		standard colour O peeka blue O anthracite grey metallic matt		0,00				
		single custom colour according to RAL-colour chart: (please specify)		239,00				
		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:		349,00				
πe		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)		0,00				
frai		front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION		239,00				
		length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm		0,00				
		front boom quickadjust without chain compensation QR-levers		69,00				
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers		289,00				
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags		0,00				
		ErgoMesh HS meshseat (4.3" higher than EM seat)		0,00				
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)		0,00				
		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)		0,00				
		ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback		389,00				
	-	independently adjustable		307,00				
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)		389,00				
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)		389,00				
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)		389,00				
		BodyLink seat		219,00				
at		BodyLink seat with brackets for small riders (1.6" to the front)		219,00				
S		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position		129,00				
		long handlebars recommended for small riders, required for all high netseats (HS and HS XL)		25,00				
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion		189,00				
		Airflow seat cushion breathable fabric, sewn, for BodyLink seat		99,00				
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle		175,00				
		headrest for meshseat adjustable in height and angle, with quick release lever		219,00				
		SeatWings hip support for BodyLink seat, carbon fiber, padded		359,00				
		adjustable end stops allow exact positioning of the seat		29,00				
		two adjustable end stops for ErgoMesh Premium seats only, added		58,00				
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag		89,00				
		rain cover for seats, ripstop nylon fabric, blue		39,00				
		rear shock DNM DV-22 (basic specification)		0,00				
	1 -	O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 308 lbs		,				
_		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump		359,00				
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur, STURMEY ARCHER 3 speed internal hub		0,00				
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black		49,00				
rain		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY ARCHER barend shifters, STURMEY ARCHER 3 speed internal hub		219,00				
drivetrain		drivetrain STURMEY ARCHER Tripleshift 30, SRAM GX crankset 32T 30 speed with barend shifters, rear derailleur MICROSHIFT XLE, SHIMANO XT I I-36 cassette, STURMEY ARCHER 3 speed internal gear hub		469,00				
1		drivetrain SRAM 30 30 speed, SRAM GX rear derailleur, MICROSHIFT front derailleur, SRAM SL-500 barend shifters		319,00				
ĺ		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter		2.430,00				
1		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible		2.370,00				





Cartive SHINAMO STEPS E5000 Nexus DI2 up to 20 mph, SRAN X4 B-opeed rear derailbury, Li-kon battery 418 Wh.		×	Item		sugg. retail \$			
Carbon SHIMANO STEPS ESSAM X4 up to 20 mph, SHIMANO Nexus 8 speed Di2 garr hub, Li-lon battery 418 Wh, 2 A charger, push asset   Carbon SHIMANO STEPS ESSAM X4 up to 20 mph, SHIMANO Nexus 5 speed Di2 garr hub, Li-lon battery 418 Wh, 2 A charger, push asset   Carbon SHIMANO STEPS ESSAM X4 up to 20 mph, SHIMANO Nexus 5 speed Di2 garr hub, Li-lon battery 418 Wh, 2 A charger, push asset   Carbon SHIMANO STEPS ESSAM X4 up to 20 mph, SHIMANO Nexus 5 speed Di2 garr hub, Li-lon battery 418 Wh, 2 A charger, push asset   Carbon SHIMANO STEPS ESSAM Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 garr hub, Li-lon battery 418 Wh, 2 A charger, push asset   Carbon SHIMANO STEPS ESSAM Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 garr hub, Li-lon battery 418 Wh, 2 A charger, push asset   Carbon SHIMANO STEPS ESSAM Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 garr hub, Li-lon battery 418 Wh, 2 A charger, push asset   Carbon SHIMANO STEPS ESSAM Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 garr hub, Li-lon battery 418 Wh, 2 A charger, push asset   Carbon SHIMANO STEPS ESSAM Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 garr hub, Li-lon battery 418 Wh, 618-N950, charger 2 A push assite, freeding and abstern function   Carbon SHIMANO STEPS ESSAM Nexus 9 push 10 20 mph, SHIMANO Nexus 8 speed Di2 garr hub, Li-lon battery 418 Wh, 618-N950, charger 2 A push assite, freeding and abstern function   Carbon SHIMANO STEPS ESSAM Di2 up to 20 mph, Bill Nexus 9 push 10 push Nexus 9 push 10 push			E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph. SRAM X4 8-speed rear derailleur. Li-lon battery 418 Wh					
Last Why, 2.4. charger, push assist   Edrive SHIMANO STEPS EPS Nexus 8 DIZ up to 20 mph, SHIMANO Nexus 8 speed DIZ gars hub, Li-lon battery 418 Wh, 2.4. charger, push assist   Confirmed SHIMANO STEPS EPS Nexus 8 DIZ up to 20 mph, SHIMANO Nexus 8 speed DIZ gars hub, Li-lon battery 418 wh, 2.4. charger, push assist   Confirmed SHIMANO STEPS EPS Nexus 8 DIZ up to 20 mph, SHIMANO Nexus 8 speed DIZ gars hub, Li-lon battery 418 wh, 2.4. charger, push assist   Confirmed SHIMANO STEPS EPS Nexus 8 DIZ up to 20 mph, SHIMANO Nexus 8 speed DIZ gars hub, Li-lon battery 418 who 1418 Wh, charger 2.4. push assist.   Confirmed SHIMANO STEPS EPB01 Nexus 5 DIZ up to 20 mph, SHIMANO Nexus 8 speed DIZ gars hub, Li-lon battery 418 who 1418 Wh, charger 2.4. push assist.   Confirmed SHIMANO STEPS EPB01 Cargo CMUS DIZ up to 20 mph, SHIMANO Nexus 8 speed DIZ gars hub, Li-lon battery 418 who (87-84894), charger 3.4. push assist.   Confirmed SHIMANO STEPS EPB01 Cargo CMUS DIZ up to 20 mph, SHIMANO CREATE SHIMANO STEPS EPB01 Cargo CMUS DIZ up to 20 mph, SHIMANO CREATE SHIMANO STEPS EPB01 Cargo CMUS DIZ up to 20 mph, SHIMANO CREATE SHIMANO STEPS EPB01 Cargo CMUS DIZ up to 20 mph, SHIMANO CREATE SHIMANO STEPS EPB01 Cargo CMUS DIZ up to 20 mph, SHIMANO CREATE SHIMANO STEPS EPB01 Cargo CMUS DIZ up to 20 mph, SHIMANO CREATE SHIMANO STEPS EPB01 Cargo CMUS DIZ up to 20 mph, SHIMANO CREATE SHIMANO STEPS EPB01 Cargo CMUS DIZ up to 20 mph, SHIMANO CREATE SHIMANO STEPS EPB01 Cargo CMUS DIZ up to 20 mph, SHIMANO CREATE SHIMANO STEPS EPB01 Cargo CMUS DIZ up to 20 mph, SHIMANO STEPS EPB01 Cargo CMUS DIZ up to 20 mph, SHIMANO CREATE SHIMANO STEPS EPB01 Cargo CMUS DIZ up to 20 mph, SHIMANO STEPS EPB01 Cargo CMUS DIZ up to 20 mph, SHIMANO STEPS EPB01 Cargo CMUS DIZ up to 20 mph, SHIMANO STEPS EPB01 Cargo CMUS DIZ up to 20 mph, SHIMANO STEPS EPB01 Cargo CMUS DIZ up to 20 mph, SHIMANO STEPS EPB01 Cargo CMUS DIZ up to 20 mph, SHIMANO STEPS EPB01 Cargo CMUS DIZ up to 20 mph, SHIMANO STEPS EPB01 Cargo CMUS DIZ up to 20 mph, SHIMANO STEPS EPB01 Cargo CMUS DIZ					2.080,00			
Continue of the Continue of			E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery					
Carther SHIMANO STEPS EPS Nexus 8 DIZ up to 20 mph, SHIMANO Nexus 8 speed DiZ grar hub, Li-lon battery 418  3.520,C  Differing SHIMANO STEPS EPS Nexus 8 DIZ up to 20 mph, SHIMANO Nexus 8 speed DiZ grar hub, Li-lon battery 418  3.450,C  Differing SHIMANO STEPS EPS Nexus 8 DIZ up to 20 mph, SHIMANO Nexus 8 speed DiZ grar hub, Li-lon battery 418  3.450,C  Differing SHIMANO STEPS EPS Nexus 8 DIZ up to 20 mph, SHIMANO Nexus 8 speed DiZ grar hub, Li-lon battery 418  3.450,C  Differing SHIMANO STEPS EPS Nexus 8 DIZ up to 20 mph, SHIMANO Nexus 8 speed DiZ grar hub, Li-lon battery 418 win 418 win 618-248		ш	418 Wh, 2 A charger, push assist		2.450,00			
Congress, plant statists  Gethrie SHIMAND STEPS EPS Nexus 8 D12 up to 20 mph, SHIMANO Nexus 5 speed D12 gear hub, Li-lon battery 418  3.520,6  Gethrie SHIMAND STEPS EPS Nexus 8 D12 up to 20 mph, SHIMANO Nexus 8 speed D12 gear hub, Li-lon battery 418  3.450,0  Gethrie SHIMAND STEPS EPS Nexus 8 D12 up to 20 mph, SHIMANO Nexus 8 speed D12 gear hub, Li-lon battery 418  3.450,0  Gethrie SHIMANO STEPS EP801 Cargo Cues D12 up to 20 mph, SHIMANO Nexus 8 speed D12 gear hub, Li-lon battery 418  Gethrie SHIMANO STEPS EP801 Cargo Cues D12 up to 20 mph, SHIMANO Nexus 8 speed D12 gear hub, Li-lon battery 418 Wh, (GET-ROB), Li-lon battery 518 Wh, Li-lon battery 518 Wh			E-drive SHIMANO STEPS EP5 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lon battery 418 Wh, 2		2 040 00			
Min. 2.4 charger, push assist  E-drive SHIMANO STEPS EPS Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery 418  3.450,6  E-drive SHIMANO STEPS EP80 Nexus 8 Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery win 418 Wh, (87-E-890), Charger 2.A, push assist.  E-drive SHIMANO STEPS EP80 Carpo Cues Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon battery win 418 Wh, (87-E-890), Charger 2.A, push assist. Feedfill and automit function d-drive SHIMANO STEPS EP80 Carpo ROMO Automating to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon tattery 418 Wh, (87-E-890), Charger 2.A, push assist. Feedfill and automit function d-drive SHIMANO STEPS EP80 Carpo ROMO Automating to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lon d-drive SHIMANO STEPS EP80 Carpo ROHLOFF up to 20 mph, SHIMANO STEPS EP80 Carpo ROHLOFF up to 20 mph, SHIMANO STEPS EP80 Carpo ROHLOFF up to 20 mph, self-drive SHIMANO STEPS EP80 Carpo ROHLOFF up to 20 mph, self-drive SHIMANO STEPS EP80 Carpo ROHLOFF up to 20 mph, self-drive SHIMANO STEPS EP80 Carpo ROHLOFF up to 20 mph, self-drive SHIMANO STEPS EP80 Carpo ROHLOFF up to 20 mph, self-drive SHIMANO STEPS EP80 Carpo ROHLOFF up to 20 mph, self-drive SHIMANO STEPS EP80 Carpo ROHLOFF up to 20 mph, self-drive SHIMANO STEPS EP80 Carpo ROHLOFF up to 20 mph, self-drive SHIMANO STEPS EP80 Carpo ROHLOFF up to 20 mph, self-drive SHIMANO STEPS EP80 Carpo ROHLOFF up to 20 mph, self-drive SHIMANO STEPS EP80 Carpo ROHLOFF up to 20 mph, self-drive SHIMANO STEPS EP80 Carpo ROHLOFF up to 20 mph, self-drive SHIMANO STEPS EP80 Carpo ROHLOFF up to 20 mph, self-drive SHIMANO STEPS EP80 Carpo ROHLOFF up to 20 mph, self-drive SHIMANO STEPS EP80 Carpo ROHLOFF up to 20 mph, self-drive SHIMANO STEPS EP80 Carpo SHIMANO STEPS EP80 CARPO SHIMANO STEPS EP80 CARPO SHIMANO STEPS EP80 SHIMANO ST		٦	A charger, push assist		3.060,00			
Compared to the compared to					3.520,00			
With 2 A charger, push assists  E-drive SHIMANO STEPS EP801 Nexus 5 DI2 up to 20 mph, SHIMANO Nexus 8 speed DI2 gear hub, Li-lon battery with 418 Wh. charger 2 Ap. push assists  E-drive SHIMANO STEPS EP801 Cargo Claes DI2 up to 20 mph, SHIMANO Claes DI2 10-speed derailleur, Li-lon  Laterty 418 Wh (ET-SNB94), push assists  E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lon battery 418 Wh (ET-SNB94), push assists  E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lon battery 418 Wh (ET-SNB94), push assists  E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Puph, inc. ROHLOFF 14 gear interneal gear hub, Li-lon battery 418 Wh (ET-SNB94), push assists forward and backwards, business of the public of the publi			Wh, 2 A charger, push assist					
E-drive SHIMANO STEPS EP801 Nexus 5 DIZ up to 20 mph, SHIMANO Nexus 8 speed DIZ garr hub, Li-lon battory with 418 VM, charger 2 A, push assist.   4.330,6					3.450,00			
Sective SHIMANO STEPS EPB01 Cargo Cues D12 up to 20 mph, SHIMANO Cues D12 10-speed derailleur, Li-lon								
E-drive SHIMANO STEPS EP801 Cargo Ques Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lon					4.330,00			
E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting. Li-lon battery 418 WN (8T-EN804), 24 charger, push assist   5.570,6					-			
Internal stepless shifting, Li-lon battery 418 Wh (8T-EN804), 2 A charger, push assist  E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lon battery 418 Wh (8T-EN804), push assist  E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever (SRAM SL-500, cassetts SRAM; chairing set 3-speed black, Li-lon battery 576 Wh, push assist forward and backwards, (Display position of above handlebar O side of handlebar (SRAM SL-500, cassetts SRAM; chairing set 3-speed black, Li-lon battery 576 Wh, push assist forward and backwards, objects on the compatible with streamer, display position of above handlebar (SRAM SL-600) assetts on to compatible with streamer, display position of above handlebar (SRAM SL-600) assetts of the streamer of the part of the streamer of the part of the streamer of the part of the streamer of the streamer of the streamer of the streamer, display position of above handlebar (SRAM SL-600) assetts of the streamer of the stream					4.450,00			
E-drive NEODRIVES 220 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, caseates SRAM, chaining set 3-speed black, Li-ion battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar E-drive NEODRIVES 270 with PINION CI-I2 up to 20 mph, front gear box, Li-ion 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar  Bedrive NEODRIVES 270 with PINION CI-I2 up to 20 mph, front gear box, Li-ion 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar  Bedrive NEODRIVES 270 Li-ion battery 630 Wh, battery holder battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder  Cand battery pack for NEODRIVES 270 Li-ion battery 630 Wh, battery adapter set, cable extension for convenient charges and reconnecting of additional battery, incl. mounting accessories (restricts folding function)  I short cranks 155 mm / 6°, recommended for riders under 175 cm / 68°  I chairwheed disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)  I disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)  I disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)  I disc brakes SHIMANO TR hydraulic, separate brake per front wheel (basic specification)  I disc brakes SHIMANO TR hydraulic, separate brake per front wheel (basic specification)  I disc brakes SHIMANO TR hydraulic, separate brake per front wheel (basic specification)  I disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function, rear disc brakes, front brake lever: I old to right  I hydraulic disc brakes front brake lever: I old to right  I parking brake SHIMANO rear wheel V-Brake with thumblever  I parking brake SHIMANO rear wheel V-Brake with t	_		E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq					
E-drive NEODRIVES 220 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, caseates SRAM, chaining set 3-speed black, Li-ion battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar E-drive NEODRIVES 270 with PINION CI-I2 up to 20 mph, front gear box, Li-ion 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar  Bedrive NEODRIVES 270 with PINION CI-I2 up to 20 mph, front gear box, Li-ion 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar  Bedrive NEODRIVES 270 Li-ion battery 630 Wh, battery holder battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder  Cand battery pack for NEODRIVES 270 Li-ion battery 630 Wh, battery adapter set, cable extension for convenient charges and reconnecting of additional battery, incl. mounting accessories (restricts folding function)  I short cranks 155 mm / 6°, recommended for riders under 175 cm / 68°  I chairwheed disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)  I disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)  I disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)  I disc brakes SHIMANO TR hydraulic, separate brake per front wheel (basic specification)  I disc brakes SHIMANO TR hydraulic, separate brake per front wheel (basic specification)  I disc brakes SHIMANO TR hydraulic, separate brake per front wheel (basic specification)  I disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function, rear disc brakes, front brake lever: I old to right  I hydraulic disc brakes front brake lever: I old to right  I parking brake SHIMANO rear wheel V-Brake with thumblever  I parking brake SHIMANO rear wheel V-Brake with t	trai	ш	internal stepless shifting, Li-Ion battery 418 Wh (BT-EN804), 2 A charger, push assist		5.570,00			
E-drive NEODRIVES 220 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, caseates SRAM, chaining set 3-speed black, Li-ion battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar E-drive NEODRIVES 270 with PINION CI-I2 up to 20 mph, front gear box, Li-ion 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar  Bedrive NEODRIVES 270 with PINION CI-I2 up to 20 mph, front gear box, Li-ion 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar  Bedrive NEODRIVES 270 Li-ion battery 630 Wh, battery holder battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder  Cand battery pack for NEODRIVES 270 Li-ion battery 630 Wh, battery adapter set, cable extension for convenient charges and reconnecting of additional battery, incl. mounting accessories (restricts folding function)  I short cranks 155 mm / 6°, recommended for riders under 175 cm / 68°  I chairwheed disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)  I disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)  I disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)  I disc brakes SHIMANO TR hydraulic, separate brake per front wheel (basic specification)  I disc brakes SHIMANO TR hydraulic, separate brake per front wheel (basic specification)  I disc brakes SHIMANO TR hydraulic, separate brake per front wheel (basic specification)  I disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function, rear disc brakes, front brake lever: I old to right  I hydraulic disc brakes front brake lever: I old to right  I parking brake SHIMANO rear wheel V-Brake with thumblever  I parking brake SHIMANO rear wheel V-Brake with t	rive	П	E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lon		6 180 00			
SAAY SL-500, cassette SRAM, chaining set 3-speed black, Li-lon battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar  Edrive NEODRIVES 220 with PINION C.1.2 up to 20 mph, front gear box, Li-lon 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar  Big battery pack for SHIMANO STEPS Li-lon 630 Wh, fast charger with 4 A  399,0  And battery pack for SHIMANO STEPS Li-lon battery 630 Wh, battery holder battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder  Industry pack for NEODRIVES 220 Li-lon battery 576 Wh, battery adapter set, cable extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)  short cranks 155 mm 1 6°, recommended for infer under 175 cm 1 68°  chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)  tire exchange from SCHWALBE Tryker 40 mm / 1.6° to O Marathon Plus 47 mm / 1.8° O Kojak 35 mm / 1.4° (SRAM/30 or PINION)  disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)  disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)  disc brakes SHIMANO ST hydraulic, separate brake per front wheel (basic specification)  disc brakes SHIMANO Ten brakes, enchanical, rear disc brake, parking brake function front brake lever: O left: O right hydraulic, coupled front brakes with one-hand operation and parking brake function one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID B87 disc brake SHIMANO rear wheel V-Brake with thumblever one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID B87 disc brake SHIMANO rear wheel V-Brake with thumblever one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID B87 disc brake	Р	_	battery 418 Wh (BT-EN804), push assist		0.160,00			
Display position: O above handlebar O side of handlebar  E-drive NEODRIVES 220 with PINION C1.12 up to 20 mph, front gear box, Li-lon 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar    Display pack SHIMANO STEPS Li-lon 630 Wh, fast, charger with 4 A			E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end gear lever					
E-drive NEODRIVES 220 with PINION C1.12 up to 20 mph, front gear box, Li-lon 576 Wh, push assist forward and backwards, not compatible with streamer, display position: O above handlebar O side of handlebar					4.570,00			
backwards, not compatible with streamer, display position: O above handlebar O side of handlebar   0.570,0     big battery pack SHIMANO STEPS Li-lon 630 Wh, fast charger with 4 A   399,0     2nd battery pack for SHIMANO STEPS Li-lon battery 630 Wh, battery holder, battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder   1.380,6     charging and reconnecting of additional battery, incl., mounting accessories (restricts folding function)   1.450,6     short cranks 155 mm / 6", recommended for riders under 175 cm / 68"   332,6     chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)   49,6     disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)   0,6     disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)   0,6     disc brakes AVID BB7 mechanical, separate brake per front wheel (basic specification)   219,6     disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left. O right   1,474 function front brake lever: O left. O right   1,474 function front brake lever: O left. O right   1,474 function front brake lever: O left. O right   1,474 function front brake lever: O left. O right   1,474 function front brake lever: O left. O right   1,474 function front brake lever: O left. O right   1,474 function front brake lever: O left. O right   1,474 function front brake lever: O left. O right   1,474 function front brake lever: O left. O right   1,474 function front brake lever: O left. O right   1,474 function front brake lever: O left. O right   1,474 function front brake lever: O left. O right   1,474 function function front brake lever: O left. O right   1,474 function function front brake lever: O left. O right   1,474 function function front brake lever: O left. O right   1,474 function function function function function function function function function fun			· · · ·					
big battery pack SHIMANO STEPS Li-lon 630 Wh, fast charger with 4 A  2nd battery pack for SHIMANO STEPS Li-lon battery 630 Wh, battery holder, battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder.  2nd battery pack for NEODRIVES Z20 Li-lon battery 576 Wh, battery adapter set, cable extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)  312,6  32,6  32,6  32,6  32,6  33,6  34,6  34,6  35,6  36  36  36  36  37  38  38  39  38  39  38  39  38  39  38  39  39  39  39  39  39  39  39  39  39					6.570,00			
2nd battery pack for SHIMANO STEPS Li-lon battery 630 Wh, battery adapter set, (restricts folding function), without power supply, battery must be inserted for use in main battery holder   2nd battery pack for NEODRIVES Z20 Li-lon battery 576 Wh, battery adapter set, cable extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)   1.450,6					300 00			
function), without power supply, battery must be inserted for use in main battery holder    Cand battery pack for NEODRIVES 220 Li-ion battery 576 Wh, battery adapter set, cable extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)   Short cranks 155 mm / 6", recommended for riders under 175 cm / 68"   Chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)   Life exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 or PINION)   Life exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 or PINION)   Life exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 or PINION)   Life exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 or PINION)   Life exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 or PINION)   Life by Charles SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)   Life by Charles SHIMANO ST hydraulic, separate brake per front wheel (basic specification)   Life by Charles SHIMANO ST hydraulic, separate brake per front wheel (basic specification)   Life by Charles SHIMANO ST hydraulic, separate brake per front wheel (basic specification)   Life by Charles SHIMANO ST hydraulic, separate brake per front wheel (basic specification)   Life by Charles SHIMANO ST hydraulic, separate brake per front wheel (basic specification)   Life by Charles SHIMANO ST hydraulic, separate brake per front wheel (basic specification)   Life by Charles SHIMANO ST hydraulic, separate brake per front wheel (basic specification)   Life by Charles SHIMANO ST hydraulic, separate brake per front wheel (basic specification)   Life by Charles SHIMANO ST hydraulic, separate brake per front wheel (basic specification)   Life by Charles SHIMA		_			377,00			
charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)    short cranks 155 mm / 6*, recommended for riders under 175 cm / 68*   32,6     chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)   49,6     trie exchange from SCHWALBE Tryker 40 mm / 1.6* to O Marathon Plus 47 mm / 1.8* O Kojak 35 mm / 1.4* (SRAM/30 or PINION)   59,6     disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)   0,6     disc brakes AVID BB7 mechanical, separate brake per front wheel (basic specification)   0,6     disc brakes AVID BB7 mechanical, separate brake per front wheel (basic specification)   249,6     disc brakes AVID BB7 coupled front brakes per front wheel, lever reach adjustable   249,6     disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right   219,6     disc brakes SHIMANO rear wheel V-Brake with thumblever   219,6     parking brake SHIMANO rear wheel V-Brake with thumblever   79,6     one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right   599,6    Scorpion accessories Surcharges, additional special accessories on the "comfort and ability options" order form   129,6     lighting system B&M IQ-XS friendly for E-drive LED headlight R&M IQ-XS friendly, up to 80 lux, rear light B&M   259,6     lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC   359,6     lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS   899,6					1.380,00			
charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)    short cranks 155 mm / 6*, recommended for riders under 175 cm / 68*   32,6     chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)   49,6     trie exchange from SCHWALBE Tryker 40 mm / 1.6* to O Marathon Plus 47 mm / 1.8* O Kojak 35 mm / 1.4* (SRAM/30 or PINION)   59,6     disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)   0,6     disc brakes AVID BB7 mechanical, separate brake per front wheel (basic specification)   0,6     disc brakes AVID BB7 mechanical, separate brake per front wheel (basic specification)   249,6     disc brakes AVID BB7 coupled front brakes per front wheel, lever reach adjustable   249,6     disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right   219,6     disc brakes SHIMANO rear wheel V-Brake with thumblever   219,6     parking brake SHIMANO rear wheel V-Brake with thumblever   79,6     one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right   599,6    Scorpion accessories Surcharges, additional special accessories on the "comfort and ability options" order form   129,6     lighting system B&M IQ-XS friendly for E-drive LED headlight R&M IQ-XS friendly, up to 80 lux, rear light B&M   259,6     lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC   359,6     lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS   899,6			2nd battery pack for NEODRIVES Z20 Li-ion battery 576 Wh, battery adapter set, cable extension for convenient					
chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)  tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 or PINION)  disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)  disc brakes SHIMANO XT hydraulic, separate brake per front wheel (basic specification)  disc brakes SHIMANO XT hydraulic, separate brake per front wheel (basic specification)  disc brakes SHIMANO XT hydraulic, separate brake per front wheel (lever reach adjustable)  disc brakes SHIMANO XT hydraulic, separate brake per front wheel (lever reach adjustable)  disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right  hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right  parking brake SHIMANO rear wheel V-Brake with thumblever one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake one-hand operation for brakes and d					1.450,00			
tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 or PINION)    disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)   disc brakes AVID BB7 mechanical, separate brake per front wheel (basic specification)   disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable   249,0     disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable   249,0     disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right   219,0     disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right   249,0     parking brake SHIMANO rear wheel V-Brake with thumblever   79,0     one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake   599,0     one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake   599,0     sparking brake function, mounting the controls: O left O right   79,0     one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake   599,0     sparking brake function, mounting the controls: O left O right   79,0     one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake   599,0     sparking brake function, mounting the controls: O left O right   79,0     one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake   599,0     sparking brake function, mounting the controls: O left O right   79,0     sparking brake function, mounting the controls: O left O right   79,0     sparking brake function, mounting the controls: O left O right   79,0     sparking brake function of brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7			short cranks 155 mm / 6", recommended for riders under 175 cm / 68"		32,00			
or PINION)    disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)			chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)		49,00			
disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)   0,0			-		59,00			
disc brakes AVID BB7 mechanical, separate brake per front wheel  disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable  disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable  disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right  hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right  parking brake SHIMANO rear wheel V-Brake with thumblever  one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right  Scorpion accessories Surcharges, additional special accessories on the "comfort and ability options" order form  light wire routing only twin wires routed through the frame for hub dynamo  light wire routing only twin wires routed through the frame for hub dynamo  lighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight 2C DC  lighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M  Toplight 2C DC  lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC  lighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC  lighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS  ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light	Ш		•					
disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable   249,0					0,00			
disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right					85,00			
hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right    parking brake SHIMANO rear wheel V-Brake with thumblever	es	_			249,00			
hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left O right    parking brake SHIMANO rear wheel V-Brake with thumblever	rake		·		219,00			
function, rear disc brake, front brake lever: O left O right    parking brake SHIMANO rear wheel V-Brake with thumblever	٩		-	<del>                                     </del>				
one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right  Scorpion accessories Surcharges, additional special accessories on the "comfort and ability options" order form    light wire routing only twin wires routed through the frame for hub dynamo   129,0					349,00			
Scorpion accessories Surcharges, additional special accessories on the "comfort and ability options" order form    Scorpion accessories Surcharges, additional special accessories on the "comfort and ability options" order form    Sight wire routing only twin wires routed through the frame for hub dynamo   129,000	•		parking brake SHIMANO rear wheel V-Brake with thumblever		79,00			
Scorpion accessories Surcharges, additional special accessories on the "comfort and ability options" order form    Iight wire routing only twin wires routed through the frame for hub dynamo   129,0			one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake		500 00			
light wire routing only twin wires routed through the frame for hub dynamo   129,0	Ш	J	with parking brake function, mounting the controls: O left O right		377,00			
Ighting system B&M EYRO rechargeable up to 30 lux, headlight rechargeable with USB, battery-powered rear light B&M Toplight2C permanent   Ighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M   Toplight 2C DC   Ighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC   Ighting system B&M IQ-X for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC   Ighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS   Replication	Scorpion accessories Surcharges, additional special accessories on the "comfort and ability options" order form							
B&M Toplight2C permanent    B&M Toplight2C permanent   B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M   259,0					129,00			
Iighting system B&M IQ-XS friendly for E-drive LED headlight B&M IQ-XS friendly, up to 80 lux, rear light B&M					165,00			
Ighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS	es							
Ighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS	sori				259,00			
Ighting system SON xs-m disc dynohub/IQ-X with stand light, daytime running light and brake light, SCHMIDTS	ces	$_{\Box}$		<del>                                     </del>	359 00			
ORIGINAL NABENDYNAMO, B&M IQ-X headlight, up to 100 lux, B&M Toplight 2C plus rear light	ac	_						
indicator lights system Wing Rling only in conjunction with electric drive				1	899,00			
	<b>[</b>		indicator lights system WingBling only in conjunction with electric drive	<del>                                     </del>	789,00			





_			
	×	Item	sugg. retail \$
H		rear rack 14 mm / 0.6" tube, black powder coating, max. load 25 kg / 55 lbs	299,00
1		top load rack additional luggage rack above the rear wheel, maximum load 10 kg / 22 lbs	239,00
		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted	209,00
lf		mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black	389,00
lt		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	119,00
		handrest with retaining strap comfortable hand support mounted on handlebar mounting side of handrest: O left O right	135,00
		handrests left and right with one retaining strap with one retaining strap, mounting side of retaining strap: O left O right	269,00
ll		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	189,00
ries		standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side, O left O right O pair	124,50
accessories		water bottle set HP VELOTECHNIK 2 x 0.6   PE-bottle with HP print, with bottle cages, mounted	105,00
5		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	85,00
1"		rear mirror MIRRYCLE both sides barend mounting left and right	170,00
		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right	109,00
		rear mirror B&M E both sides left and right knuckle mounting	218,00
		flag HP VELOTECHNIK double-sided print, with reflective strip	33,00
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted	69,00
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	39,00
		air horn AIRZOUND XL about 30-115 dB, not mounted	45,00
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)	779,00
] [		frame lock ABUS Granit with removable key, without chain, black	99,00
Ш		chain for frame lock length 100 cm / 39.4"	39,00

All prices in US\$. The MSRP includes duties and shipping, excluding applicable sales tax. This form is valid for US customers only.

Our general terms and conditions shall apply for all orders. Please contact your authorized HP Velotechnik dealer for details and ordering.